



State of Oklahoma
Office of Management and Enterprise Services
Central Purchasing Division

Solicitation

1. Solicitation #: 1310003823

2. Solicitation Issue Date: 3/11/2014

3. Brief Description of Requirement:

Kitchen Equipment and Appliances

RFP NOTICE: Please note that on an RFP no pricing shall be released at the time of opening. Should a public opening be requested the only information to be released will be a list of bidders without pricing.

4. Response Due Date¹: 3/25/2014

Time: 3:00 PM CST/CDT

5. Issued By and RETURN SEALED BID TO:

Personal or Common Carrier Delivery or U.S. Postal Delivery:

Office of Management and Enterprise Services
Central Purchasing Division
Will Rogers Building
2401 N. Lincoln Blvd, Suite 116,
Oklahoma City, OK 73105

6. Solicitation Type (check one below):

- Invitation to Bid
 Request for Proposal
 Request for Quote

7. Requesting Agency: Oklahoma Department of Corrections

8. Contracting Officer:

Name: Jacob M. Charries

Phone: (405) 522-1040

Email: Jacob.Charries@omes.ok.gov

¹ Amendments to solicitation may change the Response Due Date (read CP GENERAL PROVISIONS, section 3, "Solicitation Amendments")
OMES-FORM-CP-070 (02/2013)



"Certification for Competitive Bid and Contract" **MUST** be submitted along with the response to the Solicitation.

1. **RE: Solicitation #** 1310003823

2. **Bidder General Information:**

FEI / SSN : _____ VEN ID: _____
Company Name: _____

3. **Bidder Contact Information:**

Address: _____
City: _____ State: _____ Zip Code: _____
Contact Name: _____
Contact Title: _____
Phone #: _____ FAX#: _____
Email: _____ Website: _____

4. **Oklahoma Sales Tax Permit²:**

- YES – Permit #: _____
- NO – Exempt pursuant to Oklahoma Laws or Rules

5. **Registration with the Oklahoma Secretary of State:**

- YES - Filing Number: _____
- NO - Prior to the contract award, the successful bidder will be required to register with the Secretary of State or must attach a signed statement that provides specific details supporting the exemption the supplier is claiming (www.sos.ok.gov or 405-521-3911).

6. **Workers' Compensation Insurance Coverage:**

Bidder is required to provide with the bid a certificate of insurance showing proof of compliance with the Oklahoma Workers' Compensation Act.

- YES – include a certificate of insurance with the bid
- NO - attach a signed statement that provides specific details supporting the exemption you are claiming from the Workers' Compensation Act (Note: Pursuant to Attorney General Opinion #07-8, the exemption from 85 O.S. 2011, § 311 applies only to employers who are natural persons, such as sole proprietors, and does not apply to employers who are entities created by law, including but not limited to corporations, partnerships and limited liability companies.)³

Authorized Signature Date

Printed Name Title

² For frequently asked questions concerning Oklahoma Sales Tax Permit, see <http://www.tax.ok.gov/faq/faqbussales.html>

³ For frequently asked questions concerning workers' compensation insurance, see <http://www.ok.gov/oid/faqs.html#c221>



**State of Oklahoma
Office of Management and Enterprise Services
Central Purchasing Division**

**Certification for Competitive
Bid and/or Contract
(Non-Collusion Certification)**

NOTE: A certification shall be included with any competitive bid and/or contract exceeding \$5,000.00 submitted to the State for goods or services.

Solicitation or Purchase Order #: 1310003823

Supplier Legal Name: _____

SECTION I [74 O.S. § 85.22]:

A. For purposes of competitive bid,

1. I am the duly authorized agent of the above named bidder submitting the competitive bid herewith, for the purpose of certifying the facts pertaining to the existence of collusion among bidders and between bidders and state officials or employees, as well as facts pertaining to the giving or offering of things of value to government personnel in return for special consideration in the letting of any contract pursuant to said bid;
2. I am fully aware of the facts and circumstances surrounding the making of the bid to which this statement is attached and have been personally and directly involved in the proceedings leading to the submission of such bid; and
3. Neither the bidder nor anyone subject to the bidder's direction or control has been a party:
 - a. to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding,
 - b. to any collusion with any state official or employee as to quantity, quality or price in the prospective contract, or as to any other terms of such prospective contract, nor
 - c. in any discussions between bidders and any state official concerning exchange of money or other thing of value for special consideration in the letting of a contract.

B. I certify, if awarded the contract, whether competitively bid or not, neither the contractor nor anyone subject to the contractor's direction or control has paid, given or donated or agreed to pay, give or donate to any officer or employee of the State of Oklahoma any money or other thing of value, either directly or indirectly, in procuring this contract herein.

SECTION II [74 O.S. § 85.42]:

For the purpose of a contract for services, the supplier also certifies that no person who has been involved in any manner in the development of this contract while employed by the State of Oklahoma shall be employed by the supplier to fulfill any of the services provided for under said contract.

The undersigned, duly authorized agent for the above named supplier, by signing below acknowledges this certification statement is executed for the purposes of:

the competitive bid attached herewith and contract, if awarded to said supplier;

OR

the contract attached herewith, which was not competitively bid and awarded by the agency pursuant to applicable Oklahoma statutes.

Supplier Authorized Signature

Certified This Date

Printed Name

Title

Phone Number

Email

Fax Number

TABLE OF CONTENTS

A GENERAL PROVISIONS..... 4

B. SPECIAL PROVISIONS10

C. SOLICITATION SPECIFICATIONS.....14

D. EVALUATION14

E. INSTRUCTIONS TO BIDDER35

F. CHECKLIST35

G. OTHER36

H. PRICE AND COST36

A. GENERAL PROVISIONS

A.1. Definitions

As used herein, the following terms shall have the following meaning unless the context clearly indicates otherwise:

- A.1.1. "Acquisition" means items, products, materials, supplies, services, and equipment a state agency acquires by purchase, lease purchase, lease with option to purchase, or rental pursuant to the Oklahoma Central Purchasing Act;
- A.1.2. "Bid" means an offer in the form of a bid, proposal, or quote a bidder submits in response to a solicitation;
- A.1.3. "Bidder" means an individual or business entity that submits a bid in response to a solicitation;
- A.1.4. "Solicitation" means a request or invitation by the State Purchasing Director or a state agency for a supplier to submit a priced offer to sell acquisitions to the state. A solicitation may be an invitation to bid, request for proposal, or a request for quotation; and
- A.1.5. "Supplier" or "vendor" means an individual or business entity that sells or desires to sell acquisitions to state agencies.

A.2. Bid Submission

- A.2.1. Submitted bids shall be in strict conformity with the instructions to bidders and shall be submitted with a completed Responding Bidder Information, OMES-FORM-CP-076, and any other forms required by the solicitation.
- A.2.2. Bids shall be submitted to the Central Purchasing Division in a single envelope, package, or container and shall be sealed, unless otherwise detailed in the solicitation. The name and address of the bidder shall be inserted in the upper left corner of the single envelope, package, or container. SOLICITATION NUMBER AND SOLICITATION RESPONSE DUE DATE AND TIME MUST APPEAR ON THE FACE OF THE SINGLE ENVELOPE, PACKAGE, OR CONTAINER.
- A.2.3. The required certification statement, "Certification for Competitive Bid and/or Contract (Non-Collusion Certification)", OMES-FORM-CP-004, must be made out in the name of the bidder and must be properly executed by an authorized person, with full knowledge and acceptance of all its provisions.
- A.2.4. All bids shall be legible and completed in ink or with electronic printer or other similar office equipment. Any corrections to bids shall be identified and initialed in ink by the bidder. Penciled bids and penciled corrections shall NOT be accepted and will be rejected as non-responsive. In addition to a hard copy submittal, the bidder will also be required to submit an electronic copy. Electronic responses must be submitted in the identical format contained in the solicitation (for example Microsoft Word, Microsoft Excel, but not Adobe PDF). In the event the hard copy of the price worksheets and electronic copy of the price worksheets do not agree, the electronic copy will prevail.
- A.2.5. All bids submitted shall be subject to the Oklahoma Central Purchasing Act, Central Purchasing Rules, and other statutory regulations as applicable, these General Provisions, any Special Provisions, solicitation specifications, required certification statement, and all other terms and conditions listed or attached herein—all of which are made part of this solicitation.

A.3. Solicitation Amendments

- A.3.1. If an "Amendment of Solicitation", OMES-FORM-CP-011, is issued, the bidder shall acknowledge receipt of any/all amendment(s) to solicitations by signing and returning the solicitation amendment(s). Amendment acknowledgement(s) may be submitted with the bid or may be forwarded separately. If forwarded separately, amendment acknowledgement(s) must contain the solicitation number and response due date and time on the front of the envelope. The Central Purchasing Division must receive the amendment acknowledgement(s) by the response due date and time specified for receipt of bids for the bid to be deemed responsive. Failure to acknowledge solicitation amendments may be grounds for rejection.
- A.3.2. No oral statement of any person shall modify or otherwise affect the terms, conditions, or specifications stated in the solicitation. All amendments to the solicitation shall be made in writing by the Central Purchasing Division.
- A.3.3. It is the Bidder's responsibility to check the OMES/Central Purchasing Division website frequently for any possible amendments that may be issued. The Central Purchasing Division is not responsible for a bidder's failure to download any amendment documents required to complete a solicitation.

A.4. Bid Change

If the bidder needs to change a bid prior to the solicitation response due date, a new bid shall be submitted to the Central Purchasing Division with the following statement "This bid supersedes the bid previously submitted" in a single envelope, package, or container and shall be sealed, unless otherwise detailed in the solicitation. The name and address of the bidder shall be inserted in the upper left corner of the single envelope, package, or container. SOLICITATION NUMBER AND SOLICITATION RESPONSE DUE DATE AND TIME MUST APPEAR ON THE FACE OF THE SINGLE ENVELOPE, PACKAGE, OR CONTAINER.

A.5. Certification Regarding Debarment, Suspension, and Other Responsibility Matters

By submitting a response to this solicitation:

- A.5.1. The prospective primary participant and any subcontractor certifies to the best of their knowledge and belief, that they and their principals or participants:
 - A.5.1.1. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded by any Federal, State or local department or agency;
 - A.5.1.2. Have not within a three-year period preceding this proposal been convicted of or pled guilty or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) contract; or for violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
 - A.5.1.3. Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State, or local) with commission of any of the offenses enumerated in paragraph A.5.1.2. of this certification; and
 - A.5.1.4. Have not within a three-year period preceding this application/proposal had one or more public (Federal, State, or local) contracts terminated for cause or default.
- A.5.2. Where the prospective primary participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to its solicitation response.

A.6. Bid Opening

Sealed bids shall be opened by the Central Purchasing Division at the Will Rogers Building, 2401 N. Lincoln Blvd. First Floor, Suite 116, Oklahoma City, Oklahoma, 73105 at the time and date specified in the solicitation as Response Due Date and Time.

A.7. Open Bid / Open Record

Pursuant to the Oklahoma Public Open Records Act, a public bid opening does not make the bid(s) immediately accessible to the public. The procurement or contracting agency shall keep the bid(s) confidential, and provide prompt and reasonable access to the records only after a contract is awarded or the solicitation is cancelled. This practice protects the integrity of the competitive bid process and prevents excessive disruption to the procurement process. The interest of achieving the best value for the State of Oklahoma outweighs the interest of vendors immediately knowing the contents of competitor's bids. [51 O.S. § 24A.5(5)]

Additionally, financial or proprietary information submitted by a bidder may be designated by the Purchasing Director as confidential and the procurement entity may reject all requests to disclose information designated as confidential pursuant to 62 O.S. (2012) § 34.11.1(H)(2) and 74 O.S. (2011) § 85.10. Bidders claiming any portion of their bid as proprietary or confidential must specifically identify what documents or portions of documents they consider confidential and identify applicable law supporting their claim of confidentiality. The State Purchasing Director shall make the final decision as to whether the documentation or information is confidential pursuant to 74 O.S. § 85.10. Otherwise, documents and information a bidder submits as part of or in connection with a bid are public records and subject to disclosure after contract award or the solicitation is cancelled.

A.8. Late Bids

Bids received by the Central Purchasing Division after the response due date and time shall be deemed non-responsive and shall NOT be considered for any resultant award.

A.9. Legal Contract

- A.9.1. Submitted bids are rendered as a legal offer and any bid, when accepted by the Central Purchasing Division, shall constitute a contract.
- A.9.2. The Contract resulting from this solicitation may consist of the following documents in order of preference:
 - A.9.2.1. Purchase order, as amended by Change Order (if applicable);
 - A.9.2.2. Solicitation, as amended (if applicable); and
 - A.9.2.3. Successful bid (including required certifications), to the extent the bid does not conflict with the requirements of the solicitation or applicable law.

A.9.3. Any contract(s) awarded pursuant to the solicitation shall be legibly written or typed.

A.10. Pricing

A.10.1. Bids shall remain firm for a minimum of sixty (60) days from the solicitation closing date.

A.10.2. Bidders guarantee unit prices to be correct.

A.10.3. In accordance with 74 O.S. §85.40, ALL travel expenses to be incurred by the supplier in performance of the Contract shall be included in the total bid price/contract amount.

A.11. Manufacturers' Name and Approved Equivalents

Unless otherwise specified in the solicitation, manufacturers' names, brand names, information and/or catalog numbers listed in a specification are for information and not intended to limit competition. Bidder may offer any brand for which they are an authorized representative, and which meets or exceeds the specification for any item(s). However, if bids are based on equivalent products, indicate on the bid form the manufacturer's name and number. Bidder shall submit sketches, descriptive literature, and/or complete specifications with their bid. Reference to literature submitted with a previous bid will not satisfy this provision. The bidder shall also explain in detail the reason(s) why the proposed equivalent will meet the specifications and not be considered an exception thereto. Bids that do not comply with these requirements are subject to rejection.

A.12. Clarification of Solicitation

A.12.1. Clarification pertaining to the contents of this solicitation shall be directed in writing to the Central Purchasing Contracting Officer specified in the solicitation.

A.12.2. If a bidder fails to notify the State of an error, ambiguity, conflict, discrepancy, omission or other error in the SOLICITATION, known to the bidder, or that reasonably should have been known by the bidder, the bidder shall submit a bid at its own risk; and if awarded the contract, the bidder shall not be entitled to additional compensation, relief, or time, by reason of the error or its later correction. If a bidder takes exception to any requirement or specification contained in the SOLICITATION, these exceptions must be clearly and prominently stated in their response.

A.12.3. Bidders who believe proposal requirements or specifications are unnecessarily restrictive or limit competition may submit a written request for administrative review to the State prior to the closing date.

A.13. Rejection of Bid

The State reserves the right to reject any bids that do not comply with the requirements and specifications of the solicitation. A bid may be rejected when the bidder imposes terms or conditions that would modify requirements of the solicitation or limit the bidder's liability to the State. Other possible reasons for rejection of bids are listed in OAC 580:16-7-32.

A.14. Award of Contract

A.14.1. The State Purchasing Director may award the Contract to more than one bidder by awarding the Contract(s) by item or groups of items, or may award the Contract on an ALL OR NONE basis, whichever is deemed by the State Purchasing Director to be in the best interest of the State of Oklahoma.

A.14.2. Contract awards will be made to the lowest and best bidder(s) unless the solicitation specifies that best value criteria is being used.

A.14.3. In order to receive an award or payments from the State of Oklahoma, suppliers must be registered. The vendor registration process can be completed electronically through the OMES website at the following link: <https://www.ok.gov/dcs/vendors/index.php>.

A.15. Contract Modification

A.15.1. The Contract is issued under the authority of the State Purchasing Director who signs the Contract. The Contract may be modified only through a written Contract Modification, signed by the State Purchasing Director.

A.15.2. Any change to the Contract, including but not limited to the addition of work or materials, the revision of payment terms, or the substitution of work or materials, directed by a person who is not specifically authorized by the Central Purchasing Division in writing, or made unilaterally by the supplier, is a breach of the Contract. Unless otherwise specified by applicable law or rules, such changes, including unauthorized written Contract Modifications, shall be void and without effect, and the supplier shall not be entitled to any claim under this Contract based on those changes. No oral statement of any person shall modify or otherwise affect the terms, conditions, or specifications stated in the resultant Contract.

A.16. Delivery, Inspection and Acceptance

A.16.1. Unless otherwise specified in the solicitation or awarding documents, all deliveries shall be F.O.B. Destination. The bidder(s) awarded the Contract shall prepay all packaging, handling, shipping and delivery charges and firm

prices quoted in the bid shall include all such charges. All products and/or services to be delivered pursuant to the Contract shall be subject to final inspection and acceptance by the State at destination. "Destination" shall mean delivered to the receiving dock or other point specified in the purchase order. The State assumes no responsibility for goods until accepted by the State at the receiving point in good condition. Title and risk of loss or damage to all items shall be the responsibility of the supplier until accepted by the receiving agency. The supplier(s) awarded the Contract shall be responsible for filing, processing, and collecting any and all damage claims accruing prior to acceptance.

- A.16.2. Supplier(s) awarded the Contract shall be required to deliver products and services as bid on or before the required date. Deviations, substitutions or changes in products and services shall not be made unless expressly authorized in writing by the Central Purchasing Division.

A.17. Invoicing and Payment

- A.17.1. Pursuant to 74 O.S. §85.44(B), invoices will be paid in arrears after products have been delivered or services provided.

- A.17.2. Interest on late payments made by the State of Oklahoma is governed by 62 O.S. §34.71 and 62 O.S. §34.72.

A.18. Tax Exemption

State agency acquisitions are exempt from sales taxes and federal excise taxes. Bidders shall not include these taxes in price quotes.

A.19. Audit and Records Clause

- A.19.1. As used in this clause, "records" includes books, documents, accounting procedures and practices, and other data, regardless of type and regardless of whether such items are in written form, in the form of computer data, or in any other form. In accepting any Contract with the State, the successful bidder(s) agree any pertinent State or Federal agency will have the right to examine and audit all records relevant to execution and performance of the resultant Contract.

- A.19.2. The successful bidder(s) awarded the Contract(s) is required to retain records relative to the Contract for the duration of the Contract and for a period of seven (7) years following completion and/or termination of the Contract. If an audit, litigation, or other action involving such records is started before the end of the seven (7) year period, the records are required to be maintained for two (2) years from the date that all issues arising out of the action are resolved, or until the end of the seven (7) year retention period, whichever is later.

A.20. Non-Appropriation Clause

The terms of any Contract resulting from the solicitation and any Purchase Order issued for multiple years under the Contract are contingent upon sufficient appropriations being made by the Legislature or other appropriate government entity. Notwithstanding any language to the contrary in the solicitation, purchase order, or any other Contract document, the procuring agency may terminate its obligations under the Contract if sufficient appropriations are not made by the Legislature or other appropriate governing entity to pay amounts due for multiple year agreements. The Requesting (procuring) Agency's decisions as to whether sufficient appropriations are available shall be accepted by the supplier and shall be final and binding.

A.21. Choice of Law

Any claims, disputes, or litigation relating to the solicitation, or the execution, interpretation, performance, or enforcement of the Contract shall be governed by the laws of the State of Oklahoma.

A.22. Choice of Venue

Venue for any action, claim, dispute or litigation relating in any way to the Contract shall be in Oklahoma County, Oklahoma.

A.23. Termination for Cause

- A.23.1. The supplier may terminate the Contract for default or other just cause with a 30-day written request and upon written approval from the Central Purchasing Division. The State may terminate the Contract for default or any other just cause upon a 30-day written notification to the supplier.

- A.23.2. The State may terminate the Contract immediately, without a 30-day written notice to the supplier, when violations are found to be an impediment to the function of an agency and detrimental to its cause, when conditions preclude the 30-day notice, or when the State Purchasing Director determines that an administrative error occurred prior to Contract performance.

- A.23.3. If the Contract is terminated, the State shall be liable only for payment for products and/or services delivered and accepted.

A.24. Termination for Convenience

- A.24.1. The State may terminate the Contract, in whole or in part, for convenience if the State Purchasing Director determines that termination is in the State's best interest. The State Purchasing Director shall terminate the Contract by delivering to the supplier a Notice of Termination for Convenience specifying the terms and effective date of Contract termination. The Contract termination date shall be a minimum of 60 days from the date the Notice of Termination for Convenience is issued by the State Purchasing Director.
- A.24.2. If the Contract is terminated, the State shall be liable only for products and/or services delivered and accepted, and for costs and expenses (exclusive of profit) reasonably incurred prior to the date upon which the Notice of Termination for Convenience was received by the supplier.

A.25. Insurance

The successful bidder(s) awarded the Contract shall obtain and retain insurance, including workers' compensation, automobile insurance, medical malpractice, and general liability, as applicable, or as required by State or Federal law, prior to commencement of any work in connection with the Contract. The supplier awarded the Contract shall timely renew the policies to be carried pursuant to this section throughout the term of the Contract and shall provide the Central Purchasing Division and the procuring agency with evidence of such insurance and renewals.

A.26. Employment Relationship

The Contract does not create an employment relationship. Individuals performing services required by this Contract are not employees of the State of Oklahoma or the procuring agency. The supplier's employees shall not be considered employees of the State of Oklahoma nor of the procuring agency for any purpose, and accordingly shall not be eligible for rights or benefits accruing to state employees.

A.27. Compliance with the Oklahoma Taxpayer and Citizen Protection Act of 2007

By submitting a bid for services, the bidder certifies that they, and any proposed subcontractors, are in compliance with 25 O.S. §1313 and participate in the Status Verification System. The Status Verification System is defined in 25 O.S. §1312 and includes but is not limited to the free Employment Verification Program (E-Verify) through the Department of Homeland Security and available at www.dhs.gov/E-Verify.

A.28. Compliance with Applicable Laws

The products and services supplied under the Contract shall comply with all applicable Federal, State, and local laws, and the supplier shall maintain all applicable licenses and permit requirements.

A.29. Special Provisions

Special Provisions set forth in SECTION B apply with the same force and effect as these General Provisions. However, conflicts or inconsistencies shall be resolved in favor of the Special Provisions.

B. SPECIAL PROVISIONS

B.1. Solicitation is for the one time purchase of good and/or services described within the solicitation

B.2. Extension of Contract.

B.2.1. The State may extend the term of this contract for up to 90 day intervals if mutually agreed upon by both parties in writing.

B.3. FUNDING:

B.3.1. Due to possible future reductions in State and/or Federal appropriations, the Department cannot guarantee the continued availability of funding for this contract. In the event funds to finance this contract become unavailable, either in full or in part, due to such reductions in appropriations, the Department may terminate or reduce the contract in consideration and upon notice in writing to the Vendor. The Department shall be the final authority as to the availability of funds. In the event of non-appropriation or discontinuance of funding for this contract, the Vendor will be paid for products and/or services provided up to the effective date of termination.

B.4. TERMINATION FOR CAUSE

B.4.1. The supplier may terminate the Contract for default or other just cause with a 30-day written request and upon written approval from DOC. The State may terminate the Contract for default or any other just cause upon a 30- day written notification to the supplier. The State may terminate the Contract immediately, without a 30-day written notice to the supplier, when violations are found to be an impediment to the function of an agency and detrimental to its cause, when conditions preclude the 30-day notice, or when DOC determines that an administrative error occurred prior to Contract performance. If the Contract is terminated, the State shall be liable only for payment for products and/or services delivered and accepted.

B.5. TERMINATION FOR CONVENIENCE

B.5.1. The State may terminate the Contract, in whole or in part, for convenience if DOC determines that termination is in the State's best interest. The agency shall terminate the Contract by delivering to the supplier a Notice of Termination for Convenience specifying the terms and effective date of Contract termination. The Contract termination date shall be a minimum of 60 days from the date the Notice of Termination for Convenience is issued by the agency. If the Contract is terminated, the State shall be liable only for products and/or services delivered and accepted, and for costs and expenses (exclusive of profit) reasonably incurred prior to the date upon which the Notice of Termination for Convenience was received by the supplier.

B.6. The prospective bidder certifies, by submission of this proposal, that neither it nor its principals are presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency.

B.7. DISPUTE RESOLUTION

B.7.1. Any dispute concerning the question of fact in connection with the work, not disposed of by the contract between the parties hereto, shall be referred to the STATE agency that initially awarded this contract (e.g., Office of Management and Enterprise Services). The decision of the administrator of said agency, or his/her duly authorized representatives, shall be final and conclusive on the parties to this contract.

B.8. GOVERNING RULES AND REGULATIONS

B.8.1. The CONTRACTOR and its subcontractor's if any, shall comply with all federal, state, and local laws, statutes, ordinances, rules and regulations, and the orders and decrees of any court or administrative bodies or tribunals in any nature affecting the performance of this Contract, including worker's compensation laws, minimum and maximum salary and wage statutes and regulations.

When required, the CONTRACTOR shall furnish the STATE with satisfactory proof of its compliance therewith.

B.9. COVENANT AGAINST CONTINGENT FEES

B.9.1. The CONTRACTOR warrants that it has not employed or retained any company or person specifically to solicit or secure this Contract, and that it has not paid or agreed to pay any fee, commission, percentage, brokerage fee, gifts, or any other consideration, contingent upon or resulting from the award or making of this Contract. For breach or violation of this warranty the STATE shall have the right to annul this Contract without liability, or at its discretion, to deduct from the Contract price or consideration, or otherwise recover, the full amount of such fee, commission, percentage brokerage fee, gift, or contingent fee.

B.10. EQUAL EMPLOYMENT OPPORTUNITY

B.10.1. In connection with the execution of this Contract, the CONTRACTOR shall not discriminate against any employee or applicant for employment because of race, religion, color, sex, age or national origin. The CONTRACTOR shall take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion, sex, age or national origin. Such actions shall include, but not be limited to, the following: employment; upgrading; demotion or transfer; recruitment or advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The CONTRACTOR further agrees to insert a similar revision in all subcontracts, except subcontracts for standard commercial supplies or raw materials.

B.11. TITLE VI - CIVIL RIGHTS ACT OF 1964

B.11.1. The CONTRACTOR shall comply with all the requirements imposed by Title VI of the Civil Rights Act of 1964 (P.L. 88-352), the Regulations of Department of Transportation issued thereunder (CFR Title 49, Subtitle A, Part 21), and the assurance by the CONTRACTOR pursuant thereto.

B.12. During the performance of this Contract, the CONTRACTOR, for itself, its assignees and successors in interest, agrees as follows:

B.12.1. Compliance with Regulations: The CONTRACTOR shall comply with the regulations relative to nondiscrimination in federally-assisted programs of the U.S. Department of Transportation (hereinafter, "U.S. DOT") Title 49, Code of Federal Regulations, Part 21, as they may be amended from time to time (hereinafter referred to as the Regulations), which are herein incorporated by reference and made a part of this Contract.

B.12.2. Nondiscrimination The CONTRACTOR, with regards to the work performed by it during this Contract, shall not discriminate on the grounds of race, religion, color, sex, age or national origin in the selection and retention of subcontractors, including procurement of materials and leases of equipment. The CONTRACTOR shall not participate either directly or indirectly in the discrimination prohibited in Section 21.5 of the Regulations, including employment practices when the contract covers a program set forth in Appendix B of the Regulations.

B.12.3. Solicitations for Subcontracts: In all solicitations either by competitive bidding or negotiation made by the CONTRACTOR for work to be performed under a subcontract, if such subcontracting is approved by the STATE, including procurement of materials or leases of equipment, each potential subcontractor or supplier shall be notified by the CONTRACTOR of the CONTRACTOR'S obligations under this Contract and the Regulations relative to nondiscrimination on the grounds of race, religion, color, sex, age or national origin.

B.12.4. Information and Reports: The CONTRACTOR shall provide all information and reports required by the Regulations or directives issued pursuant thereto, and shall permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the STATE to be pertinent to ascertain compliance with such Regulations, orders, and instructions. Where any information is required or a contractor is in the exclusive possession of another who fails or refuses to furnish this information, the CONTRACTOR shall so certify to the STATE, as appropriate, and shall set forth what efforts it has made to obtain the information.

B.12.5. Sanctions for Noncompliance: In the event of the CONTRACTOR'S noncompliance with the nondiscrimination provisions of this Contract, the STATE shall impose such contract sanctions as it may determine to be appropriate, including, but not limited to:

B.12.5.1. Withholding of payments to the CONTRACTOR under the Contract until the CONTRACTOR complies, and/or,

B.12.5.2. Cancellation, termination or suspension of the Contract, in whole or in part.

B.13. Incorporation of Provisions

B.13.1. The CONTRACTOR shall include the provisions of THE ABOVE Paragraphs of this section in every subcontract, including procurement of materials and leases of equipment, unless exempt by the Regulations, or directives issued pursuant thereto. The CONTRACTOR shall take such action with respect to any subcontract or procurement as the STATE may direct as a means of enforcing such provisions including sanctions for noncompliance: Provided, however, that, in the event the CONTRACTOR becomes involved in, or is threatened with, litigation with a subcontractor or supplier as a result of such direction, the CONTRACTOR may request the STATE to enter into such litigation to protect the interest of the STATE.

B.14. BINDING EFFECT

B.14.1. This Contract shall be binding upon and inure to the benefit of the STATE and the CONTRACTOR and shall be binding upon their successors and assigns subject to the limitations of Oklahoma law.

B.15. HOLD HARMLESS CLAUSE

B.15.1. The CONTRACTOR shall indemnify and save harmless the STATE, their respective officers, employees and agents from all claims, suits, or actions of every kind and character made upon or brought against the STATE, their respective officers, employees and agents, for or on account of any injuries or damages received or sustained by any party or parties by or from acts of said CONTRACTOR or its servants, agents and subcontractors, in doing the work and rendered the services Contracted for, or by or consequence of any negligence in operations or any improper material or equipment used, or by or on account of any act or omission of said CONTRACTOR or his or its servants, agents and subcontractors. This hold harmless and indemnity obligation shall include attorney's fees, court costs and all other expenses incurred in the investigation and defense of any claim or suit.

B.16. Limitation of Liability

B.16.1. The Supplier acknowledges that, under the laws of the State of Oklahoma, the Supplier may not contractually limit their potential liability. To the extent any limitation of liability contained in any resulting contract is construed by a court of competent jurisdiction to be a limitation of liability in violation of Oklahoma law, such limitation of liability shall be void.

B.17. PRIOR UNDERSTANDINGS

B.17.1. This contract incorporates and reduces to writing all prior understandings, promises, agreements, commitments, covenants, or conditions, and constitutes the full and complete understanding and contractual relationship of the parties.

B.18. AMENDMENTS OR MODIFICATION OF CONTRACT

B.18.1. No changes, revisions, amendments or alterations in the manner, scope, or type of work or compensation to be paid by the STATE shall be effective unless reduced to writing and executed by the parties with the same formalities as are observed in the execution of this contract.

B.19. RECORDS

B.19.1. The CONTRACTOR and any subcontractor shall maintain all books, documents, papers, accounting records, and other evidence pertaining to costs incurred under this contract, and shall make all such materials available to the STATE or any of its duly authorized representatives and the State Auditor and Inspector at any reasonable time during the term of work on the contract, and for three (3) years from date of final payment to the CONTRACTOR by STATE for work performed hereunder.

B.20. HEADINGS

B.20.1. Article headings used in the contract are inserted for convenience of reference only and shall not be deemed a part of this contract for any purpose.

B.21. ASSIGNMENT

B.21.1. The CONTRACTOR shall NOT sublet, sell, transfer, assign, or otherwise dispose of the contract or contracts or any portion thereof, or of his right, title, or interest therein, without written consent of the STATE. In case such consent is given, the CONTRACTOR will be permitted to sublet a portion thereof, but shall perform with his own organization, work amounting to not less than 50% of the total contract cost. Request for permission to sublet, assign or otherwise dispose of any portion of the contract shall be in writing and accompanied by a statement showing that the organization which will be performing the work is particularly experienced and equipped for such work. No sub-contracts, or transfer of contract, shall in any case release the CONTRACTOR of his liability under the contract and bonds.

B.22. SEVERABILITY

B.22.1. If any provision, clause, or paragraph of this contract or any document incorporated by reference shall be determined invalid by a court of competent jurisdiction, such determination shall not affect the other provisions, clauses, or paragraphs of this contract which are not affected by the determination. The provisions, clauses, or paragraphs and any documents incorporated by reference are declared severable.

B.23. PAYMENT OF CLAIMS

B.23.1. The CONTRACTOR shall pay all just claims due for the payment of all employees and mechanics for labor that shall be performed, for the payment of all material and equipment rental which is actually used or rented in the performance of the contract.

B.24. BREACH OF CONTRACT

B.24.1. Failure to perform any and all of the terms and conditions of this contract shall be deemed a substantial breach thereof and give the STATE cause to cancel this contract on seven (7) days written notice to the CONTRACTOR. The STATE then reserves the right to re-award the contract to the next lowest responsible available bidder -OR- should this contract be awarded to multiple vendors, the STATE may utilize those vendors. In the event of cancellation of this contract, the CONTRACTOR shall not be entitled to damages and agrees not to sue the STATE for damages thereof. After notice of cancellation, the CONTRACTOR agrees to perform the terms and conditions of this contract up to and including date of cancellation, as though no cancellation had been made and notwithstanding other legal remedies which may be available to the STATE because of the cancellation, agrees to indemnify the STATE for its costs in procuring the services of a new CONTRACTOR.

B.25. Security

B.25.1. Contractors employees, agents, and representatives shall comply with all security and identification procedures at DOC facilities. DOC is responsible for alerting Contractor to these requirements prior to the commencement of work.

B.25.2. Security requirements may include, but are not limited to:

B.25.2.1. Identification: All employees, agents, and representatives of the Contractor, while working on State property, shall carry or display acceptable identification.

B.25.2.2. Vehicle Security: Drivers must turn off vehicle motors and lock cab doors whenever their truck is unattended. Trucks shall be searched prior to entry and exit, causing up to a 30 minute delay each way.

B.25.2.3. Offender Contact: Contractors employees, agents, and representatives shall minimize interaction with offenders or patients, and shall report any verbal contact to DOC facility security staff before leaving the site.

- B.25.2.4.** Subject to Search: All persons, vehicles, packages and equipment entering a DOC facility are subject to search. Persons are typically pat searched and required to clear metal detection devices. Packages, briefcases, purses, etc., may be searched with x-ray equipment. Drug K-9 may also be used to search persons, vehicles, packages, and equipment.
- B.25.2.5.** Contraband: Contractors employees, agents, and representatives shall not have any weapons (including jack knives or box cutters), cell phones, pagers, drugs, tobacco products or any item deemed by facility to be potential contraband. Correctional officers can hold these items for delivery drivers at the delivery sally-port and return them as the driver exits the grounds. Any illegal items shall not be returned and shall be reported to local law enforcement.
- B.25.2.6.** Security Clearance: Contractors employees, agents, and representatives who enter secure facilities shall have prior approval to enter from facility security staff, generally involving a background check to ensure that they are not convicted felons. The Contractor shall submit background check requests a minimum of two weeks prior to arriving at the facility. At the facilities discretion, Contractor shall comply with any requests to reassign a Contractor employee, agent, or representative, whether or not the individual has passed the background check if it is determined by facility that there is a security concern.

B.26. Tobacco Use Prohibited

- B.26.1.** The use of tobacco products is prohibited throughout all indoor and outdoor areas of property owned, leased, loaned or under the control of DOC, including parking lots owned or under the control of DOC.

B.27. Minor Deficiencies or Informalities

- B.27.1.** "Minor deficiency" or "minor informality" means an immaterial defect in a bid or variation in a bid from the exact requirements of a solicitation that may be corrected or waived without prejudice to other bidders. A minor deficiency or informality does not affect the price, quantity, quality, delivery or conformance to specifications and is negligible in comparison to the total cost or scope of the acquisition.
- B.27.2.** The State Purchasing Director may waive minor deficiencies or informalities in a bid if the State Purchasing Director determines the deficiencies or informalities do not prejudice the rights of other bidders, or are not a cause for bid rejection.

B.28. Disclosures Regarding Lobbyist

- B.28.1.** A vendor may not reimburse itself within its state contract pricing for its costs and expenses of lobbyists.
- B.28.2.** Any vendor using the services of a lobbyist to assist in obtaining a contract shall
 - B.28.2.1.** Disclose all costs, fees, compensation, reimbursements, and other remunerations paid or to be paid to the lobbyist related to the contract
 - B.28.2.2.** Not bill or otherwise charge the State for such and
 - B.28.2.3.** Certify that no such costs were billed to the State.
- B.28.3.** The name and address of each lobbyist or agent of the vendor, contractor, subcontractor who communicated with a State employee about a proposal or potential proposal must be disclosed with proposal response.

C. SOLICITATION SPECIFICATIONS

C.1. The Oklahoma State Department of Corrections wishes to make a purchase of the items listed below.

- C.1.1.** Items to be shipped to various locations with items for each location specified below
- C.1.2.** Drop-shipment only

C.2. Specifications

- C.2.1.** Oklahoma State Reformatory
Location: 1700 E First Street
Granite, OK 73547
 - C.2.1.1.** DOUBLE DECK GAS CONVECTION OVEN
 - C.2.1.1.1.** Quantity: 1 (One)
 - C.2.1.1.2.** 1-EA @ \$_____ PER EA.

C.2.1.1.3. BRAND/MODEL BIDDING:

C.2.1.1.4. WARRANTY INCLUDED:

C.2.1.1.5. VULCAN VC44GD SERIES OR AN APPROVED EQUAL

C.2.1.1.5.1. S/S FRONT, SIDES, TOP AND LEGS

C.2.1.1.5.2. INDEPENDENTLY OPERATED STAINLESS STEEL DOORS W/DOUBLE PANE WINDOWS

C.2.1.1.5.3. 44,000 BTU/HR. BURNER PER SECTION

C.2.1.1.5.4. ELECTRONIC SPARK IGNITERS

C.2.1.1.5.5. 1/2 HP TWO SPEED OVEN BLOWER-MOTOR. 120/60/1 WITH 6' CORD AND PLUG. 8 AMPS PER SECTION. 16 AMPS TOTAL DRAW.

C.2.1.1.5.6. OVEN COOL SWITCH FOR RAPID COOL DOWN

C.2.1.1.5.7. SOLID STATE TEMPERATURE CONTROLS ADJUST FROM 150 DEGREES TO 500 DEGREES.

C.2.1.1.5.8. 60 MINUTE TIMER W/ AUDIBLE ALARM

C.2.1.1.5.9. PORCELAIN ENAMEL ON STEEL OVEN INTERIOR

C.2.1.1.5.10. FIVE NICKEL PLATED OVEN RACKS WITH ELEVEN RACK POSITIONS PER SECTION

C.2.1.1.5.11. 3/4" REAR GAS CONNECTION WITH COMBINATION GAS PRESSURE REGULATOR AND SAFETY SOLENOID SYSTEM

C.2.1.1.5.12. NATURAL GAS (ADD-1 SUFFIX)

C.2.1.1.5.13. EXTERIOR DIMENSIONS: 40 1/4"W X 41 1/8"D (INCLUDES MOTOR & DOOR HANDLES) 37 3/4"D (INCLUDES MOTOR ONLY) X 70"H ON 8" LEGS

C.2.1.1.5.14. CSA DESIGN CERTIFIED, NSF LISTED

C.2.1.2. ICE MACHINE CUBER

C.2.1.2.1. Quantity: 1 (One)

C.2.1.2.2. 1 EA @ \$_____ PER EA

C.2.1.2.3. BRAND/MODEL BIDDING:

C.2.1.2.4. WARRANTY INCLUDED:

C.2.1.2.5. MANITOWOC IY-0305W OR AN APPROVED EQUAL.

C.2.1.2.5.1. HALF-DICE SHAPE

C.2.1.2.5.2. WATER COOLED

C.2.1.2.5.3. ICE PRODUCTION PER DAY 310 LB

C.2.1.2.5.4. VOLTAGE 115

C.2.1.2.5.5. AMPS 25

C.2.1.2.5.6. HEIGHT 16-1/2 IN

C.2.1.2.5.7. WIDTH 30 IN

C.2.1.2.5.8. DEPTH 24-1/2 IN

C.2.1.2.5.9. INCLUDES ICE MACHINE HEAD ONLY

C.2.1.3. ICE STORAGE BIN

C.2.1.3.1. Quantity: 1 (One)

C.2.1.3.2. 1 EA @ \$_____ PER EA

C.2.1.3.3. BRAND/MODEL BIDDING:

C.2.1.3.4. WARRANTY INCLUDED:

C.2.1.3.5. MANITOWOC B-570 OR AN APPROVED EQUAL

C.2.1.3.5.1. ICE STORAGE CAPACITY 430LBS

C.2.1.3.5.2. HEIGHT 50 IN

C.2.1.3.5.3. WIDTH 30

C.2.1.3.5.4. DEPTH 34

C.2.1.3.5.5. FINISH STAINLESS STEEL

C.2.1.3.5.6. DOOR TYPE TOP HINGED

C.2.1.3.5.7. INCLUDES ICE SCOOP, LEGS AGENCY COMPLIANCE NSF, ARI

C.2.1.4. MOBILE HEATED CABINET

C.2.1.4.1. Quantity: 1 (One)

C.2.1.4.2. 1 EA @ \$_____ PER EA

C.2.1.4.3. BRAND/MODEL BIDDING:

C.2.1.4.4. WARRANTY INCLUDED:

C.2.1.4.5. METRO MODEL NO. C569L-SFS-LA OR AN APPROVED EQUAL PACKED EA

C.2.1.4.5.1. 304 STAINLESS STEEL; 20-GUAGE POLISHED EXTERIOR, 22-GUAGE INTERIOR, OR .063" ALUMINUM, BRUSHED EXTERIOR, NATURAL INTERIOR

C.2.1.4.5.2. MOBILE

C.2.1.4.5.3. FULL HEIGHT

C.2.1.4.5.4. INSULATED FULL PERIMETER, 2.5" THICK, HIGH-DENSITY FIBERGLASS, R VALUE=9.9

C.2.1.4.5.5. SOLID DOORS, FULLY INSULATED, DOUBLE-PANEL CONSTRUCTION

C.2.1.4.5.6. RIGHT HAND HINGING, SELF CLOSING, LIFT-OFF, DOUBLE HINGED, WITH LONG-LIFE NYLON BEARINGS

C.2.1.4.5.7. CHROME PLATED, HIGH-STRENGTH MAGNETIC PULL LATCH WITH LEVER-ACTION RELEASE LATCHES

C.2.1.4.5.8. FOUR BUILT-IN POLYMER HANDLES

C.2.1.4.5.9. HIGH TEMPERATURE, CABINET MOUNTED, SANTOPRENE GASKETS

C.2.1.4.5.10. TOP MOUNT CONTROLS W/ANALOG THERMOMETER

C.2.1.4.5.11. DUCTED HEATING SYSTEM

C.2.1.4.5.12. THERMOSTAT 70 DEGREES TO 200 DEGREES FAHRENHEIT TEMP

C.2.1.4.5.13. LIP LOAD (35) 18" X 26" PAN CAPACITY

C.2.1.4.5.14. 1 1/2" X 1/2" X .63" EXTRUDED ALUMINUM CHANNEL SLIDES ON .063" ALUMINUM VERTICAL STANDARDS

C.2.1.4.5.15. UNIVERSAL WIRE SLIDES; 1/4" DIAMETER NICKEL-CHROME WIRE ADJUSTABLE ON 1 1/2" INCREMENTS. TYPE 304, STAINLESS STEEL VERTICAL STANDARDS

C.2.1.4.5.16. 5" NEOPRENE WHEEL CASTERS (TWO WITH BRAKES)

C.2.1.4.5.17. 304 STAINLESS STEEL

C.2.1.4.5.18. 120V/60/1-PH, 1440 WATTS, 12 AMPS, 7 1/2' CORD WITH NEMA 5-20P PLUG.

C.2.1.4.5.19. UL LISTED, CUL LISTED, NSF LISTED, ENERGY STAR

C.2.2. Joseph Harp Correctional Center

16161 Moffat Rd

Lexington, OK 73051-0548

C.2.2.1.1. FLOOR FOOD MIXER: COMMERCIAL GRADE

C.2.2.1.2. Quantity: 1 (One)

C.2.2.1.3. 1-EA @ \$ _____ PER EA

C.2.2.1.4. BRAND/MODEL BIDDING:

C.2.2.1.5. WARRANTY INCLUDED:

C.2.2.1.6. HOBART HL1400-STDEEL OR AN APPROVED EQUAL PACKED EA

C.2.2.1.6.1. LEGACY PLANETARY MIXER

C.2.2.1.6.2. 5.0 HP

C.2.2.1.6.3. 140-QUART CAPACITY

C.2.2.1.6.4. 4 FIXED SPEEDS PLUS STIR SPEED

C.2.2.1.6.5. GEAR TRANSMISSION (NO BELT DRIVEN MODELS)

C.2.2.1.6.6. 50 MINUTE SMART TIMER

C.2.2.1.6.7. POWER BOWL LIFT

C.2.2.1.6.8. DELUXE ACCESSORY PACKAGE INCLUDES (S/S BOWL, B BEATER, D WIRE WHIP, ED DOUGH HOOK, BOWL SCRAPER, BOWL TRUCK, INGREDIENT CHUTE)

C.2.2.1.6.9. BUILT IN STAINLESS STEEL BOWL GUARD

C.2.2.1.6.10. 200-240/50/60/3

C.2.3. James Crabtree Correctional Center

Third & Murray

Helena, OK 73741

C.2.3.1. DOUBLE DECK ELECTRIC CONVECTION OVEN

C.2.3.1.1. Quantity: 1 (One)

C.2.3.1.2. 1 EA @ \$ _____ PER EA.

C.2.3.1.3. BRAND/MODEL BIDDING:

C.2.3.1.4. WARRANTY INCLUDED:

C.2.3.1.5. VULCAN VC44ED OR AN APPROVED EQUAL

C.2.3.1.5.1. S/S FRONT, SIDES, TOP AND LEGS

C.2.3.1.5.2. INDEPENDENTLY OPERATED STAINLESS STEEL DOORS W/DOUBLE PANE WINDOWS

C.2.3.1.5.3. 25 TOTAL KW

C.2.3.1.5.4. 1/2 HP TWO SPEED OVEN BLOWER-MOTOR

C.2.3.1.5.5. MOISTURE VENT DAMPER CONTROL

C.2.3.1.5.6. OVEN COOL SWITCH FOR RAPID COOL DOWN

C.2.3.1.5.7. PORCELAIN ENAMEL ON STEEL OVEN INTERIORS

C.2.3.1.5.8. FIVE NICKEL PLATED OVEN RACKS WITH ELEVEN RACK POSITIONS PER SECTION

C.2.3.1.5.9. SOLID STATE TEMPERATURE CONTROLS ADJUST FROM 150 DEGREES TO 500 DEGREES.

C.2.3.1.5.10. 60 MINUTE TIMER WITH AUDIBLE ALARM

C.2.3.1.5.11. EXTERIOR DIMENSIONS: 40 1/4"W X 41 1/8"D (INCLUDES MOTOR & DOOR HANDLES) 37 3/4"D (INCLUDES MOTOR ONLY) X 70"H ON 8" LEGS.

C.2.3.1.5.12. CSA DESIGN CERTIFIED, NSF LISTED

C.2.3.2. DOUBLE DECK GAS CONVECTION OVENS

C.2.3.2.1. Quantity: 2 (Two)

C.2.3.2.2. BRAND/MODEL BIDDING:

C.2.3.2.3. WARRANTY INCLUDED:

C.2.3.2.4. VULCAN VC44GD SERIES OR AN APPROVED EQUAL

C.2.3.2.4.1. S/S FRONT, SIDES, TOP AND LEGS

C.2.3.2.4.2. INDEPENDENTLY OPERATED STAINLESS STEEL DOORS W/DOUBLE PANE WINDOWS

C.2.3.2.4.3. 44,000 BTU/HR. BURNER PER SECTION

C.2.3.2.4.4. ELECTRONIC SPARK IGNITERS

C.2.3.2.4.5. 1/2 HP TWO SPEED OVEN BLOWER-MOTOR. 120/60/1 WITH 6' CORD AND PLUG. 8 AMPS PER SECTION. 16 AMPS TOTAL DRAW.

C.2.3.2.4.6. OVEN COOL SWITCH FOR RAPID COOL DOWN

C.2.3.2.4.7. SOLID STATE TEMPERATURE CONTROLS ADJUST FROM 150 DEGREES TO 500 DEGREES.

C.2.3.2.4.8. 60 MINUTE TIMER W/ AUDIBLE ALARM

C.2.3.2.4.9. PORCELAIN ENAMEL ON STEEL OVEN INTERIOR

C.2.3.2.4.10. FIVE NICKEL PLATED OVEN RACKS WITH ELEVEN RACK POSITIONS PER SECTION

C.2.3.2.4.11. 3/4" REAR GAS CONNECTION WITH COMBINATION GAS PRESSURE REGULATOR AND SAFETY SOLENOID SYSTEM

C.2.3.2.4.12. NATURAL GAS (ADD-SUFFIX)

C.2.3.2.4.13. EXTERIOR DIMENSIONS: 40 1/4"W X 41 1/8"D (INCLUDES MOTOR & DOOR HANDLES) 37 3/4"D (INCLUDES MOTOR ONLY) X 70"H ON 8" LEGS

C.2.3.2.4.14. CSA DESIGN CERTIFIED, NSF LISTED

C.2.4. Oklahoma State Penitentiary

1299 Stonewall & West Street

McAlester, OK 74502-0097

C.2.4.1. INSULATED TRAY DELIVERY CART

C.2.4.1.1. Quantity: 2 (Two)

C.2.4.1.2. 2 EA @ \$_____ PER EA

C.2.4.1.3. BRAND/MODEL BIDDING:

C.2.4.1.4. WARRANTY INCLUDED:

C.2.4.1.5. BANQUET CART OR AN APPROVED EQUAL

C.2.4.1.5.1. CONSTRUCTION: WELDED, REINFORCED, STAINLESS STEEL "EDGELESS CONSTRUCTION"

C.2.4.1.5.2. AMBIENT/NO HEAT PREFERRED. WITH HEAT MUST HAVE A REMOVABLE PLUG-IN CORD.

C.2.4.1.5.3. 1,2, OR 3 DOORS, TAMPER PROOF.

- C.2.4.1.5.4. CASTERS: HEAVY-DUTY, MINIMUM 6" DIAMETER POLYURETHANE CASTERS WITH MINIMUM 2" TREAD WIDTH. BALL BEARING SWIVEL RACE AND ROLLER BEARING AXLE WITH ZERK GREASE FITTINGS. PLATE-MOUNTED AND STAGGERED. TWO RIGID AND TWO SWIVEL WITH BRAKES.
- C.2.4.1.5.5. BUMPER: NON-MARKING, SOLID VINYL BUMPER MOUNTED TO 1/8" THICK ALUMINUM SUPPORT CHANNEL.
- C.2.4.1.5.6. INSULATION: FULL, MINIMUM 1" THICK HIGH-DENSITY FIBERGLASS, R VALUE=4.2
- C.2.4.1.5.7. DOORS: INSULATED, WELDED, DOUBLE-PANEL TYPE 304 STAINLESS STEEL DOOR; 20-GAUGE POLISHED EXTERIOR; MINIMUM 22-GAUGE INTERIOR.
- C.2.4.1.5.8. HINGES: LIFT-OFF, DOUBLE HINGED, WITH LONG-LIFE NYLON BEARINGS.
- C.2.4.1.5.9. LATCHES: HIGH-STRENGTH MAGNETIC PULL LATCH AND BOTTOM MOUNTED KICK LATCH ON DOOR.
- C.2.4.1.5.10. HANDLE: UNIQUE THREE-POINT-CONTROL HANDLE. MINIMUM 1" DIAMETER STAINLESS STEEL CONSTRUCTION WITH INTEGRAL CORD WRAP STANDOFFS.
- C.2.4.1.5.11. THERMOMETER: EASY-TO-READ ANALOG THERMOMETER WITH REMOTE PROTECTED SENDING BULB.
- C.2.4.1.5.12. SIZE AND CAPACITY: MAXIMUM DIMENSION: 69"H X 29.5"D X 66.5"W. MUST BE ABLE TO ACCOMMODATE COMBINED TRAY AND LID DIMENSIONS OF: 14.1"L X 10.25"D X 2.55"H. MUST BE ABLE TO HOLD AT A MINIMUM OF 108 TRAYS WITH LIDS THIS SIZE. CART SHOULD HAVE MECHANISM TO SECURE TRAYS DURING TRANSPORT ON MULTIPLE TYPES OF TERRAIN.

C.2.5. Mack H. Alford Correctional Center

1151 N Hwy 69
Stringtown, OK 74569

C.2.5.1. CUSTOM WELDED TRAY DELIVERY CARTS

C.2.5.1.1. Quantity: 2 (Two)

C.2.5.1.2. 2 EA @ \$_____ PER EA

C.2.5.1.3. BRAND/MODEL BIDDING:

C.2.5.1.4. WARRANTY INCLUDED:

C.2.5.1.5. NEW AGE INDUSTRY CORP MODEL#99117RC OR AN APPROVED EQUAL

C.2.5.1.5.1. WELDED, REINFORCED, ALUMINUM

C.2.5.1.5.2. CASTERS 6X2" POLYURETHANE CASTERS (2SWIVEL AND 2 RIGID)

C.2.5.1.5.3. TRAY SECURE MECHANISM: 4 ADJUSTABLE NYLON STRAPS

C.2.5.1.5.4. CAPACITY OF 120 INCCELLERATOR 2 INSULATED TRYAS WITH A LID ON TOP OF EACH STACK

C.2.5.1.5.5. 5 YEAR GUARANTEE AGAINST RUST/CORROSION

C.2.5.1.5.6. DIMENSIONS: 60"L X 54 1/2"H X 20 3/8"W

C.2.5.2. HEAVY DUTY INSULATED TRAY COVERS

C.2.5.2.1. Quantity: 2

C.2.5.2.2. 2 EA @ \$_____ PER EA

C.2.5.2.3. BRAND/MODEL BIDDING:

C.2.5.2.4. WARRANTY INCLUDED:

C.2.5.2.5. TRAY COVERS MUST BE COMPATIBLE FIT FOR MODEL#99117RC TRAY DELIVERY CART OR EQUAL

C.2.6. Dick Conner Correctional Center

129 Conner Road

Hominy, OK 74035

C.2.6.1. LIGHT DUTY ANGLE LEDGE KNOCK DOWN UTILITY RACKS

C.2.6.1.1. Quantity: 4 (Four)

C.2.6.1.2. 4 EA @ \$_____ PER EA

C.2.6.1.3. BRAND/MODEL BIDDING:

C.2.6.1.4. WARRANTY INCLUDED:

C.2.6.1.5. CRES CORMODEL 275-70-1820-KD OR AN APPROVED EQUAL

C.2.6.1.5.1. ACCOMADATES:18" X 26" PANS

C.2.6.1.5.2. WELDED FRAMEWORK OF STRUCTURAL ALUMINUM EXTRUSIONS

C.2.6.1.5.3. SIDE FRAMES: FORMED 1" SQUARE TUBULAR ALUMINUM

C.2.6.1.5.4. TOP, CENTER, AND BOTTOM SUPPORTS: 1" ALUMINUM ROUND TUBING

C.2.6.1.5.5. CONSTRUCTED OF NON-CORROSIVE, HI-TENSILE ALUMINUM

C.2.6.1.5.6. 20 SETS OF EXTRUDED ANGLE LEDGE PAN SUPPORTS, 1" X 1-7/16" X .045;
WELDED ON 3" CENTERS

C.2.6.1.5.7. 5" SWIVEL CASTERS, 1" WIDE, SOFT RUBBER

C.2.6.2. HEATED HOLDING AND PROOFING CABINET

C.2.6.2.1. Quantity: 1 (One)

C.2.6.2.2. 1 EA @ \$_____ PER EA

C.2.6.2.3. BRAND/MODEL BIDDING:

C.2.6.2.4. WARRANTY INCLUDED:

C.2.6.2.5. VULCAN MODEL VP-18 OR AN APPROVED EQUAL

C.2.6.2.5.1. 18 LEVEL HEATED HOLDING AND PROOFING TO ACCOMODATE 18-(18" X 26")
OR 36-(12" X 20") PANS

C.2.6.2.5.2. HEAVY DUTY 20 GUAGE POLISHED STAINLESS STEEL CABINET

C.2.6.2.5.3. SET OF 5" CASTERS, TWO SWIVEL WITH BRAKES AND TWO RIGID

C.2.6.2.5.4. FULL SIZE GLASS DOOR WITH FIELD REVERSIBLE HEAVY DUTY HINGES, DOOR
LATCH MECHANISM, AND GASKETS

C.2.6.2.5.5. ADJUSTABLE INTERIOR PAN SUPPORTS ADJUST ON 3" CENTERS

C.2.6.2.5.6. DIMENSIONS: 25-1/4"W X 30-3/4"D X 71"H

C.2.6.2.5.7. TOP MOUNTED, RECESSED CONTROL PANEL INCLUDES FAN ON/OFF SWITCH,
DIAL THERMOSTAT ADJUSTABLE FROM AMBIENT TO 190 DEGREES
FAHRENHEIT, CABINET TEMPERATURE THERMOMETER, AND SWITCH TO
CHANGE FROM PROOFING TO HOLDING.

C.2.6.2.5.8. FAN AND AIR TUNNEL FOR EVEN HEAT DISTRIBUTION

C.2.6.2.5.9. 2,000 TOTAL WATT HEATING ELEMENTS WITH STAINLESS STEEL COVER, 16.7
AMPS TOTAL DRAW

C.2.6.2.5.10. REQUIRES 120 VOLT, SINGLE PHASE POWER SUPPLY

C.2.6.2.5.11. FURNISHED WITH TOP MOUNTED POWER CORD WITH STRAIN RELIEF AND
NEMA 5-20 PLUG

C.2.6.2.5.12. FURNISHED WITH TEN PAIRS OF TRAY SLIDES

C.2.6.2.5.13. 1/2 GALLON WATER PAN FOR PROOFING, DRIP TROUGH AND REMOVABLE CONDENSATION PAN ON THE BOTTOM OF CABINET

C.2.6.2.5.14. LIFETIME WARRANTY ON THE HEATING ELEMENTS

C.2.6.3. ENCLOSED MOBILE CABINETS

C.2.6.3.1. Quantity: 2

C.2.6.3.2. 2 EA @ \$_____ PER EA

C.2.6.3.3. BRAND/MODEL BIDDING:

C.2.6.3.4. WARRANTY INCLUDED:

C.2.6.3.5. WIN-HOLT MODEL EC1840-C OR AN APPROVED EQUAL

C.2.6.3.5.1. DOUBLE PAN CONSTRUCTION WITH REINFORCED BRACES

C.2.6.3.5.2. 1-1/2" (38MM) SPACING BETWEEN RUNNERS

C.2.6.3.5.3. FOUR 5" POLYURETHANE, SWIVEL PLATE, DOUBLE BALL RACE CASTERS

C.2.6.3.5.4. 40 PAN CAPACITY

C.2.6.3.5.5. DIMENSIONS: 21"W X 27"L X 68"H

C.2.6.4. NON-INSULATED TRANSPORT STORAGE CABINETS

C.2.6.4.1. Quantity: 2 (Two)

C.2.6.4.2. 2 EA @ \$_____ PER EA

C.2.6.4.3. BRAND/MODEL BIDDING:

C.2.6.4.4. WARRANTY INCLUDED:

C.2.6.4.5. CRES COR MODEL 100-1841D OR AN APPROVED EQUAL

C.2.6.4.5.1. CAPACITY: 40 PANS

C.2.6.4.5.2. OUTER DIMENSIONS: 20-7/8"W X 27-1/2"D X 69-3/4"H

C.2.6.4.5.3. INTERIOR DIMENSIONS: 18-1/6"W X 26"D X 61-1/2"H

C.2.6.4.5.4. POSTS: EXTRUDED CHANNELS, 7/8 X 2-1/4 X .102, WELDED TO TOP AND BASE

C.2.6.4.5.5. SIDES: .063 CORRUGATIONS RIVETED TO POSTS

C.2.6.4.5.6. BACK PANEL: FITTED INTO POSTS, RIVETED TO TOP AND REINFORCED

C.2.6.4.5.7. TIE ROD: APPLIED AT FRONT OF ALL CABINETS 57-3/4" HIGH AND OVER

C.2.6.4.5.8. TOP: ONE PIECE .100 ALUMINUM

C.2.6.4.5.9. BASE: ONE PIECE .190 ALUMINUM

C.2.6.4.5.10. CASTERS" 5" DIAMETER, SWIVEL , MODULUS TIRES, 1-1/4 WIDE 250LB LOAD CAPACITY, TEMPERATURE RANGE -45 DEGREES/+180 DEGREES FAHRENHEIT. DELRIN BEARINGS, FRONT CASTERS EQUIPPED WITH BRAKES

C.2.6.4.5.11. DOOR PANEL: FORMED .100 ALUMINUM REINFORCED WITH 1/4 X 1-1/2 EXTRUDED BARS RIVETED HORIZONTALLY TO TOP, CENTER, AND BOTTOM

C.2.6.4.5.12. LATCH: GRAVITY TYPE, NICKEL PLATED STEEL

C.2.6.4.5.13. SWINGS 270 DEGREES ON 2 OR 3 HINGES, RIVETED TO POSTS AND DOOR

C.2.6.4.5.14. PAN STOP CHANNEL

C.2.6.5. PAN RACK COVERS

C.2.6.5.1. Quantity: 4 (Four)

C.2.6.5.2. 4 EA @ \$_____ PER EA

C.2.6.5.3. BRAND/MODEL BIDDING:

C.2.6.5.4. WARRANTY INCLUDED:

C.2.6.5.5. ALECO HEAVY DUTY SERIES OR AN APPROVED EQUAL

C.2.6.5.5.1. 3PLY NYLON-REINFORCED MATERIAL(14ML)

C.2.6.5.5.2. LOCK STICH SEAMS

C.2.6.5.5.3. COMPATABILITY DESIGN FOR RACKS SIZED: 21"W X 26"D X 69"H

C.2.6.5.5.4. COVER DIMENSIONS: 23"W X 28"D X 64"H

C.2.6.6. BAKERY RACK COVERS

C.2.6.6.1. Quantity: 4 (Four)

C.2.6.6.2. 4 EA @ \$_____ PER EA

C.2.6.6.3. BRAND/MODEL BIDDING:

C.2.6.6.4. WARRANTY INCLUDED:

C.2.6.6.5. WIN-HOLT MODEL SRC-58FC/3Z HEAVY DUTY OR AN APPROVED EQUAL

C.2.6.6.5.1. HEAVY DUTY, REINFORCED BLUE VINYL WITH STANDS FREEZER TEMPERATURES DOWN TO -20 DEGREES FAHRENHEIT

C.2.6.6.5.2. CLEAR PLASTIC VIEWING PANELS

C.2.6.6.5.3. 3 REINFORCED ZIPPERS

C.2.6.6.5.4. DIMENSIONS: 23"W X 28"L X 64"H

C.2.6.7. STAINLESS STEEL UTILITY CARTS

C.2.6.7.1. Quantity: 1 (Once)

C.2.6.7.2. 1 EA @ \$_____ PER EA

C.2.6.7.3. BRAND/MODEL BIDDING:

C.2.6.7.4. WARRANTY INCLUDED:

C.2.6.7.5. LAKESIDE MODEL 422 OR AN APPROVED EQUAL

C.2.6.7.5.1. MEDIUM DUTY-500 LB CAPACITY

C.2.6.7.5.2. SET OF TWO EACH BRAKE CASTERS, CUSHION TREAD WHEELS

C.2.6.7.5.3. CLEAR VINYL SLIPOVER BOX TYPE COVER

C.2.6.7.5.4. DURABLE, UNITIZED ELECTRONICALLY WELDED ANGLE LEG FRAME

C.2.6.7.5.5. 20 GAUGE STAINLESS STEEL REINFORCED SHELVES

C.2.6.7.5.6. PROTECTIVE BUMPERS ON LEGS AND HANDLE SAFEGUARD FURNISHINGS

C.2.6.7.5.7. SOUND DEADENING PANES UNDER SHELVES

C.2.6.7.5.8. DIMENSIONS: 19"W X 31"L X 32"H

C.2.6.8. 18 PAN NON-INSULATED CABINET

C.2.6.8.1. Quantity: 2 (Two)

C.2.6.8.2. 2 EA @ \$_____ PER EA

C.2.6.8.3. BRAND/MODEL BIDDING:

C.2.6.8.4. WARRANTY INCLUDED:

C.2.6.8.5. VULCAN MODEL VHFA18 OR AN APPROVED EQUAL

- C.2.6.8.5.1. 18 LEVEL HEATED HOLDING AND PROOFING TO ACCOMODATE 18-(18" X 26") OR 36-(12" X 20") PANS
- C.2.6.8.5.2. HEAVY DUTY 20 GUAGE POLISHED STAINLESS STEEL CABINET
- C.2.6.8.5.3. SET OF 5" CASTERS, TWO SWIVEL WITH BRAKES AND TWO RIGID
- C.2.6.8.5.4. FULL SIZE GLASS DOOR WITH FIELD REVERSIBLE HEAVY DUTY HINGES, DOOR LATCH MECHANISM, AND GASKETS
- C.2.6.8.5.5. DIMENSIONS: 25-1/4"W X 30-3/4"D X 71"H
- C.2.6.8.5.6. TOP MOUNTED, RECESSED CONTROL PANEL INCLUDES POWER ON & HEATER ON INICATOR SWITCH, DIAL THERMOSTAT ADJUSTABLE FROM AMBIENT TO 190 DEGREES FAHRENHEIT, AND TEMPERATURE READ-OUT DIAL.
- C.2.6.8.5.7. FAN AND AIR TUNNEL FOR EVEN HEAT DISTRIBUTION
- C.2.6.8.5.8. TWO 1,000 WATT METAL SHEATHED HEATING ELEMENTS, 16.7 AMPS TOTAL DRAW
- C.2.6.8.5.9. REQUIRES 120 VOLT, SINGLE PHASE POWER SUPPLY
- C.2.6.8.5.10. FURNISHED WITH TOP MOUNTED 8' POWER CORD WITH STRAIN RELIEF AND NEMA 5-20 PLUG

C.2.6.9. TOUCHFREE ICE MACHINE/DISPENSER

- C.2.6.9.1. Quantity: 1 (One)
- C.2.6.9.2. 1 EA @ \$_____ PER EA
- C.2.6.9.3. BRAND/MODEL BIDDING:

C.2.6.9.4. WARRANTY INCLUDED:

C.2.6.9.5. SCOTSMAN MODEL MDT5N40AS-1 OR AN APPROVED EQUAL

- C.2.6.9.5.1. MAKES AND DISPENSES SOFT, CHEWABLE NUGGET ICE
- C.2.6.9.5.2. AIR CONDENSER UNIT
- C.2.6.9.5.3. DIMENSIONS: 26" X 22.5" X 48"
- C.2.6.9.5.4. STORAGE CAPCITY: 40LB
- C.2.6.9.5.5. VOLTAGE:115/60/1 20.7 AMPS

C.2.6.10. 13" HEAVY DUTY MANUAL SLICER W/ NON-REMOVABLE KNIFE FEATURE

- C.2.6.10.1.Quantity: 1 (One)
- C.2.6.10.2.1 EA @ \$_____ PER EA
- C.2.6.10.3.BRAND/MODEL BIDDING:

C.2.6.10.4.WARRANTY INCLUDED:

C.2.6.10.5.HOBART MODEL HS6N OR AN APPROVED EQUAL

- C.2.6.10.5.1. 13" CLEAN CUT KNIFE
- C.2.6.10.5.2. REMOVABLE RING GUARD COVER
- C.2.6.10.5.3. ZERO KNIFE EXPOSURE
- C.2.6.10.5.4. HEAVY-GUAGE STAINLESS STEEL KNIFE COVER
- C.2.6.10.5.5. TOP-MOUNTED BORAZON STONE SHARPENER
- C.2.6.10.5.6. 1/2 HP KNIFE DRIVE MOTOR
- C.2.6.10.5.7. NO VOLT RELEASE
- C.2.6.10.5.8. BURNISHED ALUMINUM BASE

- C.2.6.10.5.9. MACHINE GROOVES ON GUAGE PLATE AND KNIFE COVER
- C.2.6.10.5.10. EXCLUSIVE TILTING, REMOVABLE CARRIAGE SYSTEM
- C.2.6.10.5.11. ELECTROLESS NICKEL PLATED SINGLE SLIDE ROD WITH RESERVOIR WICK IN TRANSPORT
- C.2.6.10.5.12. DOUBLE-ACTION INDEXING CAM
- C.2.6.10.5.13. SPRING KICKSTAND
- C.2.6.10.5.14. ERGONOMIC-STYLE HANDLE
- C.2.6.10.5.15. REAR MOUNTED, REMOVABLE MEAT/VEGETABLE GRIP ARM

C.2.6.11. OPEN BASE STYLE ENCLOSED BASE WORK TABLES

C.2.6.11.1. Quantity: 2 (Two)

C.2.6.11.2.2 EA @ \$ _____ PER EA

C.2.6.11.3. BRAND/MODEL BIDDING:

C.2.6.11.4. WARRANTY INCLUDED:

C.2.6.11.5. ADVANCE TABCO MODEL EK-SS-368 OR AN APPROVED EQUAL

- C.2.6.11.5.1. FLAT TOP FURNISHED WITH A 1-5/8" SANITARY ROLLED RIM ON THE FRONT AND 1-5/8" SQUARE BEND EDGES ON THE 2 SIDES AND REAR
- C.2.6.11.5.2. 5" SPLASH IS FURNISHED WITH A 1-5/8" SANITARY ROLLED RIM ON THE FRONT SIDE AND 1-5/8" SQUARE BEND EDGES ON THE 2 SIDES AND A 5" SPLASH WITH A 1" RETURN ON THE REAR SIDE.
- C.2.6.11.5.3. ALL TIG WELDED, EXPOSED AREAS FINISHED TO MATCH ADJACENT SURFACES
- C.2.6.11.5.4. TOP IS MECHANICALLY POLISHED AND IS DOUND DEADENED
- C.2.6.11.5.5. HAT SECTION SECURED TO TOP REINFORCES AND MAINS LEVEL WORKING SURFACE
- C.2.6.11.5.6. UNIT-BODY DESIGN SIDES, BACK AND FIXED MID SHELF ARE WELDED TO FORM A SINGLE RIGID STRUCTURE.
- C.2.6.11.5.7. GUSSETS WELDED TO SUPPORT HAT SECTIONS
- C.2.6.11.5.8. TOP IS 14 GAUGE STAINLESS STEEL TYPE "304" SERIES WITH GALVANIZED UNDERSTRUCTURE
- C.2.6.11.5.9. BODY IS 18 GAUGE STAINLESS STEEL TYPE "430" SERIES
- C.2.6.11.5.10. LEGS ARE 1-5/8" DIAMETER TUBULAR STAINLESS STEEL WITH STAINLESS STEEL GUSSETS AND 1" ADJUSTABLE STAINLESS STEEL BULLET FEET.

C.2.6.12. 16 FT-URN TROUGH

C.2.6.12.1. Quantity: 1 (One)

C.2.6.12.2.1 EA @ \$ _____ PER EA

C.2.6.12.3. BRAND/MODEL BIDDING:

C.2.6.12.4. WARRANTY INCLUDED:

C.2.6.12.5. MADE OF ALUMINUM

C.2.6.12.6. SOLD PER LINEAR FOOT

C.2.7. Lexington A&R Center
 15501 Hwy 39 East
 Lexington, OK 73051

C.2.7.1. 8 OZ. CORRECTIONAL TUMBLERS

C.2.7.1.1. Quantity: 32 (Thirty-Two)

C.2.7.1.2. 32 CA @ \$_____ PER CA

C.2.7.1.3. BRAND/MODEL BIDDING:

C.2.7.1.4. WARRANTY INCLUDED:

C.2.7.1.5. COOK'S BRAND MODEL 630-300 OR AN APPROVED EQUAL

C.2.7.1.5.1. PRODUCED FROM SPECIALLY BLENDED STAIN RESISTANT CO-POLYMER POLYCARBONATE

C.2.7.1.5.2. DISHWASHER/MICROWAVE SAFE

C.2.7.1.5.3. ORANGE IN COLOR

C.2.7.1.5.4. TEMPERATURE RANGE OF -40 DEGREES FAHRENHEIT TO 248 DEGREES FAHRENHEIT

C.2.7.1.5.5. 8-OZ CAPACITY

C.2.7.1.5.6. 48 PER CASE

C.2.7.1.5.7. 1 YEAR "NO QUESTION ASKED" FULL REPLACEMENT WARRANTY

C.2.7.2. 36-COMPARTMENT OPTICLEAN GLASS RACK W/1 EXTENDER

C.2.7.2.1. Quantity: 10 (Ten)

C.2.7.2.2. 10 EA @ \$_____ PER EA

C.2.7.2.3. BRAND/MODEL BIDDING:

C.2.7.2.4. WARRANTY INCLUDED:

C.2.7.2.5. COOK'S BLUE CARLISLE MODEL#RG36-114 OR AN APPROVED EQUAL

C.2.7.2.5.1. MADE OF POLYPROPYLENE

C.2.7.2.5.2. 36-COMPARTMENT W/ 1 EXTENDER

C.2.7.2.5.3. COMPARTMENT SIZE: 2-15/16" X 2-15/16"

C.2.7.2.5.4. ACCOMODATES GLASSES UP TO 2-11/16" IN DIAMETER

C.2.7.2.5.5. NSF LISTED

C.2.7.2.5.6. DIMENSIONS: COMPARTMENT LENGTH/WIDTH: 2.91"/2.91" INSIDE HEIGHT: 4.78" OUTSIDE HEIGHT:

C.2.7.2.5.7. 5.56"

C.2.7.2.5.8. OPTICLEAN WAREWASHING SYSTEM

C.2.7.2.5.9. DOUBLE WALL CONSTRUCTION

C.2.7.2.5.10. HONEYCOMB DESIGN

C.2.7.2.5.11. STANDARD WARRANTY

C.2.7.3. VINYL-COATED HOLD-DOWN GRID (OPTICLEAN WAREWASHING ACCESSORY)

C.2.7.3.1. Quantity: 10 (Ten)

C.2.7.3.2. 10 EA @ \$_____ PER EA

C.2.7.3.3. BRAND/MODEL BIDDING:

C.2.7.3.4. WARRANTY INCLUDED:

C.2.7.3.5. COOK'S CARLISLE C9314 OR AN APPROVED EQUAL

- C.2.7.3.5.1. MADE OF VINYL COATED WIRE
- C.2.7.3.5.2. COMPATIBLE WITH ALL OPTICLEAN GLASS & DISH RACKS
- C.2.7.3.5.3. NSF LISTED
- C.2.7.3.5.4. COLOR: CARLISLE BLUE
- C.2.7.3.5.5. DIMENSIONS: OUTSIDE HEIGHT: 0.30" LENGTH: 17.88" WIDTH: 17.88"

C.2.7.4. 6-COMPARTMENT GORILLA TRAYS

- C.2.7.4.1. Quantity: 60 (Sixty)
- C.2.7.4.2. 60 CA @ \$_____ PER CA-10 PER CASE
- C.2.7.4.3. BRAND/MODEL BIDDING:

- C.2.7.4.4. WARRANTY INCLUDED:

- C.2.7.4.5. COOK'S MODEL#630-120B OR AN APPROVED EQUAL
 - C.2.7.4.5.1. CONSTRUCTED OF CO-POLYMER PLASTIC WITH FOAM INSULATION
 - C.2.7.4.5.2. COLOR: BROWN
 - C.2.7.4.5.3. ONE PIECE RUGGED CONSTRUCTION
 - C.2.7.4.5.4. STAIN RESISTANT
 - C.2.7.4.5.5. LARGE CAPACITY-6 COMPARTMENTS
 - C.2.7.4.5.6. DIMENSIONS: 14-1/2"L X 11"W X 2-3/8"D
 - C.2.7.4.5.7. WARRANTY: 2-YEAR "NO QUESTIONS ASKED" FULL REPLACEMENT WARRANTY

C.2.8. Charles E "Bill" Johnson Correctional Center

1856 E Flynn Street
Alva, OK 73717-3004

C.2.8.1. MEAT SLICER

- C.2.8.1.1. Quantity: 1 (One)
- C.2.8.1.2. 1 EA @ \$_____ PER EA
- C.2.8.1.3. BRAND/MODEL BIDDING:

- C.2.8.1.4. WARRANTY INCLUDED:

- C.2.8.1.5. HOBART HS6N-1 MODEL#492-094 OR AN APPROVED EQUAL
 - C.2.8.1.5.1. HEAVY DUTY
 - C.2.8.1.5.2. BELT DRIVEN
 - C.2.8.1.5.3. 1/2 HP, 120 V, 6' CORD AND PLUG, NSF LISTED
 - C.2.8.1.5.4. MANUAL
 - C.2.8.1.5.5. 13" BLADE
 - C.2.8.1.5.6. 30-5/16"L X 22-1/8"D X 25-1/2"H. 126LBS
 - C.2.8.1.5.7. 1 YEAR PARTS AND LABOR WARRANTY

C.2.8.2. FOOD CUTTER (BUFFALO CHOPPER)

- C.2.8.2.1. Quantity: 1 (One)
- C.2.8.2.2. 1 EA @ \$_____ PER EA
- C.2.8.2.3. BRAND/MODEL BIDDING:

C.2.8.2.4. WARRANTY INCLUDED:

C.2.8.2.5. HOBART MODEL#492-297 OR AN APPROVED EQUAL

C.2.8.2.5.1. 18" STAINLESS STEEL BOWL W/#12 ATTACHMENT HUB

C.2.8.2.5.2. 1HP, 120 V

C.2.8.2.5.3. 9-3/4"W X 10-1/2"D X 5-1/2"H

C.2.8.2.5.4. STANDARD WARRANTY

C.2.8.3. FRENCH FRY CUTTER

C.2.8.3.1. Quantity: 1 (One)

C.2.8.3.2. 1 EA @ \$_____ PER EA

C.2.8.3.3. BRAND/MODEL BIDDING:

C.2.8.3.4. WARRANTY INCLUDED:

C.2.8.3.5. NEMCO MODEL#N554503 OR AN APPROVED EQUAL

C.2.8.3.5.1. INSTALLATION TYPE:WALL MOUNTED

C.2.8.3.5.2. MANUAL POWER

C.2.8.3.5.3. 1/2" CUT

C.2.8.3.5.4. 20"W X 9"D X 10"H

C.2.8.3.5.5. NSF LISTED

C.2.8.3.5.6. STANDARD WARRANTY

C.2.8.4. EIGHT SECTION WEDGER KIT

C.2.8.4.1. Quantity: 1 (One)

C.2.8.4.2. 1 EA @ \$_____ PER EA

C.2.8.4.3. BRAND/MODEL BIDDING:

C.2.8.4.4. WARRANTY INCLUDED:

C.2.8.4.5. NEMCO MODEL#55727-8 OR AN APPROVED EQUAL

C.2.8.4.5.1. STAINLESS STEEL BLADES

C.2.8.4.5.2. STANDARD WARRANTY

C.2.8.5. POTATO CUTTER WALL HANGER (BRACKET ONLY)

C.2.8.5.1. Quantity: 1 (One)

C.2.8.5.2. 1 EA @ \$_____ PER EA

C.2.8.5.3. BRAND/MODEL BIDDING:

C.2.8.5.4. WARRANTY INCLUDED:

C.2.8.5.5. NEMCO MODEL#55641 OR AN APPROVED EQUAL

C.2.8.5.5.1. 16 GAUGE POLISHED STAINLESS STEEL

C.2.8.5.5.2. STANDARD WARRANTY

C.2.8.6. DISHER SZ 8

C.2.8.6.1. Quantity: 8 (Eight)

C.2.8.6.2. 8 EA @ \$_____ PER EA

C.2.8.6.3. BRAND/MODEL BIDDING:

C.2.8.6.4. WARRANTY INCLUDED:

C.2.8.6.5. VALUE SERIES MODEL#02K-098 OR AN APPROVED EQUAL

C.2.8.6.5.1. WEIGHT: 1 LBS

C.2.8.6.5.2. CAPACITY: 4OZ

C.2.8.6.5.3. COLOR: GRAY

C.2.8.6.5.4. CONSTRUCTION: STAINLESS STEEL W/ POLYPROPYLENE HANDLE

C.2.8.6.5.5. SIZE: 9" L

C.2.8.6.5.6. STANDARD WARRANTY

C.2.8.7. DOUGH SCRAPER

C.2.8.7.1. Quantity: 12 (Twelve)

C.2.8.7.2. 12 EA @ \$_____ PER EA

C.2.8.7.3. BRAND/MODEL BIDDING:

C.2.8.7.4. WARRANTY INCLUDED:

C.2.8.7.5. TABLECRAFT MODEL#4103W OR AN APPROVED EQUAL

C.2.8.7.5.1. STAINLESS STEEL BLADE W/ POLY HANDLE

C.2.8.7.5.2. SIZE: 6" X 3"

C.2.8.7.5.3. STANDARD WARRANTY

C.2.8.8. COMPARTMENTAL SERVICE TRAY (5 COMPARTMENT)

C.2.8.8.1. Quantity: 100 (One Hundred)

C.2.8.8.2. 100 EA @ \$_____ PER EA

C.2.8.8.3. BRAND/MODEL BIDDING:

C.2.8.8.4. WARRANTY INCLUDED:

C.2.8.8.5. CARLSILE MODEL#PCD80125 OR AN APPROVED EQUAL

C.2.8.8.5.1. SIZE: 13-3/4"L X 10-5/8"W-5 COMPARTMENTS

C.2.8.8.5.2. BREAK RESISTANT POLYCARBONATE PLASTIC DESIGN

C.2.8.8.5.3. DISHWASHER SAFE

C.2.8.8.5.4. NSF LISTED

C.2.8.8.5.5. 5 YEAR MANUFACTURER'S WARRANTY

C.2.8.9. 2000- EA ECONOMY CO-POLYMER SPORKS

C.2.8.9.1. Quantity: 2000 (Two Thousand)

C.2.8.9.2. 2000 EA @ \$_____ PER EA (5-CASES/400 PER CASE)

C.2.8.9.3. BRAND/MODEL BIDDING:

C.2.8.9.4. WARRANTY INCLUDED:

C.2.8.9.5. COOK'S MODEL#630-203CPN OR AN APPROVED EQUAL

C.2.8.9.5.1. 5-3/4" L

C.2.8.9.5.2. MICROWAVE AND DISHWASHER SAFE

C.2.8.9.5.3. STAIN RESISTANT

C.2.8.9.5.4. STANDARD WARRANTY

C.2.9. Howard McLeod Correctional Center

1970 E Whippoorwill Lane

Atoka, OK 74525-8415

C.2.9.1. TRAY SLIDE (PACKED: 1EA)

C.2.9.1.1. Quantity: 2 (Two)

C.2.9.1.2. 2 EA @ \$_____ PER EA

C.2.9.1.3. BRAND/MODEL BIDDING:

C.2.9.1.4. WARRANTY INCLUDED:

C.2.9.1.5. VOLLRATH MODEL NO#39946 OR AN APPROVED EQUAL

C.2.9.1.5.1. AFFORDABLE PORTABLE 46" TRAY SLIDE W/ FOLD-DOWN MOUNTING
BRACKETS

C.2.9.1.5.2. 300 SERIES STAINLESS

C.2.9.1.5.3. STANDARD WARRANTY

C.2.9.2. STATIONARY SOLID FLAT TRAY SLIDE

C.2.9.2.1. Quantity: 1 (One)

C.2.9.2.2. 1 EA @ \$_____ PER EA

C.2.9.2.3. BRAND/MODEL BIDDING:

C.2.9.2.4. WARRANTY INCLUDED:

C.2.9.2.5. SUPREME METAL MODEL TTS-2 OR AN APPROVED EQUAL

C.2.9.2.5.1. 31-13/16 IN LONG

C.2.9.2.5.2. STAINLESS STEEL

C.2.9.2.5.3. COMPATIBLE WITH TRIUMPH UNIT

C.2.9.2.5.4. STANDARD WARRANTY

C.2.9.3. DELUXE OVERSHELF

C.2.9.3.1. Quantity: 1 (One)

C.2.9.3.2. 1 EA @ \$_____ PER EA

C.2.9.3.3. BRAND/MODEL BIDDING:

C.2.9.3.4. WARRANTY INCLUDED:

C.2.9.3.5. DUKE MODEL 956-460-5 OR AN APPROVED EQUAL

C.2.9.3.5.1. WEIGHT:58LBS

C.2.9.3.5.2. STAINLESS STEEL CONSTRUCTION

C.2.9.3.5.3. 72-1/2"L X 10-1/2"W X 14"H

C.2.9.3.5.4. STANDARD WARRANTY

C.2.9.4. HOT FOOD SERVING COUNTER (PACKED EA)

C.2.9.4.1. Quantity: 2 (Two)

C.2.9.4.2. 2 EA @ \$_____ PER EA

C.2.9.4.3. BRAND/MODEL BIDDING:

C.2.9.4.4. WARRANTY INCLUDED:

C.2.9.4.5. DUKE MODEL NO#E-4-CBSS OR AN APPROVED EQUAL

- C.2.9.4.5.1. THURMADUKE STEAMTABLE UNIT
- C.2.9.4.5.2. ELECTRIC
- C.2.9.4.5.3. 60"L X 25-12"W X" 36"H
- C.2.9.4.5.4. 16 GAUGE STAINLESS STEEL TOP
- C.2.9.4.5.5. (4) STAINLESS STEEL SEALED HEAT WELLS, DRAINS, COPPER MANIFOLDS
- C.2.9.4.5.6. (1) BRASS VALVE, THERMOSTAT CONTROLS, 20 GAUGE STAINLESS STEEL BODY & UNDERSHELF, 6"H STAINLESS STEEL LEGS AND ADJUSTABLE FEET
- C.2.9.4.5.7. (2) 120V/60/1-PH, 3000 WATTS, 25.0 AMPS
- C.2.9.4.5.8. (2) TCA-SET4 CASTERS, SET OF 4, SWIVEL TYPE, (2) WITH BRAKES, & 5" DIAMETER, GRAY POLYURETHANE TIRE IN LIEU OF STANDARD LEGS
- C.2.9.4.5.9. (2) SOLID TRAYSLIDE, 12-1/4" WIDE. 16GA STAINLESS STEEL, (2) RUBBING TRACKS, ON (2) STAINLESS STEEL FIXED BRACKETS, & MOUNTED 34" HIGH
- C.2.9.4.5.10. (2) #956-460-4 SERVING SHELF WITH GLASS PROTECTOR PANEL, 18GA 300 SERIES STAINLESS STEEL SHELF, 10-1/2"W X 58-1/2"L X 20"H, 3/4" SQUARE STAINLESS TUBE POSTS, 1/4" THICK GLASS PANEL & 1/4" ACRYLIC END GUARDS
- C.2.9.4.5.11. (2) CLEAR ACRYLIC PROTECTOR PANELS IN LIEU OF STANDARD GLASS PANELS, PER PIECE
- C.2.9.4.5.12. STANDARD WARRANTY

C.2.9.5. FLOOR FOOD MIXER: COMMERCIAL GRADE

C.2.9.5.1. Quantity: 1 (One)

C.2.9.5.2. 1 EA @ \$_____ PER EA

C.2.9.5.3. BRAND/MODEL BIDDING:

C.2.9.5.4. WARRANTY INCLUDED:

C.2.9.5.5. HOBART HL600-1 OR AN APPROVED EQUAL

- C.2.9.5.5.1. LEGACY PLANETARY MIXER
- C.2.9.5.5.2. 2.7 HP
- C.2.9.5.5.3. 60 QT CAPACITY
- C.2.9.5.5.4. (4) FIXED SPEEDS
- C.2.9.5.5.5. GEAR TRANSMISSION
- C.2.9.5.5.6. 50 MINUTE SMART TIMER
- C.2.9.5.5.7. #12 TAPER ATTACHMENT HUB
- C.2.9.5.5.8. POWER BOWL LIFT
- C.2.9.5.5.9. DELUXE ACCESSORY PACKAGE INCLUDES (S/S 60QT BOWL, B BEATER, D WIRE WHIP, EDOUGH HOOK, BOWL TRUCK)
- C.2.9.5.5.10. STAINLESS STEEL BOWL GUARD
- C.2.9.5.5.11. 200-240/50/60/3/1
- C.2.9.5.5.12. STANDARD WARRANTY-1 YEAR PARTS, LABOR & TRAVEL TIME DURING NORMAL WORKING HOURS WITHIN THE USA

C.2.9.6. 9" VEGETABLE SLICER

C.2.9.6.1. Quantity: 1 (One)

C.2.9.6.2. 1 EA @ \$_____ PER EA

C.2.9.6.3. BRAND/MODEL BIDDING:

C.2.9.6.4. WARRANTY INCLUDED:

C.2.9.6.5. HOBART VS9 OR AND APPROVED EQUAL

C.2.9.6.5.1. STAINLESS STEEL BLADES

C.2.9.6.5.2. VEGETABLE SLICER W/ (1) SLICER PLATE, & (2) SHREDDER PLATES

C.2.9.6.5.3. BACK CASE, HOPPER FRONT AND ADJUSTABLE SLICE PLATE INCLUDED

C.2.9.6.5.4. 1 YEAR WARRANTY

C.2.10. William S. Key Correctional Center

1 Mile East, Highway 270 South

Fort Supply, OK 73841

C.2.10.1. TRANSPORT/UTILITY CABINET

C.2.10.1.1. Quantity: 3 (Three)

C.2.10.1.2.3 EA @ \$_____ PER EA

C.2.10.1.3. BRAND/MODEL BIDDING:

C.2.10.1.4. WARRANTY INCLUDED:

C.2.10.1.5. WINHOLT MODEL#942-025OR AN APPROVED EQUAL

C.2.10.1.5.1. WEIGHT: 110 LBS

C.2.10.1.5.2. CONSTRUCTION: ALUMINUM

C.2.10.1.5.3. NON-INSULATED

C.2.10.1.5.4. SHELVES: 1-1/2" SLIDE SPACING

C.2.10.1.5.5. 21"W X 27"D X 68"H

C.2.10.1.5.6. ONE YEAR WARRANTY

C.2.10.2. MEAT SLICER

C.2.10.2.1. Quantity: 1 (One)

C.2.10.2.2.1 EA @ \$_____ PER EA

C.2.10.2.3. BRAND/MODEL BIDDING:

C.2.10.2.4. WARRANTY INCLUDED:

C.2.10.2.5. GLOBE FOOD EQUIPMENT MODEL#507-052 OR AN APPROVED EQUAL

C.2.10.2.5.1. 1/2 HP

C.2.10.2.5.2. ANODIZED ALUMINUM CONSTRUCTION

C.2.10.2.5.3. BELT DRIVEN

C.2.10.2.5.4. MANUAL

C.2.10.2.5.5. 120V

C.2.10.2.5.6. WEIGHT 70LBS

C.2.10.2.5.7. 19-3/4"W X 24"D X 17"H

C.2.10.2.5.8. 12" BLADE

C.2.10.2.5.9. STANDARD WARRANTY 1 YEAR PARTS AND LABOR

C.2.10.3. BOWL CUTTER

C.2.10.3.1.Quantity: 1 (One)

C.2.10.3.2.1 EA @ \$_____ PER EA

C.2.10.3.3.BRAND/MODEL BIDDING:

C.2.10.3.4.WARRANTY INCLUDED:

C.2.10.3.5.UNIVEX MODEL#505-044 OR AN APPROVED EQUAL

C.2.10.3.5.1. 1HP

C.2.10.3.5.2. STAINLESS STEEL ROTATING BOWL AND TWIN STAINLESS STEEL KNIVES

C.2.10.3.5.3. ALUMINUM HOUSING AND BOWL COVER

C.2.10.3.5.4. BUILT-IN #12 HUB ACCEPTS UNIVEX PREP-MATE ATTACHEMENTS

C.2.10.3.5.5. 120V

C.2.10.3.5.6. 18" DIAMETER

C.2.10.3.5.7. WEIGHT: 175LBS

C.2.10.3.5.8. 31-1/2"W X 23-1/2"D X 20"H

C.2.10.3.5.9. STANDARD WARRANTY

C.2.10.4. COUNTERTOP ELECTRIC RANGE

C.2.10.4.1.Quantity: 2 (Two)

C.2.10.4.2.2 EA @ \$_____ PER EA

C.2.10.4.3.BRAND/MODEL BIDDING:

C.2.10.4.4.WARRANTY INCLUDED:

C.2.10.4.5.CADCO MODEL#348-041 OR AN APPROVED EQUAL

C.2.10.4.5.1. ELECTRIC, 220V

C.2.10.4.5.2. 2 BURNERS

C.2.10.4.5.3. 13-1/2"W X 22-3/4" X 4-1/2"H

C.2.10.4.5.4. 1 YEAR LIMITED PARTS AND LABOR WARRANTY

C.2.10.5. WARMING AND HOLDING CABINET

C.2.10.5.1.Quantity: 1 (One)

C.2.10.5.2.1 EA @ \$_____ PER EA

C.2.10.5.3.BRAND/MODEL BIDDING:

C.2.10.5.4.WARRANTY INCLUDED:

C.2.10.5.5.VULCAN MODEL#515-135 OR AN APPROVED EQUAL

C.2.10.5.5.1. STAINLESS STEEL CONSTRUCTION WITH GLASS DOOR

C.2.10.5.5.2. NON-INSULATED

C.2.10.5.5.3. 120V, 8' CORD TOP MOUNTED CORD

C.2.10.5.5.4. WEIGHT:225 LBS

C.2.10.5.5.5. 25-1/4"W X 30-3/4"D X 71"H

C.2.10.5.5.6. 5" CASTERS, TWO WITH BRAKES

C.2.10.5.5.7. STANDARD WARRANTY

C.2.10.6. CONVEYOR TOASTER

C.2.10.6.1.Quantity: 1 (One)

C.2.10.6.2.1 EA @ \$_____ PER EA

C.2.10.6.3.BRAND/MODEL BIDDING:

C.2.10.6.4.WARRANTY INCLUDED:

C.2.10.6.5.WARING MODEL#800-163 OR AN APPROVED EQUAL

C.2.10.6.5.1. CAPACITY: 450 SLICES/ HOUR

C.2.10.6.5.2. TYPE: TWO SIDED TOASTING

C.2.10.6.5.3. 120V (15 AMPS)

C.2.10.6.5.4. 3' CORD AND PLUG

C.2.10.6.5.5. THERMO -INSULATED CARRYING HANDLES

C.2.10.6.5.6. ONE YEAR LIMITED WARRANTY

C.2.10.7. EA BREAD AND LOAF PAN

C.2.10.7.1.Quantity: 10 (Ten)

C.2.10.7.2.10 EA @ \$_____ PER EA

C.2.10.7.3.BRAND/MODEL BIDDING:

C.2.10.7.4.WARRANTY INCLUDED:

C.2.10.7.5.FOCUS FOODSERVICE MODEL#835-045 OR AN APPROVED EQUAL

C.2.10.7.5.1. ALUMINIZED STEEL CONSTRUCTION

C.2.10.7.5.2. GLAZED FINISH

C.2.10.7.5.3. 1LB CAPACITY

C.2.10.7.5.4. 9-1/4"W X 21-7/8"D X 2-3/4"

C.2.10.7.5.5. 4 8-1/2"W X 4-1/2"D X 2-3/4"H PANS PER SET

C.2.10.7.5.6. STANDARD WARRANTY

C.2.10.8. BAGEL, BUN AND LOAF SLICERS AND ACCESSORIES

C.2.10.8.1.Quantity: 1 (One)

C.2.10.8.2.1 EA @ \$_____ PER EA

C.2.10.8.3.BRAND/MODEL BIDDING:

C.2.10.8.4.WARRANTY INCLUDED:

C.2.10.8.5.OLIVER PACKAGING AND EQUIPMENT COMPANY MODEL#151-003 OR AN APPROVED EQUAL

C.2.10.8.5.1. STAINLESS STEEL CONSTRUCTION

C.2.10.8.5.2. RUST RESISTANT BLADES

C.2.10.8.5.3. SLICES UP TO 50 LOAVES A DAY

C.2.10.8.5.4. 1/4 HP

C.2.10.8.5.5. 120V

C.2.10.8.5.6. 14-5/8"L X 5-1/4"W LOAF CAPACITY

C.2.10.8.5.7. 17-5/8"W X 21-3/4"D X 14-1/2"H

C.2.10.8.5.8. TWO YEAR PARTS AND LABOR WARRANTY

C.2.11. J.H. Lilley Correctional Center
105150 North 3670 Road
Boley, OK 74829

C.2.11.1. COFFEE URN (PACKED EA)

C.2.11.1.1.Quantity: 1 (One)

C.2.11.1.2.1 EA @ \$_____ PER EA

C.2.11.1.3.BRAND/MODEL BIDDING:

C.2.11.1.4.WARRANTY INCLUDED:

C.2.11.1.5.GRINDMASTER-CECILWARE MODEL NO.#FE300 OR AN APPROVED EQUAL

C.2.11.1.5.1. ELECTRIC

C.2.11.1.5.2. TWIN 10 GALLON CAPACITY EACH

C.2.11.1.5.3. BREWS IN 3LB BATCHES

C.2.11.1.5.4. FRESH WATER BREWING SYSTEM

C.2.11.1.5.5. ADJUSTABLE BY-PASS

C.2.11.1.5.6. AUTOMATIC PUSH BUTTON AGITATOR

C.2.11.1.5.7. CYCLE STOP SWITCH

C.2.11.1.5.8. SIDE MOUNTED CONTROL PANEL

C.2.11.1.5.9. STAINLESS STEEL CONSTRUCTION

C.2.11.1.5.10. 1/4" WATER LINE REQUIRED (CECILWARE)

C.2.11.1.5.11. 120/208V/60/3-PH, 11.5 KS, 30.0 AMP

C.2.11.1.5.12. FREIGHT CHARGES INCLUDED

C.2.11.1.5.13. STANDARD 1 YEAR PARTS & LABOR WARRANTY

C.2.11.1.5.14. STANDARD 3 YEARS PARTS ONLY WARRANTY

C.2.11.2. FLAT BEATER

C.2.11.2.1.Quantity: 1 (One)

C.2.11.2.2.1 EA @ \$_____ PER EA

C.2.11.2.3.BRAND/MODEL BIDDING:

C.2.11.2.4.WARRANTY INCLUDED:

C.2.11.2.5.HOBART MODEL#:00-275-885 OR AN APPROVED EQUAL

C.2.11.2.5.1. STANDARD WARRANTY

C.2.11.3. FOOD DELIVERY CART, TRAYS, AND SHEET PANS

C.2.11.3.1.Quantity: 1 (One)

C.2.11.3.2.1 EA @ \$_____ PER EA

C.2.11.3.3.BRAND/MODEL BIDDING:

C.2.11.3.4.WARRANTY INCLUDED:

C.2.11.3.5.CAMBRO MODEL# EA1826LTC3131 OR AN APPROVED EQUAL

C.2.11.3.5.1. POLYETHYLENE CONSTRUCTION

C.2.11.3.5.2. 32"L X 21-1/2"W X 37-1/2H

- C.2.11.3.5.3. TRAY SIZE" 18 X 26
- C.2.11.3.5.4. NUMBER OF COMPARTMENTS (1)
- C.2.11.3.5.5. COLOR: BROWN
- C.2.11.3.5.6. CASTER TYPE: 2 SWIVEL (1 WITH BRAKE). 2 FIXED
- C.2.11.3.5.7. STANDARD WARRANTY

D. EVALUATION

D.1. AWARD WILL BE MADE BY LOWEST PRICE THAT MEETS MINIMUM SPECIFICATIONS.

D.2. Negotiations

- D.2.1. In accordance with Title 74 §85.5, the State of Oklahoma reserves the right to negotiate with one, selected, all or none of the vendors responding to this solicitation to obtain the best value for the State. Negotiations could entail discussions on products, services, pricing, contract terminology or any other issue that may mitigate the State's risks. The State shall consider all issues negotiable and not artificially constrained by internal corporate policies. Negotiation may be with one or more vendors, for any and all items in the vendor's offer.
- D.2.2. Firms that contend that they lack flexibility because of their corporate policy on a particular negotiation item shall face a significant disadvantage and may not be considered. If such negotiations are conducted, the following conditions shall apply:
 - D.2.2.1. Negotiations may be conducted in person, in writing, or by telephone.
 - D.2.2.2. Negotiations shall only be conducted with potentially acceptable offers. The State reserves the right to limit negotiations to those offers that received the highest rankings during the initial evaluation phase.
 - D.2.2.3. Terms, conditions, prices, methodology, or other features of the offeror's offer may be subject to negotiations and subsequent revision. As part of the negotiations, the offeror may be required to submit supporting financial, pricing, and other data in order to allow a detailed evaluation of the feasibility, reasonableness, and acceptability of the offer.
 - D.2.2.4. The requirements of the Request for Proposal shall not be negotiable and shall remain unchanged unless the State determines that a change in such requirements is in the best interest of the State Of Oklahoma.

E. INSTRUCTIONS TO SUPPLIER

E.1. Introduction

Prospective Bidders are urged to read this solicitation carefully. Failure to do so will be at the Bidder's risk. Provisions, terms, and conditions may be stated or phrased differently than in previous solicitations. Irrespective of past interpretations, practices or customs, proposals will be evaluated and any resultant contract(s) will be administered in strict accordance with the plain meaning of the contents hereof. The Bidder is cautioned that the requirements of this solicitation can be altered only by written amendment approved by the state and that verbal communications from whatever source are of no effect. In no event shall the Bidder's failure to read and understand any term or condition in this solicitation constitute grounds for a claim after contract award.

E.1.1. MANDATORY AND NON-MANDATORY TERMS

- E.1.1.1. Whenever the terms "shall", "must", "will", or "is required" are used in this RFP, the specification being referred to is a mandatory specification of this RFP. Failure to meet any mandatory specification may cause rejection of the Bidder's Proposal.
- E.1.1.2. Whenever the terms "can", "may", or "should" are used in this RFP, the specification being referred to is a desirable item and failure to provide any item so termed will not be cause for rejection.

E.2. Submissions/Copies

- E.2.1. Contractor is to submit TWO (2) complete copies of their response on TWO (2) separate CDs or DVDs (one copy on each Disc) which includes the completed proposal, including the scanned images of the OMES signed forms. Disc must be an unprotected document. Original hard copies are not required or preferred. This overrides hard copy submittal requirements of A.2.4. **Please ensure that your Discs are marked clearly with the RFP Number.**
- E.2.2. PDF is an acceptable format for solicitation responses

E.3. Questions

E.3.1. All questions regarding this solicitation must be submitted in writing and are to be emailed to no later than 3:00pm CST Tuesday, March 18, 2014. Questions are to be emailed to Jacob.Charries@omes.ok.gov. Questions received after this date will not be answered. An Amendment will be posted after this deadline listing all questions received and their answers.

F. CHECKLIST

None

G. OTHER

H. PRICE AND COST