

**SECTION "L"**  
**24' 15 Passenger Metal Bus**  
**RESPONSE SHEET**

**BASE**  
**VEHICLE**

**COST PER**  
**UNIT**

Transit Bus (gas engine)

\$\_\_55,334.00\_\_ / ea.

**CHASSIS SPECIFICATIONS**

Specify Overall Vehicle Length (outside of front bumper to outside of Rear bumper): 307"

Overall vehicle length: 282" minimum \_\_\_\_\_  
307" maximum \_\_307"\_\_

Width: Exterior 95" minimum \_\_95"\_\_  
Interior 91" minimum \_\_91.25"\_\_

Height Exterior 105" minimum \_\_\_\_\_  
124" maximum \_\_115"\_\_  
Interior 76" minimum \_\_79"\_\_

Wheelbase: 176" minimum \_\_\_\_\_  
190" maximum \_\_190"\_\_

**AIR CONDITIONING**

Make and Model of Rear A/C Unit and Cooling Capacity of rear Unit BTU's/Hr.  
Include literature on unit being proposed.

MAKE/MODEL \_ACT 913/21\_\_\_\_\_

BTU/HR of Rear Unit only \_\_97,000\_\_\_\_\_

**HEATING**

BTU/HR of Rear Unit only \_\_65,000\_\_\_\_\_

**OPTIONAL ITEMS****COST**

- |     |                                    |                              |
|-----|------------------------------------|------------------------------|
| 1.  | CNG Conversion Ford Chassis        | \$__21,010.00__ /ea.         |
| 1.  | CNG Bifuel Conversion Ford Chassis | \$__NOT AVAILABLE__ /ea.     |
| 2.  | Propane Dedicated Conversion       | \$__14,380.00__ /ea.         |
| 3.  | Propane Dual Fuel Conversion       | \$__13,420.00__ /ea.         |
| 5.  | Back-Up Monitor System             | \$__463.00__ /ea.            |
| 6.  | Two-way radio (UHF)                | \$__840.00__ /ea.            |
| 7.  | Two-way radio (VHF)                | \$__840.00__ /ea.            |
| 8.  | Two-way radio (800 MHZ)            | \$__NOT AVAILABLE__ /ea.     |
| 9.  | Driver's Shield                    | \$__266.00__ /ea.            |
| 10. | Painted lower skirts               | \$__773.00__ /ea.            |
| 11. | Outside Passenger Door Switch      | \$__89.00__ /ea.             |
| 12. | Bus Camera System:                 | \$__3,144.00__ /ea.          |
| 13. | Fabric Insert on Ceiling           | \$__600.00__ /ea.            |
| 14. | Street Side Exhaust                | \$__108.00__ /ea.            |
| 15. | Integrated Child Seats             | \$__502.00__ /ea.            |
| 16. | Vinyl Seats (Price Deduction)      | \$__(-70.00) PER SEAT__ /ea. |
| 17. | Public Address System              | \$__416.00__ /ea.            |
| 18. | Passenger Signal System Pull Cord  | \$__954.00__ /ea.            |
| 19. | Passenger Stop request Signs       | \$__INCLUDD IN #18__ /ea.    |
| 20. | Fare Collection Box                | \$__13,680.00__ /ea.         |

- |            |   |                           |
|------------|---|---------------------------|
| <b>21.</b> | Destination Signs   | \$__7,080.00____/ea.      |
| <b>22.</b> | Bicycle Racks   | \$__2,172.00____/ea.      |
| <b>23.</b> | Delete B pillar and copilot seat<br>(Price Deduction)   | \$__ADD 1,526.00____/ea.  |
| <b>24.</b> | Delete GERFLOR Flooring<br>(Price Deduction)  | \$__ADD 165.00____/ea.    |
| <b>25.</b> | Delete Yellow Powder Coating on<br>Handrails, Grab Rails and Stanchions.<br>(Price Deduction) | \$__(-170.00)____/ea.     |
| <b>1.</b>  | <b>100%</b> Nida-Core <sup>®</sup> structure  | \$__NO BID____/ea.        |
| <b>27.</b> | Composite floor   | \$__1,810.00____/ea.      |
| <b>28.</b> | Side Door Slide Out Battery Box   | \$__95.00____/ea.         |
| <b>29.</b> | Diesel Engine:  | \$__NOT AVAILABLE____/ea. |
| <b>30.</b> | Rear Spare Tire Holder:   | \$__82.00____/ea.         |
| <b>31.</b> | Adjustable Rear Suspension System:  | \$__1,007.00____/ea.      |

A list of optional equipment and/or accessories shall be provided. The list must contain:

- Item
- Description and functionality detail
- Cost of item installed in final delivery of vehicle
- Any changes to listed specifications as outlined above to accommodate options

**PROPOSAL EXECPTIONS:**


Supplier must list any exceptions here to be used as a part of the Proposal evaluation and analysis. Please list the roman numerical on the standard specs or the number for the options when listing any Proposal exceptions.

I, page 1 of 44: Due to Ford and Chevrolet's chassis shortage the 120 calendar day delivery cannot be met. Delivery from Goshen Coach will be 120 calendar days from receipt of chassis.


XXIV, page 10 of 44: Air Conditioning, Carrier model AC-833MAX is no longer available for bus air conditioning systems. Since all other A/C systems were not approved we are quoting Goshen Coach standard air conditioning system manufactured by American Cooling Technology's. ACT is a major manufacture in the bus A/C industry.

Optional Items, #2: CNG Bi-fuel conversion is not available from Westport/BAF or IMPCO. No bid for CNG Bi-fuel for sections I, L, and N.


---



Parking Shuttle




Assisted Living




Church




Public Transit



Higher Education



Touring



Shown with  
optional graphics and  
stainless steel wheel  
inserts.

## Committed to moving people ahead >

- Dual door chassis (driver & co-pilot)
- Up to 24 passengers including co-pilot
- Spacious interior
- Available on Ford E-350 and E-450 chassis

CONNECTION

GOSHEN COACH

Committed to moving people ahead >>>

CONNECTION

## CHASSIS


### Ford E-350 & E-450:

- 11,500, 12,500, & 14,500 GVWR
- 5.4L & 6.8L Gas Engine
- 138", 158", 176", 186" or 190" Wheel Base
- Electronic 5-Speed Automatic Transmission


- OEM Dash A/C, Heater & Defroster
- Dual Batteries
- Power Steering/ABS Brakes/Tilt Wheel/Cruise
- OEM Alternator
- Chrome Front Bumper
- Driver & Co-Pilot Air Bags
- Driver & Co-Pilot Sun Visors
- Engine Block Heater
- Dual Rear Wheels
- All Wheels Painted White
- Power Outlets

## CHASSIS OPTIONS

- Power Pedestal (driver only)
- Limited Slip
- Spare Tire
- Radio






Seating plans can be configured based on customer needs or specifications




## STANDARD FEATURES

- Up to 26.5 Feet Long and 24 Passengers
- 91" Interior Width for Double Seating on Both Sides of Center Aisle
- 79" Interior Height at Aisle (75" with raised floor option)
- Fully Welded, Unitized Steel Cage Construction
- Vacuum Laminated and Fully Insulated Walls and Roof
- Electric Entry Door
- 36" Vertical Entry Grab on Left Side
- Stanchion Behind Co-Pilot Seat on Right Side
- 5/8" Exterior Plywood Sub-floor with Black Rubber Flooring & Carpet Under Seats
- FRP Interior Walls
- 6 Dome Lights and 2 Stepwell Lights
- One Piece, High Gloss, FRP Exterior Sidewalls
- LED Taillights, Clearance and Marker Lights
- Emergency Side and Rear Egress Windows
- Large Upper T-slider Windows w/Dark Tint
- Manual Exterior Breakaway Mirrors w/Convex
- One Piece Roof
- Rear Mud Flaps

Due to constant product improvements, specifications, component parts and optional equipment are subject to change without notice or obligation. See your dealer for details. Photos may show optional equipment.



Breakaway Convex Mirror




Rear Wall (shown with optional light package)




High Gloss Exterior Fiberglass

## Optional Equipment:

- Choice of Exterior Skin (Aluminum or Fiberglass)
- Choice of Rear Suspension Systems
- Audio/Visual Packages
- Luggage, Dedicated Rear and/or Overhead
- Rubber or Altro Flooring
- Choice of Interiors (Cloth, Vinyl, Carpet)
- Choice of Seat Material (Vinyl, Cloth, Leather)
- ADA Packages Available
- Custom Paint & Graphics Packages




Overhead Luggage



Rooftop Mount AC



Flip-down TV



Perimeter Seating



Rear Wheel Chair Lift



Driver & Co-Pilot

CALL GOSHEN COACH

Customized to meet your needs and more

MSBMA

ISO

QCM

AAIA

25161 Leer Drive Elkhart, IN

(phone) 574.970.6300


(fax) 574.266.5866

(e-mail) sales@goshencoach.com


(web) www.goshencoach.com

Connection .0913

Rev.	Revision Description	By	File	ECN / PCON
A	DR & REL			N/A



SEAT STYLE	SEAT SPACING 'A'	HIP-TO-KNEE 'B'	KNEE ROOM 'C'
MID HI			
MID HI	31-1/2"	28-1/8"	10"



FLOOR PLAN L

Drawing Name / Description:		References:	
FLOOR PLAN, CONNECTION/ 14P/2WC/176WB/307BDY		25161 Leer Drive Elkhart, IN 46514 (574) 970-6300	
SIZE	DO NOT SCALE	Drawing Number/GC Part Number	Revision:
A		0132795	A
Tolerances: +/- 1/16" +/- 1"		Class Code:	Sheet of 1
Unless Noted Otherwise		Date:	File location:
		03/04/14	

# SECTION L

## Aisle

- ☐ Std. Black Ribbed Rubber  
☐ Colored Ribbed Rubber  
 Color \_\_\_\_\_  
☐ Carpet  
 Color \_\_\_\_\_  
☒ Other GERFLOR

## Upper Seats

- ☐ Std. Grey Carpet  
☐ Black Smooth Rubber  
☐ Colored Smooth Rubber  
 Color \_\_\_\_\_  
☒ Other GERFLOR

## Cab

- ☒ Std. Grey Vinyl  
☐ Vinyl  
 Color \_\_\_\_\_  
☐ Auto Cloth  
 Color \_\_\_\_\_  
☐ Grey Silver Mist

## Walls

- ☒ Std. Grey FRP  
☐ Vinyl  
 Color \_\_\_\_\_  
☐ Auto Cloth  
 Color \_\_\_\_\_  
☐ Carpet  
 Color \_\_\_\_\_  
☐ Grey Silver Mist

## Ceiling

- ☒ Std. Grey Silver Mist  
☐ Grey FRP  
☐ Vinyl  
 Color \_\_\_\_\_  
☐ Auto Cloth  
 Color \_\_\_\_\_  
☐ Carpet  
 Color \_\_\_\_\_

## Pads

- ☒ Std. Grey Vinyl  
☐ Vinyl  
 Color \_\_\_\_\_  
☐ Auto Cloth  
 Color \_\_\_\_\_  
☐ Grey Silver Mist  
☐ Grey FRP

GLF308	1	25.5' MODE CONNECTION
E496D	1	GCII 190"WB/308" Ford 6.8L Gas, GVWR 14,500 E-450
1453	1	RUNNING BOARD - BOTH SIDES DIAMOND PLATE, GCII DUAL DOOR ONLY (N/A ON LOW FLOOR)
2200	1	TOW HOOKS-REAR (N/A ON 159"WB / 263" OAL G4500 DUE TO FUEL TANK LOCATION)
1380	1	FUEL TANK-ACCESS PLATE OVER SENDING UNIT
1396	1	ONE EXTRA SET OF KEYS, FORD E & F SERIES (STD IS 2 SETS)
2180	1	TIRE-SPARE & WHEEL GCII & PII
7124	1	WHEEL INSERTS-4 WHEELS STAINLESS STEEL
2184	1	EXTENSION-VALVES FOR TWO INNER DUAL WHEEL
2110	1	BUMPER-REAR ROMEO RIM
2301	1	FLOOR-ADVANTECH 3/4"
YSN	1	YELLOW STEP NOSING
14991	1	GERFLOR TARABUS SIRIUS INCLUDES STEPS /NOSING
1609	1	COVE MOLDING (ALUMINUM) BETWEEN FLOOR & WALLS
4215	1	HEATER, REAR-65000 BTU
1933	1	ACT-913HD, EZ-91 EVAP, CS-3 COND, DUAL COMPRESSORS-97000 BTU FORD GAS
1535	1	ALARM-BACK UP
7030	1	SCHEMATICS-WIRING AS BUILT
3053	1	ADD-ON PA SYSTEM FOR AM/FM/CD RADIOS ONLY. INCLUDES EXTERNAL SPEAKER (REQUIRES A RADIO OPTION)
3232	1	LIGHTS-ALL INTERIOR DOME LIGHTS ON WITH ENTRY DOOR OPEN
1607	1	LIGHTS-LED STEPWELL LIGHTS IN LIEU OF STANDARD (2)
1643	1	LIGHTS-LED INTERIOR DOME, ONE (1) ADD'L
1612	1	LIGHTS-LED DRIVER DOME LIGHT IN LIEU OF INCANDESCENT
3179	1	BRAKE LIGHT-REAR CENTER MOUNTED LED
3203	1	EXTERIOR LIGHTS (PAIR) - 7" AMBER LED LOCATION: REAR TOP
31931	1	ARMOR FOR MARKER & CLEARANCE LIGHTS
31815	1	MIDSHIP TURN SIGNAL / MARKER LIGHT COMBINATION (ARMORED) - LED
1506	1	OVERHEAD STORAGE IN FRONT CAP (N/A W/Front DESTINATION SIGN)
4152	1	GRAB RAILS-ENTRANCE PARALLEL TO STEPS, BOTH SIDES
1520	1	GRAB RAILS-CEILING (BOTH SIDES OF AISLE)
4155	1	YELLOW POWDER COATING-FOR ENTRANCE GRAB RAIL(S)
4156	1	YELLOW POWDER COATING - FOR STANCHIONS



1561	1	<b>YELLOW POWDER COATING - FOR CEILING GRAB RAILS</b>
4130	1	<b>MODESTY PANEL-DRIVER W/ STAINLESS STEEL STANCHIONS</b>
1557	1	<b>FIRST AID KIT-24 UNIT (CALIFORNIA CERTIFIED)</b>
2276	1	<b>FIRE EXTINGUISHER-5 LB KIDDIE #FXBND9</b>
1549	1	<b>EMERGENCY TRIANGLES-IN BOX</b>
15174	1	<b>SKIN - ALUMINUM IN LIEU OF FIBERGLASS (ROOF STILL FRP)</b>
1524	1	<b>ROOF-ALUMINUM IPO FIBERGLASS (TWO LATERAL SEAMS)</b>
4878	1	<b>MIRRORS-EXTERIOR, M715, REMOTE CONTROL, HEATED, FORD DUAL DOORS</b>
4867	1	<b>MIRRORS-EXTERIOR, ADD LED TURN SIGNALS TO ANY ROSCO MIRROR</b>
1533	1	<b>MIRRORS-INTERIOR FLAT 6"X16"</b>
7200	1	<b>LENS-WIDE ANGLE 11"X14" (ADHERES TO REAR WINDOW)</b>
4355	1	<b>DECAL-"PRIORITY SEATING AREA" (ADA REQUIRED)</b>
4345	1	<b>DECAL-INTERNATIONAL WHEELCHAIR SYMBOL-4"X4"</b>
6050	1	<b>PAINT BLACK OUT WINDOWS</b>
4390	1	<b>INTERMOTIVE HIGHLOCK FAST IDLE &amp; INTERLOCK SYSTEM W/ DOOR AJAR LED PANEL, FORD E-SERIES</b>
4281	1	<b>WC DR, SGL, 1 WIND, INT LITE, AJAR PKG, EXT LITE UNDER LIFT DOOR &amp; AT ENTRY DOOR, EXTRA SPRING</b>
4272	2	<b>STORAGE POUCH FOR TIE-DOWN BELTS (GOSHEN COACH LOGO)</b>
43008	2	<b>Q'STRAIT QRT MAX SYSTEM FOR SLIDE 'N CLICK Q-8300-A1-SC W/RETRACTABLE LAP/SHOULDER COMBO BELT W/HEIGHT ADJUSTMENT</b>
4330	8	<b>Q'STRAIT WEBBING LOOP Q5-7580 (EACH)</b>
4366	2	<b>Q'STRAIT 12" LAP BELT EXTENSION Q5-6340-12-INT</b>
4263	1	<b>BRAUN MILLENNIUM (SERIES 2) NL919IB-2, 34" X 51"</b>
4522	1	<b>SEAT, DRIVER, FREEDMAN SHIELD RECLINER, RH ARM REST, ADJ LUMBAR, MAP POCKET, FORD &amp; CHEVY</b>
4523	1	<b>SEAT, CO-PILOT DRIVER, FREEDMAN SHIELD RECLINER, LH ARM REST, ADJ LUMBAR, MAP POCKET, FORD &amp; CHEVY</b>
4787	1	<b>SEAT, MID-HIGH, RIGID, SGL, FEATHERWEIGHT</b>
4786	6	<b>SEAT, MID-HIGH, RIGID, DBL, FEATHERWEIGHT</b>
44801	3	<b>SEAT, BV FOLD AWAY, DBL, 3 STEP, FREEDMAN</b>
4680	2	<b>RE-COVER OEM DRIVER SEAT, LEVEL 1, FORD</b>
49551	2	<b>SEAT, FABRIC UPGRADE TO LEVEL 5, (1) DRIVER SEAT</b>
4955	19	<b>SEAT, FABRIC UPGRADE TO LEVEL 5, (1) PASS SEAT</b>
4676	13	<b>SEAT BELT, U.S.R., DOUBLE SEAT</b>
4663	3	<b>SEAT BELT, U.S.R., DOUBLE 3-STEP FOLDAWAY</b>
4746AV	4	<b>GRAB HANDLE, TOP MOUNT, ANTIVANDAL, BLACK</b>
4655	4	<b>ARMREST, FLIP-UP, US ARM</b>
7002	1	<b>PARTS MANUAL AS BUILT</b>
	1	<b>BATTERY BOX IN STEPS</b>
	1	<b>BODY GROUNDED TO FRAME IN TWO LOCATIONS</b>
	1	<b>NO BUTT CONECTORS</b>
	1	<b>RADIO SPEAKERS-KICKER KS #KS6930</b>
	1	<b>BODY FLUID KIT-CERTIFIED SAFETY #FK200-931</b>
	1	<b>CLEAR AREA FOR WHEELCHAIRS TO BE 3"x52"</b>
	1	<b>WHEELCHAIR LIFT GROUND TO FRAME</b>
	1	<b>ALUMINUM ROOF AND SIDES TO BE .060</b>
	1	<b>STANCHIONS AND HAND RAILS TO BE BOLTED</b>
	1	<b>WHEELCHAIR DOOR MINIMUM 48" x 70"</b>
	1	<b>FRONT LIFT</b>