

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116


Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

A proposal for
OKLAHOMA STATE OF

Prepared by
PREMIER TRUCK GROUP OF TULSA
Mike Sartin

Jan 14, 2022

Western Star 4700



Components shown may not reflect all spec'd options and are not to scale

Prepared for:
 CINI ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description
Price Level	
PRL-26T	WESTERN STAR 4700 PRL-26T (EFF:7/26/21)
Data Version	
DRL-031	SPECPRO21 DATA RELEASE VER 031
Vehicle Configuration	
001-451	4700
004-223	2023 MODEL YEAR SPECIFIED
002-004	SET BACK AXLE - TRUCK
019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560
003-001	LH PRIMARY STEERING LOCATION
General Service	
AA1-003	TRUCK/TRAILER CONFIGURATION
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)
A85-011	CONSTRUCTION SERVICE
A84-1GM	GOVERNMENT BUSINESS SEGMENT
AA4-003	DRY BULK COMMODITY
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
AB1-008	MAXIMUM 8% EXPECTED GRADE
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
995-1A5	WESTERN STAR VOCATIONAL WARRANTY
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 20000.0 lbs
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 66000.0 lbs
A70-99D	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs



Prepared for:
 CINI ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Data Code	Description
Truck Service	

Engine	
---------------	--

101-2X5	DETROIT DD13 12.8L 410 HP @ 1625 RPM, 1900 GOV RPM, 1450 LB-FT @ 975 RPM
---------	--------------------------------------------------------------------------

Electronic Parameters	
------------------------------	--

79A-065	65 MPH ROAD SPEED LIMIT
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
79G-006	5 MINUTES IDLE SHUTDOWN WITH CLUTCH AND SERVICE BRAKE OVERRIDE
79K-002	PTO MODE ENGINE RPM LIMIT - 700 RPM
79M-002	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED OR PARK BRAKE NOT APPLIED
79P-001	PTO RPM WITH CRUISE SET SWITCH - 600 RPM
79Q-001	PTO RPM WITH CRUISE RESUME SWITCH - 600 RPM
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND
79W-001	ONE REMOTE PTO SPEED
79X-023	PTO SPEED 1 SETTING - 600 RPM
80D-001	SOFT CRUISE CONTROL ENABLED
80G-001	PTO MINIMUM RPM - 600
80L-001	ENABLE AUTO ENGINE RPM ELEVATE FOR EXTENDED IDLE

Engine Equipment	
-------------------------	--

99C-021	2010 EPA/CARB/GHG21 CONFIGURATION
99D-010	NO 2008 CARB EMISSION CERTIFICATION
13E-001	STANDARD OIL PAN
105-001	ENGINE MOUNTED OIL CHECK AND FILL
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
292-206	(3) DTNA GENUINE, FLOODED STARTING, MIN 2850CCA, 525RC, THREADED STUD BATTERIES



Prepared for:
 CINI ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Data Code	Description
290-017	BATTERY BOX FRAME MOUNTED
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
289-001	NON-POLISHED BATTERY BOX COVER
293-072	POSITIVE LOAD DISCONNECT WITH DASH MOUNTED CONTROL SWITCH
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER
306-019	LOW VOLTAGE BATTERY DISCONNECT AT 12.3 VOLTS FOR ISOLATED CIRCUITS WITH LOCAL ALARM
107-044	BW MODEL BA-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE
131-013	AIR COMPRESSOR DISCHARGE LINE
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
128-002	JACOBS COMPRESSION BRAKE
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD
273-036	BORG WARNER (KYSOR) REAR AIR ON/OFF ENGINE FAN CLUTCH
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED



Prepared for:
 CINI ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Data Code	Description
110-068	DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR
118-001	FULL FLOW OIL FILTER
266-057	1500 SQUARE INCH ALUMINUM RADIATOR
267-006	MOUNTING FOR FIREWALL MOUNTED SURGE TANK
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
270-023	HDEP FIXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE
168-998	NO RADIATOR/OIL PAN GUARD
138-005	PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK HEATER
166-998	NO OIL PREHEATER
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR
134-001	ALUMINUM FLYWHEEL HOUSING
155-075	mitsubishi 12V MOD 3.175-DP60 STARTER WITH INTEGRATED MAGNETIC SWITCH

Transmission

342-1M3	ALLISON 4500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
---------	------------------------------------------------------------

Transmission Equipment

343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

Prepared for:
 CINI ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Data Code	Description
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
34C-011	ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013
370-011	WATER TO OIL TRANSMISSION COOLER, FRAME MOUNTED
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

400-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-023	CONMET CAST IRON FRONT BRAKE DRUMS
427-001	FRONT BRAKE DUST SHIELDS
409-006	FRONT OIL SEALS
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES
405-003	HALDEX AUTOMATIC FRONT SLACK ADJUSTERS
406-001	STANDARD KING PIN BUSHINGS
536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR
539-003	POWER STEERING PUMP
534-003	4 QUART POWER STEERING RESERVOIR



Prepared for:
 CINI ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Data Code	Description
533-001	OIL/AIR POWER STEERING COOLER
40T-003	SYNTHETIC 75-90W FRONT AXLE LUBE

Front Suspension

620-025	20,000# TAPERLEAF FRONT SUSPENSION
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION
410-001	FRONT SHOCK ABSORBERS

Rear Axle and Equipment

420-103	RT-46-160 46,000# R-SERIES TANDEM REAR AXLE
421-538	5.38 REAR AXLE RATIO
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING
386-074	MXL 176T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES
878-019	(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES
87A-005	INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-002	NON-ASBESTOS REAR BRAKE LINING
434-019	ASPHALT SPREADER CLEARANCE REAR BRAKE GEOMETRY
451-023	CONMET CAST IRON REAR BRAKE DRUMS
425-002	REAR BRAKE DUST SHIELDS
440-006	REAR OIL SEALS
426-101	WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE

Rear Suspension

622-1E7	HENDRICKSON HAULMAAX @ 46,000# REAR SUSPENSION
621-1AP	HENDRICKSON HAULMAAX/ULTIMAAX - 10.50" RIDE HEIGHT
624-009	54 INCH AXLE SPACING

Prepared for:
 CINI ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Data Code	Description
628-010	HENDRICKSON HN, HAULMAAX AND ULTIMAAX SERIES STEEL BEAMS WITH BAR PIN
623-006	FORE/AFT AND TRANSVERSE CONTROL RODS
439-002	REAR SHOCK ABSORBERS - TWO AXLES (TANDEM)

Brake System

490-100	WABCO 4S/4M ABS
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
904-001	FIBER BRAID PARKING BRAKE HOSE
412-001	STANDARD BRAKE SYSTEM VALVES
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER
479-015	AIR DRYER FRAME MOUNTED
460-001	STEEL AIR BRAKE RESERVOIRS
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD
477-019	BW DV-2 AUTO DRAIN VALVE WITH HEATER TO WET TANK; DRAIN VALVE CABLES ON ALL OTHER TANKS
485-003	QUICK DISCONNECT FITTING WITH TIRE INFLATION KIT

Trailer Connections

914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME

Wheelbase & Frame

545-652	6525MM (257 INCH) WHEELBASE
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT
552-027	1500MM (59 INCH) REAR FRAME OVERHANG

Prepared for:
 CINI ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Data Code	Description
55W-005	FRAME OVERHANG RANGE: 51 INCH TO 60 INCH
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 193.58 in
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 190.58 in
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 385.6 in
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN : 41.31 in
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN : 38.17 in
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN : 43.76 in
ZF4-99D	FRAME HEIGHT TOP REAR LADEN : 41.2 in
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 96.02 in
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 219.68 in
553-001	SQUARE END OF FRAME
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)
572-001	STANDARD REARMOST CROSSMEMBER
565-002	HEAVY DUTY SUSPENSION CROSSMEMBER
568-001	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER

Chassis Equipment

556-1E5	14 INCH PAINTED STEEL BUMPER
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE
586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS
44Z-002	EXTERIOR HARNESES WRAPPED IN ABRASION TAPE

Fuel Tanks

204-156	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH
218-006	25 INCH DIAMETER FUEL TANK(S)
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS
212-007	FUEL TANK(S) FORWARD



Prepared for:
 CINI ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Data Code	Description
664-001	PLAIN STEP FINISH
205-001	FUEL TANK CAP(S)
216-020	EQUIFLO INBOARD FUEL SYSTEM
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE
221-001	FUEL COOLER
Tires	
093-1XJ	BRIDGESTONE M870 315/80R22.5 20 PLY RADIAL FRONT TIRES
094-2D6	BRIDGESTONE M770 11R22.5 14 PLY RADIAL REAR TIRES
Hubs	
418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS
Wheels	
502-433	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS
505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2- HAND HD STEEL DISC REAR WHEELS
496-011	FRONT WHEEL MOUNTING NUTS
497-011	REAR WHEEL MOUNTING NUTS
495-998	NO PUSHER/TAG WHEEL MOUNTING NUTS
Cab Exterior	
829-1A8	110 INCH BBC STEEL CONVENTIONAL CAB
82A-023	WESTERN STAR PAINTED ALUMINUM CAB SKIRT
650-044	AIR CAB MOUNTS WITH CHECK VALVE
705-056	STAINLESS STEEL SILL PLATES WITH RACEWAY
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
667-001	FRONT FENDERS
678-034	LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST
646-008	STATIONARY BRIGHT FINISH GRILLE
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE
640-008	GALVANEALD STEEL SEVERE SERVICE CAB



Prepared for:
 CINI ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Data Code	Description
644-004	FIBERGLASS HOOD
67U-002	HOOD OPENING ASSIST
727-019	SINGLE HADLEY SD-978 26 INCH RECTANGULAR AIR HORN
726-002	DUAL ELECTRIC HORNS
728-001	SINGLE HORN SHIELD
657-1AG	DOORS AND IGNITION KEYED THE SAME
575-001	REAR LICENSE PLATE MOUNT END OF FRAME
312-031	SINGLE RECTANGULAR H4 HALOGEN HEADLIGHTS WITH BRIGHT BEZELS
302-001	(5) AMBER MARKER LIGHTS
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS
300-015	STANDARD FRONT TURN SIGNAL LAMPS
744-1E2	DUAL WEST COAST STAINLESS STEEL HEATED MIRRORS WITH LIGHTS AND LH AND RH REMOTE
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH
743-1AC	LH AND RH 8 INCH STAINLESS STEEL CONVEX MIRRORS MOUNTED BELOW PRIMARY MIRRORS
74A-001	RH DOWN VIEW MIRROR
729-001	STANDARD SIDE/REAR REFLECTORS
768-046	17.5X35 INCH TINTED REAR WINDOW
661-006	TINTED DOOR GLASS
654-003	MANUAL DOOR WINDOW REGULATORS
663-023	2-PIECE ROPED-IN HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD
659-026	2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL

Cab Interior

707-1D0	GRAY VINYL BASE INTERIOR
70K-005	BLACK HARD TRIM
706-049	BASE LEFT HAND DOOR TRIM
708-049	BASE RIGHT HAND DOOR TRIM
772-006	BLACK MATS WITH SINGLE INSULATION



Prepared for:
 CINI ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Data Code	Description
785-024	ASH CUP AND (1) POWER OUTLET
691-001	FORWARD ROOF MOUNTED CONSOLE
693-025	LH AND RH DOOR MAP POCKETS
741-015	(2) COAT HOOKS ON BACKWALL OF CAB
742-032	(1) DOUBLE CUP HOLDER WITH CELL PHONE HOLDER LH OR RH DASH
680-034	TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER
720-003	5 LB. FIRE EXTINGUISHER
700-023	HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT TEMPERATURE CONTROL AND COSMETIC COVER
701-016	HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
170-015	STANDARD HEATER PLUMBING
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER
702-002	BINARY CONTROL, R-134A
739-001	CAB INSULATION
285-033	AUTOMATIC SELF-RESET CIRCUIT BREAKERS/FUSES IN DASH POWER DISTRIBUTION BOXES AND FUSES IN AUXILIARY POWER DISTRIBUTION BOXES
324-075	DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT AND LH AND RH DOOR MOUNTED COURTESY LIGHTS
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS
756-1DD	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT
760-1DD	BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT
758-1AA	GRAY VINYL DRIVER SEAT COVER
761-1AA	GRAY VINYL PASSENGER SEAT COVER
763-003	3 POINT DRIVER AND PASSENGER SEAT BELT RETRACTORS



Prepared for:
 CINI ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Data Code	Description
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

185-002	NON-ADJUSTABLE SUSPENDED PEDALS
106-002	ELECTRONIC ACCELERATOR CONTROL
870-002	BRIGHT ARGENT FINISH GAUGE BEZELS
732-053	BLACK VINYL DRIVER INSTRUMENT PANEL
734-021	BLACK VINYL CENTER INSTRUMENT PANEL
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES
198-002	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS
721-001	97 DB BACKUP ALARM
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
811-041	ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH
844-001	2 INCH ELECTRIC FUEL GAUGE
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE
44Y-002	CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNTCUTS
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER
372-035	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP

Prepared for:
 CINI ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Data Code	Description
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE
746-136	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939
747-002	ROOF/OVERHEAD CONSOLE MOUNTED RADIO
750-004	(4) RADIO SPEAKERS IN CAB
748-026	POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION
752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM
810-042	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER
817-001	STANDARD VEHICLE SPEED SENSOR
812-001	ELECTRONIC 3000 RPM TACHOMETER
813-998	NO VEHICLE PERFORMANCE MONITOR
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP
482-001	BW TRACTOR PROTECTION VALVE
883-001	TRAILER HAND CONTROL BRAKE VALVE
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-043	CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT SWITCH WITH HEADLIGHT/MARKER LIGHT INTERRUPTER SWITCHES ON STEERING WHEEL
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
299-039	SELF CANCELING TURN SIGNAL SWITCH, HEADLAMP HIGH/LOW AND FLASH, WASH/WIPE/INTERMITTENT
298-036	PACIFIC INSIGHT ELECTRONIC FLASHER

Design

065-000 PAINT: ONE SOLID COLOR

Color

980-5F6 CAB COLOR A: L0006EY WHITE ELITE EY
 96J-001 CAB INTERIOR PAINTED SAME AS CAB COLOR
 986-020 BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
 962-972 POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)



Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Data Code	Description
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
964-993	BUMPER PAINTED SAME AS CHASSIS

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	----------------------------------------------------------------

Raw Performance Data

AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 190.58 in
---------	-----------------------------------------------------------------------------

Extended Warranty

WBB-231	TC4: US HD STANDARD/MODERATE VOCATIONAL 2 YEARS/200,000 MILES/322,000 KM EXTENDED TRUCK COVERAGE
WAG-011	TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$550 CAP FEX APPLIES

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.