

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116


Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

A proposal for
OKLAHOMA STATE OF

Prepared by
PREMIER TRUCK GROUP OF TULSA
Mike Sartin

Jan 14, 2022

Western Star 4700



Components shown may not reflect all spec'd options and are not to scale

Prepared for:
 CINI ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description
Price Level	
PRL-26T	WESTERN STAR 4700 PRL-26T (EFF:7/26/21)
Data Version	
DRL-031	SPECPRO21 DATA RELEASE VER 031
Vehicle Configuration	
001-451	4700
004-223	2023 MODEL YEAR SPECIFIED
002-004	SET BACK AXLE - TRUCK
019-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560
003-001	LH PRIMARY STEERING LOCATION
General Service	
AA1-003	TRUCK/TRAILER CONFIGURATION
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)
A85-011	CONSTRUCTION SERVICE
A84-1GM	GOVERNMENT BUSINESS SEGMENT
AA4-003	DRY BULK COMMODITY
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
AB1-008	MAXIMUM 8% EXPECTED GRADE
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
995-1A5	WESTERN STAR VOCATIONAL WARRANTY
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 21000.0 lbs
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs
A70-99D	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs



Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Data Code	Description
Truck Service	

Engine	
---------------	--

101-3BK	CUM L9 260 HP @ 2200 RPM; 2200 GOV RPM, 860 LB-FT @ 1200 RPM
---------	---

Electronic Parameters	
------------------------------	--

79A-075	75 MPH ROAD SPEED LIMIT
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT
79K-002	PTO MODE ENGINE RPM LIMIT - 700 RPM
79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM
79Q-002	PTO RPM WITH CRUISE RESUME SWITCH - 700 RPM
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND
80G-002	PTO MINIMUM RPM - 700
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH
80K-001	TEMPERATURE OVERRIDE BELOW 20 DEGREES AND ABOVE 70 DEGREES AMBIENT TEMPERATURE

Engine Equipment	
-------------------------	--

99C-021	2010 EPA/CARB/GHG21 CONFIGURATION
99D-010	NO 2008 CARB EMISSION CERTIFICATION
13E-001	STANDARD OIL PAN
105-001	ENGINE MOUNTED OIL CHECK AND FILL
014-1B5	SIDE OF HOOD AIR INTAKE WITH DONALDSON HIGH CAPACITY AIR CLEANER WITH SAFETY ELEMENT, FIREWALL MOUNTED
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE
292-203	(3) DTNA GENUINE, FLOODED STARTING, MIN 2250CCA, 510RC, THREADED STUD BATTERIES
290-017	BATTERY BOX FRAME MOUNTED
282-003	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE BACK OF CAB

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Data Code	Description
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
289-001	NON-POLISHED BATTERY BOX COVER
293-072	POSITIVE LOAD DISCONNECT WITH DASH MOUNTED CONTROL SWITCH
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER
306-019	LOW VOLTAGE BATTERY DISCONNECT AT 12.3 VOLTS FOR ISOLATED CIRCUITS WITH LOCAL ALARM
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE
131-013	AIR COMPRESSOR DISCHARGE LINE
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
239-038	11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD
273-018	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED
110-003	CUMMINS SPIN ON FUEL FILTER
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER
266-017	1300 SQUARE INCH ALUMINUM RADIATOR

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Data Code	Description
267-006	MOUNTING FOR FIREWALL MOUNTED SURGE TANK
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
270-016	RADIATOR DRAIN VALVE
168-998	NO RADIATOR/OIL PAN GUARD
138-011	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER
166-998	NO OIL PREHEATER
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR
134-001	ALUMINUM FLYWHEEL HOUSING
132-004	ELECTRIC GRID AIR INTAKE WARMER
155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH

Transmission

342-584	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
---------	--

Transmission Equipment

343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Data Code	Description
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

400-1BA	DETROIT DA-F-18.0-5 18,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-023	CONMET CAST IRON FRONT BRAKE DRUMS
427-001	FRONT BRAKE DUST SHIELDS
409-006	FRONT OIL SEALS
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES
405-003	HALDEX AUTOMATIC FRONT SLACK ADJUSTERS
406-001	STANDARD KING PIN BUSHINGS
536-012	TRW TAS-85 POWER STEERING
539-003	POWER STEERING PUMP
534-003	4 QUART POWER STEERING RESERVOIR
40T-003	SYNTHETIC 40/50W FRONT AXLE LUBE

Front Suspension

620-005	18,000# FLAT LEAF FRONT SUSPENSION
---------	------------------------------------

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Data Code	Description
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION

Rear Axle and Equipment

420-009	RS-21-160 21,000# R-SERIES SINGLE REAR AXLE
421-538	5.38 REAR AXLE RATIO
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING
386-073	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES
423-033	MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-002	NON-ASBESTOS REAR BRAKE LINING
434-011	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)
451-023	CONMET CAST IRON REAR BRAKE DRUMS
425-002	REAR BRAKE DUST SHIELDS
440-006	REAR OIL SEALS
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE

Rear Suspension

622-1DF	30,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD
621-001	SPRING SUSPENSION - NO AXLE SPACERS
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP
623-005	FORE/AFT CONTROL RODS

Brake System

490-100	WABCO 4S/4M ABS
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
904-001	FIBER BRAID PARKING BRAKE HOSE
412-001	STANDARD BRAKE SYSTEM VALVES
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Data Code	Description
479-015	AIR DRYER FRAME MOUNTED
460-001	STEEL AIR BRAKE RESERVOIRS
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD
477-019	BW DV-2 AUTO DRAIN VALVE WITH HEATER TO WET TANK; DRAIN VALVE CABLES ON ALL OTHER TANKS
485-003	QUICK DISCONNECT FITTING WITH TIRE INFLATION KIT

Trailer Connections

914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION
303-025	SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME

Wheelbase & Frame

545-490	4900MM (193 INCH) WHEELBASE
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT
552-027	1500MM (59 INCH) REAR FRAME OVERHANG
55W-005	FRAME OVERHANG RANGE: 51 INCH TO 60 INCH
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 129.61 in
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 126.61 in
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 321.62 in
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN : 41.27 in
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN : 38.39 in
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN : 41.59 in
ZF4-99D	FRAME HEIGHT TOP REAR LADEN : 38.83 in
FSS-0LH	CALCULATED FRAME SPACE LH SIDE : 63.54 in
FSS-0RH	CALCULATED FRAME SPACE RH SIDE : 155.32 in
553-001	SQUARE END OF FRAME

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Data Code	Description
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)
572-001	STANDARD REARMOST CROSSMEMBER
565-001	STANDARD SUSPENSION CROSSMEMBER
568-001	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER

Chassis Equipment

556-1E5	14 INCH PAINTED STEEL BUMPER
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE
586-015	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS
551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS
44Z-002	EXTERIOR HARNESES WRAPPED IN ABRASION TAPE

Fuel Tanks

204-154	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH
218-006	25 INCH DIAMETER FUEL TANK(S)
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS
212-007	FUEL TANK(S) FORWARD
664-001	PLAIN STEP FINISH
205-001	FUEL TANK CAP(S)
122-1H7	DAVCO 245 FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR
216-020	EQUIFLO INBOARD FUEL SYSTEM
202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE
221-001	FUEL COOLER

Tires

093-2G9	BRIDGESTONE ECOPIA R268 11R22.5 14 PLY RADIAL FRONT TIRES
094-2DE	MICHELIN X MULTI ENERGY D 11R22.5 14 PLY RADIAL REAR TIRES

Hubs

418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS
---------	--

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Data Code	Description
450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS
Wheels	
502-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 6.18 INSET 2-HAND HD STEEL DISC FRONT WHEELS
505-428	ACCURIDE 28828 22.5X8.25 10-HUB PILOT 2-HAND HD STEEL DISC REAR WHEELS
496-011	FRONT WHEEL MOUNTING NUTS
497-011	REAR WHEEL MOUNTING NUTS
495-998	NO PUSHER/TAG WHEEL MOUNTING NUTS
Cab Exterior	
829-1A8	110 INCH BBC STEEL CONVENTIONAL CAB
82A-008	WESTERN STAR STAINLESS STEEL CAB SKIRT
650-044	AIR CAB MOUNTS WITH CHECK VALVE
648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
667-001	FRONT FENDERS
678-034	LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST
646-008	STATIONARY BRIGHT FINISH GRILLE
65X-003	CHROME HOOD MOUNTED AIR INTAKE GRILLE
640-008	GALVANEALD STEEL SEVERE SERVICE CAB
644-004	FIBERGLASS HOOD
67U-002	HOOD OPENING ASSIST
727-019	SINGLE HADLEY SD-978 26 INCH RECTANGULAR AIR HORN
726-002	DUAL ELECTRIC HORNS
728-001	SINGLE HORN SHIELD
657-1AG	DOORS AND IGNITION KEYED THE SAME
575-001	REAR LICENSE PLATE MOUNT END OF FRAME
312-031	SINGLE RECTANGULAR H4 HALOGEN HEADLIGHTS WITH BRIGHT BEZELS
302-001	(5) AMBER MARKER LIGHTS
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER
294-001	INTEGRAL STOP/TAILO/BACKUP LIGHTS
300-015	STANDARD FRONT TURN SIGNAL LAMPS

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Data Code	Description
744-1E2	DUAL WEST COAST STAINLESS STEEL HEATED MIRRORS WITH LIGHTS AND LH AND RH REMOTE
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH
743-1AC	LH AND RH 8 INCH STAINLESS STEEL CONVEX MIRRORS MOUNTED BELOW PRIMARY MIRRORS
74A-001	RH DOWN VIEW MIRROR
729-001	STANDARD SIDE/REAR REFLECTORS
764-001	FIBERGLASS EXTERIOR SUN VISOR
768-046	17.5X35 INCH TINTED REAR WINDOW
661-006	TINTED DOOR GLASS
654-003	MANUAL DOOR WINDOW REGULATORS
663-023	2-PIECE ROPED-IN HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD
659-026	2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL

Cab Interior

707-1D0	GRAY VINYL BASE INTERIOR
70K-005	BLACK HARD TRIM
706-049	BASE LEFT HAND DOOR TRIM
708-049	BASE RIGHT HAND DOOR TRIM
772-006	BLACK MATS WITH SINGLE INSULATION
785-019	NO DASH MOUNTED ASH TRAY, POWER RECEPTACLE IN LIEU OF LIGHTER
691-001	FORWARD ROOF MOUNTED CONSOLE
693-025	LH AND RH DOOR MAP POCKETS
741-015	(2) COAT HOOKS ON BACKWALL OF CAB
742-998	NO CUP/THERMOS HOLDER
680-034	TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER
720-003	5 LB. FIRE EXTINGUISHER
700-023	HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT TEMPERATURE CONTROL AND COSMETIC COVER
701-016	HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Data Code	Description
170-015	STANDARD HEATER PLUMBING
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER
702-002	BINARY CONTROL, R-134A
739-001	CAB INSULATION
285-033	AUTOMATIC SELF-RESET CIRCUIT BREAKERS/FUSES IN DASH POWER DISTRIBUTION BOXES AND FUSES IN AUXILIARY POWER DISTRIBUTION BOXES
324-075	DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT AND LH AND RH DOOR MOUNTED COURTESY LIGHTS
655-001	CAB DOOR LATCHES WITH MANUAL DOOR LOCKS
284-110	(1) 12 VOLT POWER SUPPLY AND (2) USB PORTS MOUNTED IN DASH
756-1DD	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT
760-1DD	BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT
758-1AA	GRAY VINYL DRIVER SEAT COVER
761-1AA	GRAY VINYL PASSENGER SEAT COVER
763-003	3 POINT DRIVER AND PASSENGER SEAT BELT RETRACTORS
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN
540-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

185-002	NON-ADJUSTABLE SUSPENDED PEDALS
106-002	ELECTRONIC ACCELERATOR CONTROL
870-002	BRIGHT ARGENT FINISH GAUGE BEZELS
732-053	BLACK VINYL DRIVER INSTRUMENT PANEL
734-021	BLACK VINYL CENTER INSTRUMENT PANEL
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Data Code	Description
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES
198-002	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS
721-001	97 DB BACKUP ALARM
149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
811-041	ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH
844-001	2 INCH ELECTRIC FUEL GAUGE
148-003	PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE
867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE
746-136	AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939
747-002	ROOF/OVERHEAD CONSOLE MOUNTED RADIO
750-004	(4) RADIO SPEAKERS IN CAB
748-026	POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION
752-017	MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM
810-042	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER
817-001	STANDARD VEHICLE SPEED SENSOR
812-001	ELECTRONIC 3000 RPM TACHOMETER
813-998	NO VEHICLE PERFORMANCE MONITOR
162-002	IGNITION SWITCH CONTROLLED ENGINE STOP
482-001	BW TRACTOR PROTECTION VALVE

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Data Code	Description
883-001	TRAILER HAND CONTROL BRAKE VALVE
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-043	CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT SWITCH WITH HEADLIGHT/MARKER LIGHT INTERRUPTER SWITCHES ON STEERING WHEEL
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR
299-039	SELF CANCELING TURN SIGNAL SWITCH, HEADLAMP HIGH/LOW AND FLASH, WASH/WIPE/INTERMITTENT
298-036	PACIFIC INSIGHT ELECTRONIC FLASHER

Design

065-000	PAINT: ONE SOLID COLOR
---------	------------------------

Color

980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY
96J-001	CAB INTERIOR PAINTED SAME AS CAB COLOR
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
964-993	BUMPER PAINTED SAME AS CHASSIS
976-995	SUNVISOR PAINTED SAME AS CAB COLOR A

Certification / Compliance

996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS
---------	---

Raw Performance Data

AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 126.61 in
---------	--

Extended Warranty

WAG-011	TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$550 CAP FEX APPLIES
---------	---

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.