




Vehicle: [Fleet] 2021 Chevrolet Silverado 3500HD (CC30953) 2WD Double Cab 162" Work Truck (Complete) 

Technical Specifications

Powertrain

Transmission

Drivetrain	Rear Wheel Drive	Trans Order Code	MYD
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.03
Second Gear Ratio (:1)	2.36	Third Gear Ratio (:1)	1.53
Fourth Gear Ratio (:1)	1.15	Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67	Reverse Ratio (:1)	3.06
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A		

Mileage

EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
Cruising Range - Hwy	N/A		

Engine


Engine Order Code	L8T	Engine Type	Gas V8
Displacement	6.6L/-TBD-	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
Engine Oil Cooler	Yes		

Electrical


Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

 At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12501. Data Updated: Dec 3, 2020 10:14:00 PM PST.



Vehicle: [Fleet] 2021 Chevrolet Silverado 3500HD (CC30953) 2WD Double Cab 162" Work Truck (Complete) 

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year N/A

EPA Greenhouse Gas Score N/A

Chassis

Weight Information

Standard Weight - Front 0.00 lbs

Base Curb Weight N/A

Gross Axle Wt Rating - Rear 10500 lbs

Curb Weight - Rear 3127 lbs

Option Weight - Rear 5.00 lbs

Reserve Axle Capacity - Rear 7368.00 lbs

As Spec'd Payload 7208.00 lbs

Gross Combined Wt Rating 24000 lbs

Curb Weight 6786.00 lbs

Total Option Weight 6.00 lbs

Payload Weight Rear 0 lbs

Standard Weight - Rear 0.00 lbs

Gross Axle Wt Rating - Front 4800 lbs

Curb Weight - Front 3659 lbs

Option Weight - Front 1.00 lbs

Reserve Axle Capacity - Front 1140.00 lbs

As Spec'd Curb Weight 6792.00 lbs

Maximum Payload Capacity 7214.00 lbs

Gross Axle Weight Rating 15300.00 lbs

Reserve Axle Capacity 8508.00 lbs

Payload Weight Front 0 lbs

Gross Vehicle Weight Rating 14000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt. 5000 lbs

Wt Distributing Hitch - Max Trailer Wt. 16400 lbs

Fifth Wheel Hitch - Max Trailer Wt. 16400 lbs

Maximum Trailering Capacity 20000 lbs

Dead Weight Hitch - Max Tongue Wt. 500 lbs

Wt Distributing Hitch - Max Tongue Wt. 1640 lbs

Fifth Wheel Hitch - Max Tongue Wt. 4100 lbs

Frame

Frame Type Hydroformed

Frame RBM N/A

Frame Thickness N/A

Sect Modulus Rails Only N/A

Frame Strength N/A

Suspension

Suspension Type - Front Short/Long Arm

Suspension Type - Rear 3-Stage Multi-Leaf



At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12501. Data Updated: Dec 3, 2020 10:14:00 PM PST.



Vehicle: [Fleet] 2021 Chevrolet Silverado 3500HD (CC30953) 2WD Double Cab 162" Work Truck (Complete)

Chassis

Suspension

	w/Torsion Bars		
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	Independent	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51 mm	Shock Absorber Diameter - Rear	51 mm
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QQO	Rear Tire Order Code	QQO
Spare Tire Order Code	ZQO	Front Tire Size	LT235/80R17
Rear Tire Size	LT235/80R17	Spare Tire Size	LT235/80R17
Front Tire Capacity	2515 lbs	Rear Tire Capacity	2833 lbs
Spare Tire Capacity	2833 lbs	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 6.5 in	Rear Wheel Size	17 x 6.5 in
Spare Wheel Size	17 x 6.5 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel

Steering


Steering Type	Pwr Recirculating Ball	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	53.9 ft	Turning Diameter - Wall to Wall	N/A

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
------------	-----	------------------	---------

At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 12501. Data Updated: Dec 3, 2020 10:14:00 PM PST.



Vehicle: [Fleet] 2021 Chevrolet Silverado 3500HD (CC30953) 2WD Double Cab 162" Work Truck ( Complete)

Chassis

Brakes

Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	14 x 1.6 in
Rear Brake Rotor Diam x Thickness	14 x 1.6 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		

Fuel Tank

Fuel Tank Capacity, Approx	36 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	39.88 in
Second Leg Room	35.24 in	Second Shoulder Room	64.88 in
Second Hip Room	60.24 in		

Exterior Dimensions

Wheelbase	162.48 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	256.46 in
Width, Max w/o mirrors	96.75 in	Height, Overall	80.2 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	55.2 in
Cab to End of Frame	N/A	Ground to Top of Load Floor	38.8 in
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	10.39 in	Ground Clearance, Rear	10.39 in
Body Length	0.00 ft	Cab to Body	N/A



At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12501. Data Updated: Dec 3, 2020 10:14:00 PM PST.



Vehicle: [Fleet] 2021 Chevrolet Silverado 3500HD (CC30953) 2WD Double Cab 162" Work Truck (✔
Complete)

Dimensions

Cargo Area Dimensions


Cargo Box Length @ Floor	98.27 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.55 in
Cargo Box (Area) Height	21 in	Tailgate Width	N/A
Cargo Volume	83.5 ft³	Ext'd Cab Cargo Volume	N/A



At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12501. Data Updated: Dec 3, 2020 10:14:00 PM PST.



Vehicle: [Fleet] 2021 Chevrolet Silverado 3500HD (CC30953) 2WD Double Cab 162" Work Truck ( Complete)

Standard Equipment

Package

Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)

Mechanical

Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline (401 hp [299 kW] @ 5200 rpm, 464 lb-ft of torque [629 N-m] @ 4000 rpm) (STD)

Transmission, 6-speed automatic, heavy-duty (STD) (Requires (L8T) 6.6L V8 gas engine.)

Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)

Durabed, pickup bed (STD)

GVWR, 11,100 lbs. (5035 kg) with single rear wheels (STD) (Included and only available with CC30953 or CK30903 model with (L8T) 6.6L V8 gas engine. Requires single rear wheels.)

Air filter, heavy-duty

Air filtration monitoring

Auto-locking rear differential

Rear wheel drive

Cooling, external engine oil cooler

Cooling, auxiliary external transmission oil cooler

Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)

Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)

Recovery hooks, front, frame-mounted, Black

Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section

Suspension Package

Steering, Recirculating ball with smart flow power steering system

Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors

Brake lining wear indicator

Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)

Exterior


Wheels, 18" (45.7 cm) painted steel (STD) (Requires single rear wheels.)



At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12501. Data Updated: Dec 3, 2020 10:14:00 PM PST.



Vehicle: [Fleet] 2021 Chevrolet Silverado 3500HD (CC30953) 2WD Double Cab 162" Work Truck ( Complete)

Exterior

Tires, LT275/70R18E all-terrain, blackwall (STD) (Requires single rear wheels.)

Tire, spare LT275/70R18 all-terrain, blackwall (STD) (Included and only available with (QF6) LT275/70R18E all-terrain, blackwall tires with (E63) Durabed, pickup bed single rear wheel models. Available to order when (ZW9) pickup bed delete and (QF6) LT275/70R18E all-terrain, blackwall tires are ordered with single rear wheel models)

Single Rear Wheels (STD)

Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)

Bumpers, front, Black

Bumpers, rear, Black

CornerStep, rear bumper

BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)

Moldings, beltline, Black

Cargo tie downs (12), fixed, rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)

Front grille bar with "CHEVROLET" molded in Black includes Black mesh inserts with small Gold bowtie emblem.

Headlamps, halogen reflector with halogen Daytime Running Lamps

Taillamps, with incandescent tail, stop and reverse lights (Note: Trucks equipped with dual rear wheels will feature LED signature tail and stop lamps, with incandescent reverse lamp.)

Lamps, cargo area cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel

Mirrors, outside high-visibility vertical trailering lower convex mirrors, manual-folding/extending (extends 3.31" [84.25mm]), molded in Black

Mirror caps, Black

Glass, solar absorbing, tinted

Door handles, Black grained

Tailgate and bed rail protection cap, top

Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)

Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)



At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12501. Data Updated: Dec 3, 2020 10:14:00 PM PST.



Vehicle: [Fleet] 2021 Chevrolet Silverado 3500HD (CC30953) 2WD Double Cab 162" Work Truck (✔)
Complete)

Entertainment

Audio system, Chevrolet Infotainment 3 system, 7" diagonal color touchscreen, AM/FM stereo. Additional features for compatible phones include: Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, wired Apple CarPlay and Android Auto capable. (STD)

Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)

Bluetooth for phone connectivity to vehicle infotainment system

Interior

Seats, front 40/20/40 split-bench with upper covered armrest storage (STD)

Seat trim, Vinyl

Seat adjuster, driver 4-way manual

Seat adjuster, passenger 4-way manual

Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)

Floor covering, rubberized-vinyl (Not available with LPO floor liners.)

Steering wheel, urethane

Steering column, Tilt-Wheel, manual with wheel locking security feature

Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Center, 3.5" diagonal monochromatic display

Exterior Temperature Display located in radio display

Window, power front, drivers express up/down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)

Window, power front, passenger express down (Standard on Crew Cab and Double Cab models. On Regular Cab model, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)

Windows, power rear, express down (Not available with Regular Cab models.)

Door locks, power (Standard on Crew Cab and Double Cab models. On Regular Cab models, included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package.)

Power outlet, front auxiliary, 12-volt

USB ports, 2 (first row) located on instrument panel

Air conditioning, single-zone

Air vents, rear, heating/cooling (Not available on Regular Cab models.)



At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12501. Data Updated: Dec 3, 2020 10:14:00 PM PST.



Vehicle: [Fleet] 2021 Chevrolet Silverado 3500HD (CC30953) 2WD Double Cab 162" Work Truck (✓
Complete)

Interior

Mirror, inside rearview, manual tilt

Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Rear Vision Camera (Deleted with (ZW9) pickup bed delete.)

Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)

Rear Seat Reminder (Requires Crew Cab or Double Cab model.)

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

Processing-Other

Trailer Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)



At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12501. Data Updated: Dec 3, 2020 10:14:00 PM PST.



Vehicle: [Fleet] 2021 Chevrolet Silverado 3500HD (CC30953) 2WD Double Cab 162" Work Truck (✔
Complete)

WARRANTY

Warranty Note: <<< Preliminary 2021 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000

Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: HD Duramax Diesel: 5 Years/100,000 Miles; Qualified Fleet Purchases: 5 Years/100,000 Miles

Maintenance Note: 1 Year/1 Visit



At the user's request, prices for this vehicle have been formulated on the basis of Initial Pricing for the vehicle, however GM cannot guarantee that Initial Pricing is available. This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 12501. Data Updated: Dec 3, 2020 10:14:00 PM PST.