

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

S P E C I F I C A T I O N P R O P O S A L

Description

Price Level

WST 47X/49X PRL-28X (EFF:MY25 ORDERS)

Data Version

SPECPRO21 DATA RELEASE VER 013

Vehicle Configuration

WESTERN STAR 47X
2025 MODEL YEAR SPECIFIED
SET FORWARD AXLE - TRUCK
TRAILER TOWING PROVISION AT END OF
FRAME WITH SAE J560, WITHOUT END OF
FRAME AIR CONNECTIONS
LH PRIMARY STEERING LOCATION

General Service

TRUCK CONFIGURATION
DOMICILED, USA (EXCLUDING CALIFORNIA AND
CARB OPT-IN STATES)
EPA EMISSIONS CERTIFICATION FOR
REGISTRATION OUTSIDE CARB STATES - EPA
CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON
LOWER FORWARD OF DRIVER DOOR)
NO STATE/PROVINCE INITIAL REGISTRATION
SELECTED
CONSTRUCTION SERVICE
CONSTRUCTION BUSINESS SEGMENT
DIRT/SAND/ROCK COMMODITY
TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN
TRANSIT, IS SPENT ON PAVED ROADS
MAXIMUM 8% EXPECTED GRADE

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

SMOOTH CONCRETE OR ASPHALT PAVEMENT -
MOST SEVERE IN-TRANSIT (BETWEEN SITES)
ROAD SURFACE
WESTERN STAR VOCATIONAL WARRANTY
EXPECTED FRONT AXLE(S) LOAD : 20000.0 lbs
EXPECTED REAR DRIVE AXLE(S) LOAD :
46000.0 lbs
EXPECTED GROSS VEHICLE WEIGHT CAPACITY
: 66000.0 lbs

Truck Service

3-V DISTRIBUTING INC

Engine

CUM X12 410V HP @ 1900 RPM, 1450 LB-FT @
1000 RPM, 2000 GOV RPM, VOC

Electronic Parameters

65 MPH ROAD SPEED LIMIT
PTO MODE ENGINE RPM LIMIT - 1400 RPM
PTO RPM CONTROL WITH STEERING WHEEL
SWITCHES
ONE DASH MOUNTED PTO SPEED WITH PTO
SWITCH ENGAGEMENT
PTO SPEED 1 SETTING - 600 RPM
PTO 1, DASH SWITCH, ENGAGE BEFORE
DRIVING

Engine Equipment

EPA 2010/GHG 2024 CONFIGURATION
STANDARD OIL PAN
ENGINE MOUNTED OIL CHECK AND FILL
SIDE OF HOOD AIR INTAKE WITH ENGINE
MOUNTED AIR CLEANER
DR 12V 160 AMP 28-SI QUADRAMOUNT PAD
ALTERNATOR WITH REMOTE BATTERY VOLT
SENSE
(3) DTNA GENUINE, FLOODED STARTING, MIN
3000CCA, 555RC, THREADED STUD BATTERIES
BATTERY BOX WITH ALUMINUM COVER
MOUNTED SHORT SIDE TO RAIL
SINGLE BATTERY BOX FRAME MOUNTED LH
SIDE BACK OF CAB
WIRE GROUND RETURN FOR BATTERY CABLES
WITH ADDITIONAL FRAME GROUND RETURN

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

UNPOLISHED ALUMINUM WST BATTERY BOX COVER

POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT

POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER

CUMMINS NATURALLY ASPIRATED 25.9 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE

ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM

CUMMINS INTEBRAKE BRAKE WITH HIGH MED LOW BRAKE

RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER

11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT

30 DEGREE CURVE BRIGHT UPPER STACK(S) AND ELBOW(S)

RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP

13 GALLON DIESEL EXHAUST FLUID TANK

UNPOLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER

LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION

STANDARD DIESEL EXHAUST FLUID TANK CAP

PERFORATED SINGLE STAINLESS STEEL MUFFLER/TAILPIPE SHIELD WITH WESTERN STAR LOGO

ELECTRONICALLY CONTROLLED VARIABLE SPEED VISCOUS FAN DRIVE

AUTOMATIC FAN CONTROL WITH DASH SWITCH AND INDICATOR LIGHT, NON ENGINE MOUNTED

DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR

CUMMINS SPIN ON FUEL FILTER

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

FULL FLOW OIL FILTER
1400 SQUARE INCH VOCATIONAL RADIATOR
WITH PROTECTION PACKAGE
ANTIFREEZE TO -34F, OAT (NITRITE AND
SILICATE FREE) EXTENDED LIFE COOLANT
GATES BLUE STRIPE COOLANT HOSES OR
EQUIVALENT
RADIATOR DRAIN VALVE
LOWER RADIATOR GUARD
PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK
HEATER
CHROME ENGINE HEATER RECEPTACLE
MOUNTED UNDER LH DOOR
DELCO 12V 39MT HD/OCP STARTER WITH
THERMAL PROTECTION AND INTEGRATED
MAGNETIC SWITCH

Transmission

ALLISON 4500 RDS AUTOMATIC TRANSMISSION
WITH PTO PROVISION

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 223 -
AVAILABLE ON 3000/4000 PRODUCT FAMILIES
WITH VOCATIONAL MODELS RDS, HS, MH AND
TRV
ALLISON VOCATIONAL RATING FOR ON/OFF
HIGHWAY APPLICATIONS AVAILABLE WITH ALL
PRODUCT FAMILIES
PRIMARY MODE GEARS, LOWEST GEAR 1,
START GEAR 1, HIGHEST GEAR 6, AVAILABLE
FOR 3000/4000 PRODUCT FAMILIES ONLY
SECONDARY MODE GEARS, LOWEST GEAR 1,
START GEAR 1, HIGHEST GEAR 6, AVAILABLE
FOR 3000/4000 PRODUCT FAMILIES ONLY
PRIMARY SHIFT SCHEDULE RECOMMENDED BY
DTNA AND ALLISON, THIS DEFINED BY ENGINE
AND VOCATIONAL USAGE
SECONDARY SHIFT SCHEDULE
RECOMMENDED BY DTNA AND ALLISON, THIS
DEFINED BY ENGINE AND VOCATIONAL USAGE
PRIMARY SHIFT SPEED RECOMMENDED BY
DTNA AND ALLISON, THIS DEFINED BY ENGINE
AND VOCATIONAL USAGE
SECONDARY SHIFT SPEED RECOMMENDED BY
DTNA AND ALLISON, THIS DEFINED BY ENGINE
AND VOCATIONAL USAGE

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH CAP
ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR
CUSTOMER INSTALLED CHELSEA 280 SERIES PTO
PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN
HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT CONTROL, COLUMN MOUNTED
WATER TO OIL TRANSMISSION COOLER
TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK
SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE
CONMET PRESET PLUS PREMIUM IRON FRONT HUBS
MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
NON-ASBESTOS FRONT BRAKE LINING
CONMET CAST IRON FRONT BRAKE DRUMS
FRONT BRAKE DUST SHIELDS
FRONT OIL SEALS
VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
GUNITE AUTOMATIC FRONT SLACK ADJUSTERS
DUAL POWER STEERING GEARS, BENDIX 16-20K
4 QUART POWER STEERING RESERVOIR
OIL/AIR POWER STEERING COOLER
CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE

Front Suspension

20,000# TAPERLEAF FRONT SUSPENSION

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

MAINTENANCE FREE RUBBER BUSHINGS -
FRONT SUSPENSION
FRONT SHOCK ABSORBERS

Rear Axle and Equipment

RT-46-160 46,000# R-SERIES TANDEM REAR
AXLE
CONMET PRESET PLUS PREMIUM IRON REAR
HUBS
4.56 REAR AXLE RATIO
IRON REAR AXLE CARRIER WITH STANDARD
AXLE HOUSING
MXL 18T MERITOR EXTENDED LUBE MAIN
DRIVELINE WITH HALF ROUND YOKES
MXL 17T MERITOR EXTENDED LUBE INTERAXLE
DRIVELINE WITH HALF ROUND YOKES
DRIVER CONTROLLED TRACTION
DIFFERENTIAL - BOTH TANDEM REAR AXLES
(1) INTERAXLE LOCK VALVE, (1) DRIVER
CONTROLLED DIFFERENTIAL LOCK FORWARD-
REAR AND REAR-REAR AXLE VALVE
INDICATOR LIGHT FOR EACH INTERAXLE
LOCKOUT SWITCH
INDICATOR LIGHT FOR EACH DIFFERENTIAL
LOCKOUT SWITCH
MERITOR 16.5X8.62 Q+ CAST SPIDER HEAVY
DUTY CAM REAR BRAKES, DOUBLE ANCHOR,
FABRICATED SHOES
NON-ASBESTOS REAR BRAKE LINING
STANDARD BRAKE CHAMBER LOCATION
GUNIT CAST IRON REAR BRAKE DRUMS
NO REAR BRAKE DUST SHIELDS
REAR OIL SEALS
WABCO TRISTOP D LONGSTROKE 2-DRIVE
AXLE SPRING PARKING CHAMBERS
HALDEX AUTOMATIC REAR SLACK ADJUSTERS
CURRENT AVAILABLE SYNTHETIC 75W-90 REAR
AXLE LUBE
STANDARD REAR AXLE BREATHER(S)

Rear Suspension

HENDRICKSON HAULMAAX EX 46,000# REAR
SUSPENSION

Prepared for:
 CINI
 ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN
 BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Description

9.5 INCH NOMINAL RIDE HEIGHT (460MM
 GLOBAL REFERENCE HEIGHT)
 54 INCH AXLE SPACING
 HENDRICKSON HN, HAULMAAX AND ULTIMAAX
 SERIES STEEL BEAMS WITH BAR PIN
 STANDARD DUTY FORE/AFT AND HEAVY DUTY
 TRANSVERSE CONTROL RODS
 DOUBLE REBOUND STRAP - INBOARD AND
 OUTBOARD
 REAR SHOCK ABSORBERS - TWO AXLES
 (TANDEM)

Brake System

WABCO 4S/4M ABS WITH TRACTION CONTROL
 WITH ATC SHUT OFF SWITCH
 REINFORCED NYLON, FABRIC BRAID AND WIRE
 BRAID CHASSIS AIR LINES
 RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,
 NO REAR PROPORTIONING VALVE
 WABCO SYSTEM SAVER HP WITH INTEGRAL
 AIR GOVERNOR AND HEATER
 AIR DRYER FRAME MOUNTED
 STEEL AIR BRAKE RESERVOIRS
 PULL CABLES ON ALL AIR RESERVOIR(S)

Trailer Connections

PRIMARY CONNECTOR/RECEPTACLE WIRED
 FOR SEPARATE STOP/TURN, ABS CENTER PIN
 POWERED THROUGH IGNITION
 SAE J560 7-WAY PRIMARY TRAILER CABLE
 RECEPTACLE MOUNTED END OF FRAME

Wheelbase & Frame

7090MM (279 INCH) WHEELBASE, SFA ONLY
 15.0MM X 89.0MM X 315.0MM STEEL FRAME
 (0.59X3.5X12.4 INCH) 120 KSI
 1750MM (69 INCH) REAR FRAME OVERHANG
 FRAME OVERHANG RANGE: 61 INCH TO 70
 INCH
 24 INCH INTEGRAL FRONT FRAME EXTENSION
 CALC'D BACK OF CAB TO REAR SUSP C/L (CA) :
 197.64 in
 CALC'D FRAME LENGTH - OVERALL : 400.63 in
 FRAME HEIGHT TOP FRONT UNLADEN : 44.69 in
 FRAME HEIGHT TOP FRONT LADEN : 41.26 in

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

FRAME HEIGHT TOP REAR UNLADEN : 43.55 in
FRAME HEIGHT TOP REAR LADEN : 41.26 in
SQUARE END OF FRAME
STANDARD WEIGHT ENGINE CROSSMEMBER
STANDARD CAST ALUMINUM CROSSMEMBER
BACK OF TRANSMISSION
STANDARD CAST ALUMINUM MIDSHIP
STANDARD CAST ALUMINUM REARMOST
CROSSMEMBER
STANDARD SUSPENSION CROSSMEMBER
HEAVY DUTY REAR SUSPENSION
CROSSMEMBER

Chassis Equipment

UNPOLISHED ALUMINUM WST EQUIPMENT
COVERS
PAINTED STEEL 3/16 INCH (7GA) VOCATIONAL
BUMPER
FRONT TOW HOOKS - FRONT FRAME
EXTENSION MOUNTED
BUMPER MOUNTING FOR SINGLE LICENSE
PLATE
BETTS B-83 PAINTED COILED SPRING HEAVY
DUTY MUDFLAP BRACKETS
CLASS 10.9 THREADED METRIC FASTENERS
EXTERIOR HARNESSSES WRAPPED IN
ABRASION TAPE
LEFT HAND SIDE HEAVY DUTY BRACKETS
REQUIRED
RIGHT HAND SIDE HEAVY DUTY BRACKETS
REQUIRED

Fuel Tanks

80 GALLON/302 LITER ALUMINUM FUEL TANK -
LH
25 INCH DIAMETER FUEL TANK(S)
POLISHING OF FUEL/HYDRAULIC TANK(S) WITH
PAINTED BANDS
FUEL TANK(S) FORWARD
PLAIN STEP FINISH
CHROME FUEL TANK CAP(S)
EQUIFLO INBOARD FUEL SYSTEM
HIGH TEMPERATURE REINFORCED NYLON
FUEL LINE

Prepared for:
 CINI
 ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN
 BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Description

Tires

CONTINENTAL HAU 3 WT 315/80R22.5 20 PLY
 RADIAL FRONT TIRES
 CONTINENTAL HDC3 11R22.5 16 PLY RADIAL
 REAR TIRES

Wheels

ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25
 INSET 5-HAND STEEL DISC FRONT WHEELS
 MAXION WHEELS 91262 22.5X8.25 10-HUB PILOT
 5-HAND STEEL DISC REAR WHEELS
 NO FRONT AXLE WHEEL/HUB COVER
 NO WHEEL/HUB COVER-PUSHER/TAG
 FRONT WHEEL MOUNTING NUTS
 REAR WHEEL MOUNTING NUTS

Cab Exterior

111.6 INCH BBC CONVENTIONAL ALUMINUM
 CAB
 STAINLESS STEEL CAB ACCENT MOLDING
 FRONT FENDERS
 BOLT-ON MOLDED FLEXIBLE FENDER
 EXTENSIONS
 INTERIOR GRAB HANDLES WITH ADDED
 LOWER LH AND RH A PILLAR GRAB HANDLES
 AND LH AND RH EXTERIOR NON-SLIP GRAB
 HANDLES
 BRIGHT HOOD MOUNTED AIR INTAKE GRILLE,
 BLACK SCREEN, WITH LED ACCENT LIGHTS
 X-SERIES STEEL REINFORCED ALUMINUM CAB
 X-SERIES VOCATIONAL HOOD
 HOOD OPENING ASSIST WITH LOCKING STRUT
 WESTERN STAR NAMEPLATES
 DUAL HADLEY SD-978 26 INCH RECTANGULAR
 AIR HORNS
 SINGLE ELECTRIC HORN
 REAR LICENSE PLATE MOUNT END OF FRAME
 SWITCH, INDICATOR LIGHT AND WIRING FOR
 (2) CUSTOMER FURNISHED BEACONS
 DUAL STAGE INTELLIGENT LED HEADLIGHTS
 WITH HEATED LENS SYSTEM
 ROOF MOUNTED LED MARKER LIGHTS
 DAYTIME RUNNING LIGHTS

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

INTEGRAL LED STOP/TAIL/BACKUP LIGHTS
LED SIDE TURN SIGNAL
C-BAR MIRROR SYSTEM WITH DUAL HEATED
MIRRORS WITH INTEGRAL HEATED CONVEX,
DUAL REMOTE, STAINLESS STEEL BACK
COVER, AND BLACK C-BAR
102 INCH EQUIPMENT WIDTH
LH AND RH CONVEX MIRRORS INTEGRAL WITH
PRIMARY MIRRORS
RH DOWN VIEW MIRROR
STANDARD SIDE/REAR REFLECTORS
REAR REFLECTIVE DEVICE
UNPOLISHED ALUMINUM WST
AFTERTREATMENT SYSTEM COVER
SINGLE SOLAR TINTED REAR WINDOW, (1) 31
INCH X 20 INCH
1-PIECE ROPED-IN SOLAR GREEN GLASS
WINDSHIELD
8 LITER (2 GAL) WINDSHIELD WASHER
RESERVOIR, CAB MOUNTED, WITH FLUID
LEVEL INDICATOR

Cab Interior

X-SERIES BASE INTERIOR TRIM LEVEL
PACKAGE
CHARCOAL BLACK VINYL BASE LEVEL
INTERIOR
CARBON WITH BASE BLACK ACCENT
BLACK MATS WITH ADDED FLOOR HEAT AND
NOISE INSULATION
(2) DASH MOUNTED POWER OUTLETS AND
COIN TRAY
FORWARD ROOF MOUNTED CONSOLE
LH AND RH DOOR STORAGE POCKETS
INTEGRATED INTO MOLDED DOOR PANELS
(2) COAT HOOKS ON BACKWALL OF CAB
DIGITAL ALARM CLOCK IN DRIVER DISPLAY
2-1/2 LB. FIRE EXTINGUISHER MOUNTED
INBOARD OF DRIVER SEAT
STANDARD HEATER PLUMBING WITH BALL
SHUTOFF VALVES AT SUPPLY LINES ONLY
RADIATOR MOUNTED AIR CONDITIONER
CONDENSER
STANDARD INSULATION

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

STANDARD LED CAB LIGHTING
REMOTE KEYLESS ENTRY AND 2
TRANSMITTERS
DOOR LOCKS AND IGNITION SWITCH KEYED
THE SAME
KEY QUANTITY OF 4
LH AND RH ELECTRIC DOOR LOCKS WITH
AUTO UNLOCK FEATURE WHEN DOOR IS SET
FROM OPEN TO CLOSED POSITION
BRIGHT DOOR HANDLES
TRIANGULAR REFLECTORS WITHOUT FLARES
PREMIUM 2.0 HIGH BACK AIR SUSPENSION
DRIVER SEAT WITH 2 AIR LUMBAR,
INTEGRATED CUSHION EXTENSION, TILT AND
ADJUSTABLE SHOCK
PREMIUM 2.0 HIGH BACK AIR SUSPENSION
PASSENGER SEAT WITH 2 AIR LUMBAR,
INTEGRATED CUSHION EXTENSION, TILT AND
ADJUSTABLE SHOCK
DUAL DRIVER SEAT ARMRESTS, NO
PASSENGER SEAT ARMRESTS
BLACK VINYL DRIVER SEAT COVER WITH NO
LOGO
BLACK VINYL PASSENGER SEAT COVER WITH
NO LOGO
3 POINT HIGH VISIBILITY ORANGE ADJUSTABLE
D-RING RETRACTOR DRIVER AND FIXED D-RING
RETRACTOR PASSENGER SEAT BELTS
ADJUSTABLE TILT AND TELESCOPING
STEERING COLUMN
4-SPOKE 18 INCH (450MM) BLACK STEERING
WHEEL WITH SWITCHES
DRIVER AND PASSENGER INTERIOR SUN
VISORS

Instruments & Controls

STANDARD FOOT PEDAL SYSTEM
ELECTRONIC ACCELERATOR CONTROL
BLACK GAUGE BEZELS
STANDARD CENTER INSTRUMENT PANEL
DUAL NEEDLE PRIMARY AND SECONDARY AIR
PRESSURE GAUGE
INTAKE MOUNTED AIR RESTRICTION
INDICATOR WITHOUT GRADUATIONS

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

ELECTRONIC CRUISE CONTROL WITH
CONTROLS ON STEERING WHEEL SPOKES

KEY OPERATED IGNITION SWITCH AND
INTEGRAL START POSITION; 4 POSITION
OFF/RUN/START/ACCESSORY

PREMIUM INSTRUMENT CLUSTER WITH 5.0
INCH TFT COLOR DISPLAY

DIGITAL PANEL LAMP DIMMER SWITCH IN
DRIVER DISPLAY

HEAVY DUTY ONBOARD DIAGNOSTICS
INTERFACE CONNECTOR WITH DUST CAP
LOCATED BELOW LH DASH

2 INCH ELECTRIC FUEL GAUGE

ENGINE REMOTE INTERFACE NOT
CONFIGURED

ELECTRICAL ENGINE COOLANT TEMPERATURE
GAUGE

ENGINE OIL TEMPERATURE GAUGE

ELECTRIC ENGINE OIL PRESSURE GAUGE

2 INCH TRANSMISSION OIL TEMPERATURE
GAUGE

ELECTRONIC OUTSIDE TEMPERATURE
SENSOR DISPLAY IN DRIVER MESSAGE
CENTER

ENGINE AND TRIP HOUR METERS INTEGRAL
WITHIN DRIVER DISPLAY

PTO CONTROLS FOR ENHANCED VEHICLE
ELECTRIC/ELECTRONIC ARCHITECTURE

NO OBSTACLE DETECTION SYSTEM

NO DR ASSIST SYSTEM

ELECTRONIC STABILITY CONTROL

NO LANE DEPARTURE WARNING SYSTEM

TMC RP1226 ACCESSORY CONNECTOR
LOCATED BEHIND PASSENGER SIDE
REMOVEABLE DASH PANEL

TOP OF DASH RAM MOUNT WITHOUT POWER
OR GROUND, FOR CUSTOMER FURNISHED
DEVICE

AM/FM/WB WORLD TUNER RADIO WITH
SIRIUSXM, BLUETOOTH, IPOD INTERFACE, USB
AND AUXILIARY INPUTS, J1939

DASH MOUNTED RADIO

STANDARD SPEAKER SYSTEM

NO AM/FM RADIO ANTENNA

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

POWER AND GROUND WIRING PROVISION
OVERHEAD
ROOF/OVERHEAD CONSOLE CB RADIO
PROVISION
SINGLE REMOTE SPEAKER WITH LEAD FOR 2-
WAY RADIO
SINGLE FIBERGLASS LH MIRROR MOUNTED CB
ANTENNA WITH BRACKET AND LEAD
HEADLINER MULTI-BAND ANTENNA:
AM/FM/WEATHERBAND, WIFI/BLUETOOTH,
GNSS/GPS
INTEROPERABLE SDAR ANTENNA
ELECTRONIC MPH SPEEDOMETER WITH
SECONDARY KPH SCALE, WITHOUT
ODOMETER
ELECTRONIC 2500 RPM TACHOMETER
DETROIT CONNECT PLATFORM HARDWARE
5 YEARS DETROIT CONNECT BASE PACKAGE
(FEATURES VARY BY MODEL) DETROIT
CONNECT PLATFORM
IGNITION SWITCH CONTROLLED ENGINE STOP
FOUR EXTRA HARDWIRED SWITCHES IN DASH,
ROUTE TO UNDER CAB, CAPPED
HARDWIRE SWITCH #1, ON/OFF LATCHING, 10
AMPS BATTERY POWER
HARDWIRE SWITCH #2, ON/OFF LATCHING, 10
AMPS BATTERY POWER
HARDWIRE SWITCH #3, ON/OFF LATCHING, 10
AMPS BATTERY POWER
HARDWIRE SWITCH #4, ON/OFF LATCHING, 10
AMPS BATTERY POWER
PRE-TRIP INSPECTION FEATURE FOR
EXTERIOR LAMPS ONLY
REAR SPRING LOADED HAND CONTROL BRAKE
VALVE
2 INCH TURBO AIR PRESSURE GAUGE
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH
DRIVER DISPLAY
ROTARY HEADLAMP SWITCH, MARKER
LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT
FOR OPTIONAL FOG/ROAD LAMPS
ONE VALVE PARKING BRAKE SYSTEM WITH
WARNING INDICATOR

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

SELF CANCELING TURN SIGNAL SWITCH WITH
DIMMER, HEADLAMP FLASH,
WASH/WIPE/INTERMITTENT
QUICKFIT POWERTRAIN INTERFACE
CONNECTOR UNDER CAB WITH BLUNTCUTS

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L0006EY WHITE ELITE EY
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
PAINT
POWDER WHITE (N0006EA) FRONT
WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
POWDER WHITE (N0006EA) REAR
WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)
BUMPER PAINTED SAME AS CHASSIS

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES
CABS AND GLIDER KITS

Extended Warranty

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.