

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

S P E C I F I C A T I O N P R O P O S A L

Description
Price Level
CASCADIA PRL-28K (EFF:MY25 ORDERS)
Data Version
SPECPRO21 DATA RELEASE VER 014
Vehicle Configuration
CASCADIA 126 INCH SLEEPER CAB 2025 MODEL YEAR SPECIFIED SET BACK AXLE - TRACTOR LH PRIMARY STEERING LOCATION
General Service
TRACTOR/TRAILER CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR REGISTRATION OUTSIDE CARB STATES - EPA CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR) NO STATE/PROVINCE INITIAL REGISTRATION SELECTED LINEHAUL/LONG HAUL SERVICE GOVERNMENT BUSINESS SEGMENT GENERAL FREIGHT COMMODITY TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS MAXIMUM 8% EXPECTED GRADE SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE FREIGHTLINER LEVEL I WARRANTY

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

EXPECTED FRONT AXLE(S) LOAD : 14000.0 lbs
EXPECTED REAR DRIVE AXLE(S) LOAD :
40000.0 lbs
EXPECTED GROSS VEHICLE WEIGHT CAPACITY
: 54000.0 lbs
EXPECTED GROSS COMBINATION WEIGHT :
80000.0 lbs

Truck Service

TRACTOR ONLY WITH NO BODY UPFIT

Tractor Service

VAN TRAILER
SINGLE (1) TRAILER

Engine

DETROIT DD13 GEN 5 12.8L 370 HP @ 1625
RPM, 1900 GOV RPM, 1250 LB/FT @ 975 RPM

Electronic Parameters

75 MPH ROAD SPEED LIMIT
CRUISE CONTROL SPEED LIMIT SAME AS ROAD
SPEED LIMIT
FLEET MANAGEMENT - DAILY ENGINE USAGE
ENABLED
FUEL DOSING OF AFTERTREATMENT ENABLED
IN PTO MODE-CLEANS HYDROCARBONS AT
HIGH TEMPERATURES ONLY
ENABLE AUTO ENGINE RPM ELEVATE FOR
EXTENDED IDLE
MAINTENANCE SYSTEM WITH NO POP-UPS
AND NO MENU IN CLUSTER

Engine Equipment

EPA 2010/GHG 2024 CONFIGURATION
STANDARD OIL PAN
ENGINE MOUNTED OIL CHECK AND FILL
DUAL SIDE OF HOOD AIR INTAKE WITH ENGINE
MOUNTED AIR CLEANER
DR 12V 160 AMP 28-SI QUADRAMOUNT PAD
ALTERNATOR WITH REMOTE BATTERY VOLT
SENSE
(4) DTNA GENUINE, FLOODED STARTING AND
CYCLING, MIN 2800CCA, 760RC, THREADED
STUD BATTERIES

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

BATTERY BOX WITH ALUMINUM COVER
MOUNTED LONG SIDE TO RAIL
SINGLE BATTERY BOX FRAME MOUNTED LH
SIDE BACK OF CAB
WIRE GROUND RETURN FOR BATTERY CABLES
WITH ADDITIONAL FRAME GROUND RETURN
NON-POLISHED BATTERY BOX COVER
POSITIVE LOAD DISCONNECT WITH CAB
MOUNTED CONTROL SWITCH MOUNTED
OUTBOARD DRIVER SEAT
POSITIVE AND NEGATIVE POSTS FOR
JUMPSTART LOCATED ON FRAME NEXT TO
STARTER
PROGRESSIVE LOW VOLTAGE DISCONNECT AT
12.3 VOLTS FOR DESIGNATED CIRCUITS
BW MODEL FE-921 19.0 CFM SINGLE CYLINDER
AIR COMPRESSOR WITH SAFETY VALVE
STANDARD MECHANICAL AIR COMPRESSOR
GOVERNOR
AIR COMPRESSOR DISCHARGE LINE
ELECTRONIC ENGINE INTEGRAL SHUTDOWN
PROTECTION SYSTEM
JACOBS COMPRESSION BRAKE
RH OUTBOARD UNDER STEP MOUNTED
HORIZONTAL AFTERTREATMENT SYSTEM
ASSEMBLY WITH RH HORIZONTAL TAILPIPE
ENGINE AFTERTREATMENT DEVICE,
AUTOMATIC OVER THE ROAD REGENERATION
AND VIRTUAL REGENERATION REQUEST
SWITCH IN CLUSTER
STANDARD EXHAUST SYSTEM LENGTH
RH STANDARD HORIZONTAL TAILPIPE
23 GALLON DIESEL EXHAUST FLUID TANK
100 PERCENT DIESEL EXHAUST FLUID FILL
LH HEAVY DUTY STANDARD DIESEL EXHAUST
FLUID TANK LOCATION
STANDARD DIESEL EXHAUST FLUID TANK CAP
AIR POWERED ON/OFF ENGINE FAN CLUTCH
AUTOMATIC FAN CONTROL WITHOUT DASH
SWITCH, NON ENGINE MOUNTED
DDC SUPPLIED ENGINE MOUNTED FUEL
FILTER/FUEL WATER SEPARATOR WITH
WATER-IN-FUEL INDICATOR
FULL FLOW OIL FILTER

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

1400 SQUARE INCH FUEL ECONOMY RADIATOR
ANTIFREEZE TO -34F, OAT (NITRITE AND
SILICATE FREE) EXTENDED LIFE COOLANT
GATES BLUE STRIPE COOLANT HOSES OR
EQUIVALENT
CONSTANT TENSION HOSE CLAMPS FOR
COOLANT HOSES
STANDARD RADIATOR MOUNTING
HDEP FIXED RATIO COOLANT PUMP AND
RADIATOR DRAIN VALVE
PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK
HEATER
BLACK PLASTIC ENGINE HEATER RECEPTACLE
MOUNTED UNDER LH DOOR
ALUMINUM FLYWHEEL HOUSING
MITSUBISHI 12V MOD 3.175-DP60 STARTER
WITH INTEGRATED MAGNETIC SWITCH

Transmission

ALLISON 3000 HS AUTOMATIC TRANSMISSION,
NO PTO PROVISION

Transmission Equipment

ALLISON VOCATIONAL PACKAGE 223 -
AVAILABLE ON 3000/4000 PRODUCT FAMILIES
WITH VOCATIONAL MODELS RDS, HS, MH AND
TRV
ALLISON VOCATIONAL RATING FOR HIGHWAY
APPLICATIONS AVAILABLE WITH ALL PRODUCT
FAMILIES
PRIMARY MODE GEARS, LOWEST GEAR 1,
START GEAR 1, HIGHEST GEAR 6, AVAILABLE
FOR 3000/4000 PRODUCT FAMILIES ONLY
SECONDARY MODE GEARS, LOWEST GEAR 1,
START GEAR 1, HIGHEST GEAR 6, AVAILABLE
FOR 3000/4000 PRODUCT FAMILIES ONLY
ELECTRONIC TRANSMISSION CUSTOMER
ACCESS CONNECTOR FIREWALL MOUNTED
MAGNETIC PLUGS, ENGINE DRAIN,
TRANSMISSION DRAIN, AXLE(S) FILL AND
DRAIN
HEAVY DUTY ELECTRONIC TRANSMISSION
SHIFT CONTROL, COLUMN MOUNTED
TRANSMISSION PROGNOSTICS - ENABLED
WATER TO OIL TRANSMISSION COOLER,
FRAME MOUNTED

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

TRANSMISSION OIL CHECK AND FILL WITH
ELECTRONIC OIL LEVEL CHECK
SYNTHETIC TRANSMISSION FLUID (TES-295
COMPLIANT)

Front Axle and Equipment

DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI/3.74
DROP SINGLE FRONT AXLE
MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT
BRAKES, DOUBLE ANCHOR, FABRICATED
SHOES
2011/2013-FMVSS 121 RSD FRONT BRAKE
LINING
CONMET CAST IRON FRONT BRAKE DRUMS
FRONT BRAKE DUST SHIELDS
FRONT OIL SEALS
VENTED FRONT HUB CAPS WITH WINDOW,
CENTER AND SIDE PLUGS - OIL
STANDARD SPINDLE NUTS FOR ALL AXLES
MERITOR AUTOMATIC FRONT SLACK
ADJUSTERS
TRW TAS-85 POWER STEERING
POWER STEERING PUMP
2 QUART SEE THROUGH POWER STEERING
RESERVOIR
CURRENT AVAILABLE SYNTHETIC 75W-90
FRONT AXLE LUBE

Front Suspension

14,600# TAPERLEAF FRONT SUSPENSION
MAINTENANCE FREE RUBBER BUSHINGS -
FRONT SUSPENSION
FRONT SHOCK ABSORBERS

Rear Axle and Equipment

DETROIT DA-RT-40.0-4S HH 40,000# R-SERIES
TANDEM REAR AXLE
3.08 REAR AXLE RATIO
IRON REAR AXLE CARRIER WITH STANDARD
AXLE HOUSING
SPL250 HT SERVICE FREE DANA SPICER MAIN
DRIVELINE
SPL170 SF DANA SPICER INTERAXLE
DRIVELINE WITH HALF ROUND YOKES

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES
INDICATOR LIGHT FOR EACH INTERAXLE LOCKOUT SWITCH WITH IAD FEEDBACK
MERITOR 16.5X8.62 Q+ STAMPED SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
2011/2013-FMVSS 121 RSD REAR BRAKE LININGS
BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S) WITH AUXILIARY SUPPORT BRACKETS
CONMET CAST IRON REAR BRAKE DRUMS
REAR OIL SEALS
WABCO TRISTOP D LONGSTROKE 2-DRIVE AXLE SPRING PARKING CHAMBERS
MERITOR AUTOMATIC REAR SLACK ADJUSTERS
FE 75W-85 REAR AXLE LUBE
STANDARD REAR AXLE BREATHER(S)

Rear Suspension

AIRLINER 40,000# REAR SUSPENSION
7.9 INCH NOMINAL RIDE HEIGHT (415MM GLOBAL REFERENCE HEIGHT)
STANDARD AXLE SEATS IN AXLE CLAMP GROUP
51 INCH AXLE SPACING
MANUAL DUMP VALVE FOR AIR SUSPENSION WITHOUT GAUGE
INDICATOR LIGHT AND BUZZER FOR EACH REAR SUSPENSION CONTROL SWITCH
SINGLE AIR REAR SUSPENSION LEVELING VALVE
TRANSVERSE CONTROL RODS
REAR SHOCK ABSORBERS - TWO AXLES (TANDEM) (AIR RIDE SUSPENSION)

Brake System

WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH
REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
FIBER BRAID PARKING BRAKE HOSE

Prepared for:
 CINI
 ZACHARIA
 OKLAHOMA STATE OF
 5005 N LINCOLN
 BLVD
 OKLAHOMA CITY, OK 73105
 Phone: 405-521-2116

Prepared by:
 Mike Sartin
 PREMIER TRUCK GROUP OF
 TULSA
 5104 W. 60TH STREET
 TULSA, OK 74107
 Phone: 918-445-5300 ext 4061

Description

STANDARD BRAKE SYSTEM VALVES
 STD U.S. FRONT BRAKE VALVE
 RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,
 NO REAR PROPORTIONING VALVE
 WABCO SYSTEM SAVER HP WITH INTEGRAL
 AIR GOVERNOR AND HEATER
 WABCO OIL COALESCING FILTER FOR AIR
 DRYER
 AIR DRYER MOUNTED UNDER HOOD
 STEEL AIR BRAKE RESERVOIRS; CUSTOMER
 ACCEPTS TANKS MOUNTED PERPENDICULAR
 TO RAIL
 PULL CABLES ON ALL AIR RESERVOIR(S)
 QUICK DISCONNECT FITTING WITH TIRE
 INFLATION KIT

Trailer Connections

12 FOOT STRAIGHT TRAILER AIR HOSE
 36 INCH STAINLESS STEEL SLIDE BAR WITH
 SPRING TYPE AIR HOSE HANGER
 COMBINATION DUMMY GLAD HANDS AND
 LIGHT PLUG HOLDER MOUNTED LH BACK OF
 CAB WITH GROUND ACCESS
 PRIMARY CONNECTOR/RECEPTACLE WIRED
 FOR SEPARATE STOP/TURN, ABS CENTER PIN
 POWERED THROUGH IGNITION
 SAE J560 7-WAY PRIMARY TRAILER CABLE
 RECEPTACLE MOUNTED LOWER LH BACK OF
 CAB
 12 FOOT DETACHABLE STRAIGHT PRIMARY
 TRAILER ELECTRICAL CABLE WITH SAE J560
 CONNECTOR

Wheelbase & Frame

5625MM (221 INCH) WHEELBASE
 7.0MM X 88.0MM X 279.0MM STEEL FRAME
 (0.28X3.46X10.98 INCH) 120 KSI
 1350MM (53 INCH) REAR FRAME OVERHANG
 FRAME OVERHANG RANGE: 51 INCH TO 60
 INCH
 CALC'D BACK OF CAB TO REAR SUSP C/L (CA) :
 83.46 in
 CALCULATED EFFECTIVE BACK OF CAB TO
 REAR SUSPENSION C/L (CA) : 77.87 in
 CALC'D FRAME LENGTH - OVERALL : 307.67 in

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

CALCULATED FRAME SPACE LH SIDE : 24.92 in
CALCULATED FRAME SPACE RH SIDE : 38.12 in
UNDER OR OVERSLUNG CROSSMEMBER
FLANGED TAPERED END OF FRAME
FRONT CLOSING CROSSMEMBER
LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE
CROSSMEMBER
STANDARD MIDSHIP #1 CROSSMEMBER(S)
STANDARD REARMOST CROSSMEMBER
STANDARD SUSPENSION CROSSMEMBER

Chassis Equipment

LH AND RH BACK OF CAB ACCESS
21 INCH (525MM) DECK PLATE FLUSH
MOUNTED BETWEEN RAILS
DARK GRAY AERODYNAMIC BUMPER WITH
CHROME OVERLAY
REMOVABLE FRONT TOW/RECOVERY
DEVICE, STORED ON CHASSIS FRAME
BUMPER MOUNTING FOR (3) LICENSE PLATES
BETTS B-25 PAINTED MUDFLAP BRACKETS
BLACK MUDFLAPS
FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS
HUCK-SPIN ROUND COLLAR CHASSIS
FASTENERS
EXTERIOR HARNESSES WRAPPED IN
ABRASION TAPE

Fifth Wheel

FONTAINE 6000 SERIES 6NWB 12.0 INCH AIR
SLIDE FIFTH WHEEL
FIFTH WHEEL 610MM (24.0 INCHES) AHEAD OF
SUSPENSION CENTERLINE
171MM (6.75 INCH) FIFTH WHEEL HEIGHT
STEEL OUTBOARD ANGLE - FIFTH WHEEL
MOUNTING
DASH MOUNTED CONTROL AND PLUMBING
FOR FIFTH WHEEL
SIDE LEFT FIFTH WHEEL RELEASE

Fuel Tanks

100 GALLON/378 LITER ALUMINUM FUEL TANK -
RH

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

100 GALLON/378 LITER ALUMINUM FUEL TANK -
LH
25 INCH DIAMETER FUEL TANK(S)
PLAIN ALUMINUM/PAINTED STEEL
FUEL/HYDRAULIC TANK(S) WITH PAINTED
BANDS
LH FUEL TANK MOUNTED FORWARD, RH FUEL
TANK MOUNTED AFT
PLAIN STEP FINISH
FUEL TANK CAP(S)
EQUIFLO INBOARD FUEL SYSTEM
HIGH TEMPERATURE REINFORCED NYLON
FUEL LINE

Tires

BRIDGESTONE R213 ECOPIA 11R22.5 14 PLY
RADIAL FRONT TIRES
BRIDGESTONE ECOPIA M713 11R22.5 14 PLY
RADIAL REAR TIRES

Hubs

CONMET HIGH CAPACITY PRESET PLUS
PREMIUM ALUMINUM FRONT HUBS
CONMET PRESET PLUS PREMIUM ALUMINUM
REAR HUBS

Wheels

ALCOA ULA18X 22.5X8.25 10-HUB PILOT 5.81
INSET ALUMINUM DISC FRONT WHEELS
ALCOA ULA18X 22.5X8.25 10-HUB PILOT
ALUMINUM DISC REAR WHEELS
POLISHED FRONT WHEELS; OUTSIDE ONLY
POLISHED REAR WHEELS; OUTSIDE OF OUTER
WHEELS ONLY
FRONT WHEEL MOUNTING NUTS
REAR WHEEL MOUNTING NUTS

Cab Exterior

126 INCH BBC ALUMINUM CONVENTIONAL CAB
RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP
LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP
72 INCH XT SLEEPER CAB
12 INCH CAB/SLEEPER CAB SIDE EXTENDERS
WITH BLACK FLEXIBLE ENDS
NO FRAME SIDE FAIRINGS

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

NO AERODYNAMIC SKIRT FOR CHASSIS
FAIRINGS
LH BAGGAGE DOOR
AIR CAB MOUNTING
NONREMOVABLE BUGSCREEN MOUNTED
BEHIND GRILLE
INTERIOR GRAB HANDLES WITH ADDED
LOWER LH AND RH A PILLAR GRAB HANDLES
CHROME GRILLE WITH INTEGRAL SURROUND
BLACK HOOD MOUNTED AIR INTAKE GRILLE
AERODYNAMIC HOOD
HOOD OPENING ASSIST
NEW CASCADIA NAMEPLATE
SINGLE AIR HORN UNDER LH DECK
SINGLE ELECTRIC HORN
REAR LICENSE PLATE MOUNT END OF FRAME
LED LOW BEAM AND HIGH BEAM HEADLIGHTS
VISOR MOUNTED LED MARKER LIGHTS
DAYTIME RUNNING LIGHTS
INTEGRAL LED STOP/TAIL/BACKUP LIGHTS
LED SIDE TURN SIGNAL
(1) FLUSH LED UTILITY LIGHT MOUNTED LH
BACK OF CAB/SLEEPER
DUAL BRIGHT FINISH HEATED AERODYNAMIC
MIRRORS WITH INTEGRAL CONVEX AND LH
AND RH REMOTE
DOOR MOUNTED MIRRORS
RH DOWN VIEW MIRROR
RH AND LH HEATED BLACK HOOD/FENDER
MOUNTED MIRRORS
STANDARD SIDE/REAR REFLECTORS
REAR REFLECTIVE DEVICE
RH AFTERTREATMENT SYSTEM CAB ACCESS
WITH PLAIN SHIELDING
NO EMERGENCY WARNING SIRENS
(2) PAINTED SLEEPER VENTS, LH AND RH
EXTERIOR SUN VISOR
SOLAR TINTED DOOR GLASS LH AND RH WITH
TINTED FORWARD SIDE GLASS
RH AND LH ELECTRIC POWERED WINDOWS

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

1-PIECE ROPED-IN SOLAR GREEN GLASS
WINDSHIELD
8 LITER (2 GAL) WINDSHIELD WASHER
RESERVOIR, CAB MOUNTED, WITHOUT FLUID
LEVEL INDICATOR

Cab Interior

SADDLE TAN UP LEVEL INTERIOR
SADDLE TAN WITH PACIFIC BIRCH WOODGRAIN
HARD TRIM
STANDARD LH DOOR TRIM
STANDARD RH DOOR TRIM
BLACK MATS
BLACK MAT IN SLEEPER AREA
BLACK MATS IN BAGGAGE COMPARTMENT
(3) DASH MOUNTED POWER OUTLETS AND
COIN TRAY
SLEEPER TALL CLOSET WITH WRITING
SURFACE AND UPPER STORAGE
MICROWAVE SHELF WITH UPPER STORAGE
AND CUSTOMER FURNISHED FRIDGE/COOLER
FORWARD ROOF MOUNTED CONSOLE WITH
DOORS RH AND LH
LH AND RH DOOR STORAGE POCKETS
INTEGRATED INTO MOLDED DOOR PANELS
STORAGE POCKET(S) MOUNTED INSIDE
CABINET DOOR(S)
40 INCH WIDE LIFTABLE LOWER BUNK, OMIT
BUNK DIVIDER PANELS
NO UPPER BUNK
TENT STYLE LOWER BUNK RESTRAINT
DIGITAL ALARM CLOCK IN DRIVER DISPLAY
WING DASH WITH E-VAULT
5 LB. FIRE EXTINGUISHER
FIRST AID KIT
HEATER, DEFROSTER AND AIR CONDITIONER
WITH CONSTANT OUTLET TEMPERATURE
CONTROL
HVAC DUCTING WITH MAIN FRESH AIR FILTER
MAIN HVAC CONTROLS WITH RECIRCULATION
SWITCH
AUXILIARY HEATER/AIR CONDITIONER WITH
CONSTANT OUTLET TEMPERATURE CONTROL

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

STANDARD HEATER PLUMBING
VALEO HEAVY DUTY A/C REFRIGERANT
COMPRESSOR
RADIATOR MOUNTED AIR CONDITIONER
CONDENSER
BINARY CONTROL, R-134A
STANDARD INSULATION
SOLID-STATE CIRCUIT PROTECTION AND
FUSES
12V NEGATIVE GROUND ELECTRICAL SYSTEM
DOOR AND BUNK ACTIVATED LH AND RH BUNK
MOUNTED LED BAGGAGE COMPARTMENT
LIGHTS
STANDARD LED CAB LIGHTING
STANDARD LED SLEEPER LIGHTING
DOOR LOCKS AND IGNITION SWITCH KEYED
THE SAME
KEY QUANTITY OF 2
LH AND RH ELECTRIC DOOR LOCKS
BRIGHT DOOR HANDLES
SPRING MATTRESS IN SLEEPER
(3) 12 VOLT POWER OUTLETS IN BUNK AREA
TRIANGULAR REFLECTORS WITHOUT FLARES
BASIC 2.0 HIGH BACK AIR SUSPENSION DRIVER
SEAT WITH 1 CHAMBER AIR LUMBAR,
INTEGRATED CUSHION EXTENSION AND TILT
BASIC 2.0 HIGH BACK AIR SUSPENSION
PASSENGER SEAT WITH 1 CHAMBER AIR
LUMBAR, INTEGRATED CUSHION EXTENSION
AND TILT
DUAL DRIVER AND PASSENGER SEAT
ARMRESTS
VINYL WITH VINYL INSERT DRIVER SEAT
VINYL WITH VINYL INSERT PASSENGER SEAT
3 POINT HIGH VISIBILITY ORANGE ADJUSTABLE
D-RING RETRACTOR DRIVER AND FIXED D-
RING PASSENGER SEAT BELTS WITH DRIVER
STATUS INDICATOR LIGHT AND AUDIBLE
ALARM
SLEEPER CURTAIN WITH MAGNETIC CLOSURE
ADJUSTABLE TILT AND TELESCOPING
STEERING COLUMN

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

4-SPOKE 18 INCH (450MM) BLACK STEERING
WHEEL WITH SWITCHES
DRIVER AND PASSENGER INTERIOR SUN
VISORS

Instruments & Controls

ELECTRONIC ACCELERATOR CONTROL
STANDARD CENTER INSTRUMENT PANEL
BLACK GAUGE BEZELS
LOW AIR PRESSURE INDICATOR LIGHT AND
AUDIBLE ALARM
DUAL NEEDLE PRIMARY AND SECONDARY AIR
PRESSURE GAUGE
DASH MOUNTED AIR RESTRICTION INDICATOR
WITH GRADUATIONS
ELECTRONIC CRUISE CONTROL WITH
CONTROLS ON STEERING WHEEL SPOKES
KEY OPERATED IGNITION SWITCH AND
INTEGRAL START POSITION; 4 POSITION
OFF/RUN/START/ACCESSORY
PREMIUM INSTRUMENT CLUSTER WITH 5.0
INCH TFT COLOR DISPLAY
DIGITAL PANEL LAMP DIMMER SWITCH IN
DRIVER DISPLAY
HEAVY DUTY ONBOARD DIAGNOSTICS
INTERFACE CONNECTOR LOCATED BELOW LH
DASH
2 INCH ELECTRIC FUEL GAUGE
FUEL FILTER RESTRICTION INDICATOR
EMISSIONS LIMITED IDLE ADJUST
DUAL REAR AXLE TEMPERATURE GAUGES
WITH SENSOR SHIELD
ELECTRICAL ENGINE COOLANT TEMPERATURE
GAUGE
DIGITAL ENGINE OIL TEMPERATURE IN DRIVER
DISPLAY
2 INCH TRANSMISSION OIL TEMPERATURE
GAUGE
ELECTRONIC OUTSIDE TEMPERATURE
SENSOR DISPLAY IN DRIVER MESSAGE
CENTER
ENGINE AND TRIP HOUR METERS INTEGRAL
WITHIN DRIVER DISPLAY
NO OBSTACLE DETECTION SYSTEM

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

NO SIDE OBJECT DETECTION SYSTEM
ELECTRONIC STABILITY CONTROL
NO LANE DEPARTURE WARNING SYSTEM
ELECTRIC ENGINE OIL PRESSURE GAUGE
AM/FM/WB WORLD TUNER RADIO WITH
SIRIUSXM, BLUETOOTH, IPOD INTERFACE, USB
AND AUXILIARY INPUTS, J1939
DASH MOUNTED RADIO
STANDARD SPEAKER SYSTEM
POWER AND GROUND STUDS ON TOP OF DASH
TOP OF DASH MOUNT CB RADIO PROVISION
WITH PLATE AND STRAPS
INTEGRATED AERO-ROOF CB ANTENNA
HEADLINER MULTI-BAND ANTENNA:
AM/FM/WEATHERBAND, WIFI/BLUETOOTH,
GNSS/GPS
INTEROPERABLE SDAR ANTENNA
ELECTRONIC MPH SPEEDOMETER WITH
SECONDARY KPH SCALE, WITHOUT
ODOMETER
STANDARD VEHICLE SPEED SENSOR
ELECTRONIC 2500 RPM TACHOMETER
DETROIT CONNECT PLATFORM HARDWARE
5 YEARS DETROIT CONNECT BASE PACKAGE
(FEATURES VARY BY MODEL) DETROIT
CONNECT PLATFORM
(3) TMC RP 1226 ACCESSORY CONNECTORS:
(2) LOCATED BEHIND PASSENGER SIDE
REMOVABLE DASH PANEL, AND (1) LOCATED
CENTER OF OVERHEAD CONSOLE
IGNITION SWITCH CONTROLLED ENGINE STOP
NO PRE TRIP SYSTEM TEST
STEERING WHEEL MOUNTED ELECTRIC HORN
CONTROL
BW TRACTOR PROTECTION VALVE
TRAILER HAND CONTROL BRAKE VALVE
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH
DRIVER DISPLAY
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR
WITH DELAY
ROTARY HEADLAMP SWITCH, MARKER
LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT
FOR OPTIONAL FOG/ROAD LAMPS

Prepared for:
CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

TWO VALVE PARKING BRAKE SYSTEM WITH
WARNING INDICATOR

MANUAL TURN SIGNAL SWITCH WITH DIMMER,
HEADLAMP FLASH, WASH/WIPE/INTERMITTENT

INTEGRAL ELECTRONIC TURN SIGNAL
FLASHER WITH 40 AMP (20 AMP PER SIDE)
TRAILER LAMP CAPACITY

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L0006EY WHITE ELITE EY
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS
PAINT

SUNVISOR PAINTED SAME AS CAB COLOR A

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES
CABS AND GLIDER KITS

Secondary Factory Options

MUST MEET REQUIREMENTS IN PTO
INSTALLATION GUIDELINE DOCUMENT ON
DDCSN.COM, SPECIFICALLY MAX BENDING
MOMENT & MIN ENGINE SPEED DURING PTO
OPERATION

Extended Warranty

TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING
COVERAGE \$1200 CAP FEX APPLIES

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Prepared for:

CINI
ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN
BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:

Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

