



2023

**JCB Backhoe Loaders
ICXT
Side-Shift**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: January 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

ICXT Compact Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

SAFETY AND SECURITY

Two post Roll Over Protective Structure (ROPS), Falling Objects Protective Structure (FOPS) and 2" retractable seat belt. Equipped with independent park brake and loader service strut. Rear boom lock activated from operator's compartment; boom swing lock. Vandalism protection with key lock-able hydraulic fill and fuel cap. Front and rear horn buttons.

ENGINE

49 hp turbocharged Perkins, water-cooled, 4 cylinders, 2.2 liter, T4F engine. Centrifugal dry type air cleaner, fuel filter with water separator, thermostat assist.

TRANSMISSION

Full servo controlled hydrostatic transmission in forward and reverse. Independent transmission systems for left and right side.

BRAKES

Park brake, fail safe with engine off. Electrically activated through instrument panel switch.

ELECTRICAL

12-volt, 85-amp alternator heavy duty battery. Meets IP67 water and dust ingress standard.

INSTRUMENTS

Audible and visual warning systems, right-side mounted instrument panel, hourmeter, fuel gauge, hand and foot operated throttle control, reverse alarm.

CAB

SAE certified ROPS/FOPS, left side entry, floor mat. Cushioned seat with armrests, 2" retractable seat belt, LED work lights front and rear.

HYDRAULICS

Open center pump system with 11.8 gpm exclusive for driving motors and hydraulic auxiliaries. Dedicated pump system with 26.4 gpm for high-flow loader auxiliary. Low effort servo controls and loader functions. Auxiliary circuit controlled rocker switch on the right joystick. 6-spool excavator valve.

LOADER

Parallel lift loader arms. Universal quick-hitch coupler system, single lever servo control. Auxiliary hydraulic circuit for operation of hydraulic powered attachments. Loader arm safety strut.

BACKHOE

Mechanical side-shift, boom travel lock. Auxiliary hydraulic circuit for 1-way and 2-way flow approved attachments. Vertical stabilizers with street feet pads.

LIVELINK

Telematics monitored and managed remotely via a PC or Smartphone. Two year subscription. Real time reporting of machine hours, routine maintenance alerts and location. Ability to set machine geo-fences and curfews for improved security.



U.S. Dollar Price Page

ICXT Compact Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s). If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

SALES CODE	ITEM	LIST PRICE
89AE	ICXT, Tracked, Servo Joystick Controls, 49hp T4F Perkins Engine, Includes Foot Throttle, Working Lights, Battery Isolator, Long Loader Arms, Standard Flow Front Loader Auxiliary, HighFlow Front Loader Auxiliary, Reverse Alarm, Loader Bucket Float, SAE/ISO Excavator Controls Changeover, Large Street Pads, LiveLink Lite.	\$77,938
890BA00	Rubber tracks 325mm (12.8)"	\$0
890CA07	Cab HVAC	\$9,296
890DA02	ICX T4F electrics	\$0
890EA08	Extending dipper with bi di auxiliary	\$5,999
890FA07	Loader arms with loader auxiliary circuit & float	\$0
890GA18	USA language pack T4F	\$0
890JA07	GP shovel with toeplate	\$1,511
890MA04	Excavator bucket: std.profile, 610 mm (24)"	\$793
LIST PRICE		\$95,537



U.S. Dollar Price Page

ICXT Compact Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
89AE	ICXT, Tracked, Servo Joystick Controls, 49hp T4F Perkins Engine, Includes Foot Throttle, Working Lights, Battery Isolator, Long Loader Arms, Standard Flow Front Loader Auxiliary, HighFlow Front Loader Auxiliary, Reverse Alarm, Loader Bucket Float, SAE/ISO Excavator Controls Changeover, Large Street Pads, LiveLink Lite.	\$77,938
Model Pack		
890AA03	ICXT T4F model pack	\$0
Tracks		
890BA00	Rubber tracks 325mm (12.8)"	\$0
890BA01	Aggressive rubber tracks 325mm(12.8)"	\$328
Cab		
890CA07	Cab HVAC	\$9,296
Electrics/LiveLink Lite		
890DA02	ICX T4F electrics	\$0
Fixed Dipper, Extending Dipper, & Pipework Options		
890EA04	Fixed dipper no end boom damping	\$0
890EA06	Fixed dipper with bi di auxiliary	\$1,705
890EA08	Extending dipper with bi di auxiliary	\$5,999
890EA09	Extending dipper end boom damping with bi di auxiliary	\$6,200
Loader Auxillaires		
890FA07	Loader arms with loader auxiliary circuit & float	\$0
Language Pack		
890GA18	USA language pack T4F	\$0



ICXT Compact Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

Excavator Quick Hitch		
890HA01	Excavator quick hitch - manual	\$1,351
Front Buckets		
890JA01	Shovel: none	\$0
890JA06	GP shovel	\$1,194
890JA07	GP shovel with toeplate	\$1,511
890JA09	6 in 1 shovel with toeplate	\$5,082
Pallet Forks & Carriage		
890KA03	Pallet forks and frame: 1050mm x 80mm x 40mm (class 2b)	\$1,925
Excavator Buckets & Pins		
890MA00	ICX standard bucket pack	\$1,507
890MA01	Bucket: none	\$0
890MA02	Excavator bucket: std.profile, 305 mm (12")	\$662
890MA03	Excavator bucket: std.profile, 460 mm (18")	\$731
890MA04	Excavator bucket: std.profile, 610 mm (24")	\$793
890MA05	Excavator bucket: std.profile, 230 mm (9")	\$594
890MA06	Excavator bucket:grading/ditching, 1000 mm	\$897
890MA11	1 additional pivot pin kit	\$62
890MA12	2 x additional pivot pins kit	\$113
890MA13	3 x additional pivot pins kit	\$148
Hydraulic		
890NA01	Handheld tool circuit -for machines without excavator auxiliary	\$1,712
890NA02	Handheld tool circuit -for machines with excavator auxiliary	\$1,712
Electrical		
890PA04	Road & brake lights	\$737



2023

**JCB Backhoe Loaders
3CX Compact
Side-Shift**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: January 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

3CX Compact Compact Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

SAFETY AND SECURITY

Two post Roll Over Protective Structure (ROPS), Falling Objects Protective Structure (FOPS) and retractable seat belt. Equipped with independent park brake and loader service strut. Rear boom lock activated from operator's compartment; boom swing lock. Vandalism protection with key lock-able hydraulic fill and fuel cap. All locks operate with ignition key. Front and rear horn buttons.

ENGINE

74 HP Turbocharged JCB Diesel by Kohler. Water-cooled, 4 cyl, 2.5 liter T4F engine. Electronic hand and foot throttle. Full flow pressure engine oil lubricant with spin-on filter cartridge. Air to fluid coolers. Separately serviceable radiator, hydraulic and transmission oil coolers. Two stage fuel filtering system utilizing a water/sediment separator and spin-on type filter element. Dual element air filter, dry type with cleanable outer element, replaceable inner element and under hood pre-cleaner.

TRANSMISSION

Separate unit mounted to engine Bosch Rexroth hydrostatic 3-speed transmission with anti-stall. High speed roading mode capable of 25 mph. Electrically operated Fwd / Rev lever on steering column. Transmission neutral interlock ensures machines cannot be started in gear. Brake pedals actuation variably reduces transmission pump engagement reducing brake wear and improving loading cycle times.

FRONT AXLE

Industrial duty JCB Max-Trac torque proportioning, outboard planetary reduction axle, 4WD shift-on-the-go; steering cylinder located behind front axle. Permanent 4WD.

REAR AXLE

Industrial duty JCB Max-Trac torque proportioning. Separate, rigidly mounted to mainframe and connected to transmission via drive shaft. Heavy duty double reduction, outboard planetary gear final reduction.

BRAKES

Sealed wet multiple disc. Brake pedals can be independently operated or locked together. Servo-assisted quick fill brakes. Independent hydraulically activated parking brake. Transmission shifts to neutral when park brake is activated.

STEERING

Hydrostatic power, with priority valve. Three steering wheel turns (lock to lock). Unbraked turning circle 21ft 11". Braked turning circle 19ft.



U.S. Dollar Price Page

3CX Compact Compact Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

INSTRUMENTS

Audible and visual warning systems, right-side mounted instrument panel, hourmeter, fuel gauge, hand and foot operated throttle control, reverse alarm.

BACKHOE AND MAINFRAME

Unitized, one piece heavy duty mainframe with integral backhoe. Sideshift frame with 3ft 3" kingpost offset capacity and vertical stabilizers. Mainframe and stabilizers within loader bucket width. Fabricated equal length boom and dipper. SAE minimum dig depth 10ft; Rear Auxiliary hydraulics (1-way flow); All backhoe hoses routed through king post with junction plate. Rubber street pads (STD).

LOADER

Equipped with integrally mounted front end loader using two lift cylinders and two bucket dump cylinders. Parallel lift standard using mechanical self leveling during loader raise and lower functions. Dump height 7ft 11". Load over height 9ft 7". Auxiliary loader hydraulics, Smooth Ride system (SRS) and hydraulic quickhitch standard. Rated operating capacity of 3,364 lbs with GP shovel.

ELECTRICAL SYSTEM

12 volt system with 100 amp alternator. Wiring harness and outside cab connectors meet IP69 standard for protection against ingress of dust, and pressure spray of 4.23 gpm at 1450 psi. Inside cab connectors meet IP67 standard for protection against ingress of dust, and water when submerged. Single, maintenance free battery rated at 900 CCA. Tow halogen work lights in front and four separate halogen work lights in the rear. Stop lights, turn signals, and four way hazards standard. Backlit gauges and readouts consisting of a tachometer, fuel gauge, engine coolant temperature gauge, digital hour meter and digital clock. Light and alarm for battery charge condition, coolant temp., coolant level, engine oil pressure, engine oil level, transmission oil pressure, transmission oil temp, air cleaner restriction, water in fuel indicator, windshield washer fluid level and park brake engaged. Light indicators for hazard flashers on, turn signals, steering mode, and lights on. 12 volt outlet for powered accessories. Common fuses and relays located in an easy access panel. Main circuit breakers at battery positive terminal for added circuit protection. Battery Isolator as standard.



U.S. Dollar Price Page

3CX Compact Compact Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

OPERATORS ENVIRONMENT

Air suspension seat and retractable seat belt. Left side entry with deluxe trim, full floor mat, fixed steering column, exterior mirrors, pre-wired for beacon, cup holders, storage compartment. Cab also includes operable right side window, one piecer rear window to open over head. In-cab noise levels 71 dB(A).

HYDRAULIC SYSTEM

Closed center vari-flow system with axial piston pump, engine driven behind transmission, 26.4 gpm flow at 2350 rpm. 100% efficiency with flow on demand. Advanced Easy Controls standard. Abrasion protection of valve to boom hoses. Hoses have burst pressure of 4 times working pressure. Structural steel pipes to withstand minor impacts.

LIVELINK

Telematics monitored and managed remotely via a PC or Smartphone. year subscription. Real time reporting of machine hours, routine maintenance alerts and location. Ability to set machine geo-fences and curfews for improved security.



U.S. Dollar Price Page

3CX Compact Compact Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s). If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

SALES CODE	ITEM	LIST PRICE
I 38	3CX COMPACT PLUS, 4WD, 4WS, 74hp T4 Final, 12ft Side-shift Backhoe with Fixed Dipper. Battery Isolator, Livelink. Includes Street Pads.	\$119,963
I00AA64	3CX Compact Plus, Standard Flow, Single Lever Loader Controls,	\$0
I00BA03	Michelin Power CL 340/80-18	\$684
I00CA30	Cab with A/C, Cloth Suspension Seat. Includes 110v Engine Block Heater.	\$4,254
I00DA14	Cab Electrics, Livelink	\$0
I00EA22	Hammer Pipework for 12 ft Fixed Dipper	\$1,043
I00FA31	5/8 Loader Pipework with Smooth Ride System (SRS), Return to Dig (RTD), Constant Flow and Vari-Speed	\$3,742
I00GA39	English Territory Pack	\$0
I00JA32	Skid-Steer Hydraulic QH only	\$0
LIST PRICE		\$129,686



3CX Compact Plus Compact Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
I38	3CX COMPACT PLUS, 4WD, 4WS, 74hp T4 Final, 12ft Side-shift Backhoe with Fixed Dipper. Battery Isolator, Livelink. Includes Street Pads.	\$119,963
MODEL PACK		
I00AA64	3CX Compact Plus, Standard Flow, Single Lever Loader Controls, Model Pack	\$0
TIRES AND TRANSMISSIONS		
I00BA01	JCB Sitemaster Tire set 12.5-18-10	\$0
I00BA03	Michelin Power CL 340/80-18	\$684
I00BA04	Michelin Power CL 340/80-18 LSD Front and Rear Axle	\$2,103
I00BA09	Michelin Power XP 27 Turf Tire Set 340/65-18	\$2,303
I00BA10	Michelin Power XP 27 Turf Tire Set 340/65-18 LSD Front and Rear Axle	\$3,795
I00BA11	Michelin BIBLOAD Tire Set 340/80 R18	\$2,867
I00BA12	Michelin BIBLOAD Tire Set 340/80 R18 LSD Front and Rear Axle	\$4,361
OPERATORS COMPARTMENT		
I00CA30	Cab with A/C, Cloth Suspension Seat. Includes 110v Engine Block Heater.	\$4,254
ENCLOSURE CONTROLS		
I00DA14	Cab Electrics, Livelink	\$0
I00DA15	Cab Electrics, Livelink, Key Immobiliser	\$1,087
I00DA16	Cab Electrics, Livelink, Keypad Immobiliser	\$1,087
BACKHOE PIPEWORK		
I00EA22	Hammer Pipework for 12 ft Fixed Dipper	\$1,043
LOADER PIPEWORK		
I00FA31	5/8 Loader Pipework with Smooth Ride System (SRS), Return to Dig (RTD), Constant Flow and Vari-Speed	\$3,742
LANGUAGE PACK		
I00GA39	English Territory Pack	\$0
I00GA40	French Territory Pack	\$0
I00GA41	Spanish Territory Pack	\$0



3CX Compact Plus Compact Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations as desired.

SALES CODE	ENCLOSURE CONTROLS	LIST PRICE
100HA23	IT Lifting Shackle	\$177
100HA24	Mechanical Excavator Quick Hitch and IT Shackle	\$1,978
LOADER BUCKETS		
100JA10	Mk2 Hydraulic QH only	\$0
100JA17	GP Shovel - 78 in (2000mm) Width + Mk2 Hydraulic QH + Toeplate	\$779
100JA18	6 In I Shovel - 78 in (2000mm) Width + Mk2 Hydraulic QH + Toeplate	\$2,990
100JA30	GP Shovel - 78 in (2000mm) Width + Skid-Steer Hydraulic QH + Toeplate	\$779
100JA31	6 In I Shovel - 78 in (2000mm) Width + SSL Hydraulic QH + Toeplate	\$2,990
100JA32	Skid-Steer Hydraulic QH only	\$0
LOADER BUCKET OPTIONS		
100KA03	6 In I Clam Ram Guards	\$271
100KA04	QH Mounted fork Frame And Forks. For Mk2 QH.	\$4,490
BACKHOE BUCKET OPTIONS		
100MA02	12in (300mm) Excavator Bucket	\$765
100MA05	18in (450mm) Excavator Bucket	\$859
100MA06	24in (600mm) Excavator Bucket	\$977
100MA40	47in (1200mm) Grading Bucket	\$840
100MA47	1x Extra Bucket Pin Set	\$203
HAND HELD TOOL CIRCUITS		
100NA01	HHTC Pipework (Does Not Include Hose Reel)	\$1,216
100NA02	9M Hose Reel With HHTC Pipework and Breaker Mount	\$4,439
100NA06	Boom and Dipper HBCVs For Use with Hammer Pipework	\$1,748
VEHICLE ELECTRICAL OPTIONS		
100PA05	Rotating Amber Beacon	\$58
100PA16	Twin Rotating LED Beacons	\$511
100PA18	LED Work Light Pack of 6x (2x Front, 4x Rear)	\$1,266
100PA19	LED Work Light Pack of 10x (4x Front, 6 Rear)	\$2,113
100PA23	LED Boom Mounted Worklight	\$164
100PA27	Step Light	\$320
ADDITIONAL OPTIONS		
100RA08	Front Fenders (Yellow)	\$1,591
100RA20	Fuel Mounted Stowage Box	\$328
100RA21	Rear Fish Eye Mirror (Requires LED Work Lights)	\$207
100RA43	Hand Shovel Mount	\$293



3CX Compact Plus Compact Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
139	3CX COMPACT PLUS, 4WD, 4WS, 74hp T4 Final, 12ft Side-shift Backhoe with Fixed Dipper, Powerslide. Battery Isolator, Livelink. Includes Street Pads.	\$125,417
	MODEL PACK	
100AA65	3CX Compact Plus, Standard Flow, Single Lever Loader Controls, Model Pack	\$0
	TIRES AND TRANSMISSIONS	
100BA01	JCB Sitemaster Tire set 12.5-18-10	\$0
100BA03	Michelin Power CL 340/80-18	\$684
100BA04	Michelin Power CL 340/80-18 LSD Front and Rear Axle	\$2,103
100BA09	Michelin Power XP 27 Turf Tire Set 340/65-18	\$2,303
100BA10	Michelin Power XP 27 Turf Tire Set 340/65-18 LSD Front and Rear Axle	\$3,795
100BA11	Michelin BIBLOAD Tire Set 340/80 R18	\$2,867
100BA12	Michelin BIBLOAD Tire Set 340/80 R18 LSD Front and Rear Axle	\$4,361
	OPERATORS COMPARTMENT	
100CA30	Cab with A/C, Cloth Suspension Seat. Includes 110v Engine Block Heater.	\$4,254
	ENCLOSURE CONTROLS	
100DA14	Cab Electrics, Livelink	\$0
100DA15	Cab Electrics, Livelink, Key Immobiliser	\$1,087
100DA16	Cab Electrics, Livelink, Keypad Immobiliser	\$1,087
	BACKHOE PIPEWORK	
100EA28	Hammer/Bi-Directional Pipework	\$1,043
	LOADER PIPEWORK	
100FA31	5/8 Loader Pipework with Smooth Ride System (SRS), Return to Dig (RTD), Constant Flow and Vari-Speed	\$3,742
	LANGUAGE PACK	
100GA39	English Territory Pack	\$0
100GA40	French Territory Pack	\$0
100GA41	Spanish Territory Pack	\$0



3CX Compact Plus Compact Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations as desired.

SALES CODE	ENCLOSURE CONTROLS	LIST PRICE
I00HA23	1T Lifting Shackle	\$177
I00HA24	Mechanical Excavator Quick Hitch and 1T Shackle	\$1,978
LOADER BUCKETS		
I00JA10	Mk2 Hydraulic QH only	\$0
I00JA17	GP Shovel - 78 in (2000mm) Width + Mk2 Hydraulic QH + Toeplate	\$779
I00JA18	6 In I Shovel - 78 in (2000mm) Width + Mk2 Hydraulic QH + Toeplate	\$2,990
I00JA30	GP Shovel - 78 in (2000mm) Width + Skid-Steer Hydraulic QH + Toeplate	\$779
I00JA31	6 In I Shovel - 78 in (2000mm) Width + SSL Hydraulic QH + Toeplate	\$2,990
I00JA32	Skid-Steer Hydraulic QH only	\$0
LOADER BUCKET OPTIONS		
I00KA03	6 In I Clam Ram Guards	\$271
I00KA04	QH Mountedfork Frame And Forks. For Mk2 QH.	\$4,490
BACKHOE BUCKET OPTIONS		
I00MA02	12in (300mm) Excavator Bucket	\$765
I00MA05	18in (450mm) Excavator Bucket	\$859
I00MA06	24in (600mm) Excavator Bucket	\$977
I00MA40	47in (1200mm) Grading Bucket	\$840
I00MA47	1x Extra Bucket Pin Set	\$203
HAND HELD TOOL CIRCUITS		
I00NA01	HHTC Pipework (Does Not Include Hose Reel)	\$1,216
I00NA02	9M Hose Reel With HHTC Pipework and Breaker Mount	\$4,439
I00NA06	Boom and Dipper HBCVs For Use with Hammer Pipework	\$1,748
SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS CONT.		
SALES CODE	VEHICLE ELECTRICAL OPTIONS	LIST PRICE
I00PA05	Rotating Amber Beacon	\$58
I00PA16	Twin Rotating LED Beacons	\$511
I00PA18	LED Work Light Pack of 6x (2x Front, 4x Rear)	\$1,266
I00PA19	LED Work Light Pack of 10x (4x Front, 6 Rear)	\$2,113
I00PA23	LED Boom Mounted Worklight	\$164
I00PA27	Step Light	\$320
ADDITIONAL OPTIONS		
I00RA08	Front Fenders (Yellow)	\$1,591
I00RA20	Fuel Mounted Stowage Box	\$328
I00RA21	Rear Fish Eye Mirror (Requires LED Work Lights)	\$207
I00RA43	Hand Shovel Mount	\$293



3CX Compact Plus Compact Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
141	3CX COMPACT PLUS, 4WD, 4WS, 74hp T4 Final, 12ft Side-shift Backhoe with Extending Dipper, Powerslide. Battery Isolator, Livelink. Includes Street Pads.	\$128,873
MODEL PACK		
100AA65	3CX Compact Plus, Standard Flow, Single Lever Loader Controls, Model Pack	\$0
TIRES AND TRANSMISSIONS		
100BA01	JCB Sitemaster Tire set 12.5-18-10	\$0
100BA03	Michelin Power CL 340/80-18	\$684
100BA04	Michelin Power CL 340/80-18 LSD Front and Rear Axle	\$2,103
100BA09	Michelin Power XP 27 Turf Tire Set 340/65-18	\$2,303
100BA10	Michelin Power XP 27 Turf Tire Set 340/65-18 LSD Front and Rear Axle	\$3,795
100BA11	Michelin BIBLOAD Tire Set 340/80 R18	\$2,867
100BA12	Michelin BIBLOAD Tire Set 340/80 R18 LSD Front and Rear Axle	\$4,361
OPERATORS COMPARTMENT		
100CA30	Cab with A/C, Cloth Suspension Seat. Includes 110v Engine Block Heater.	\$4,254
ENCLOSURE CONTROLS		
100DA14	Cab Electrics, Livelink	\$0
100DA15	Cab Electrics, Livelink, Key Immobiliser	\$1,087
100DA16	Cab Electrics, Livelink, Keypad Immobiliser	\$1,087
BACKHOE PIPEWORK		
100EA31	Hammer/Bi-Directional Pipework	\$1,043
LOADER PIPEWORK		
100FA31	5/8 Loader Pipework with Smooth Ride System (SRS), Return to Dig (RTD), Constant Flow and Vari-Speed	\$3,742
LANGUAGE PACK		
100GA39	English Territory Pack	\$0
100GA40	French Territory Pack	\$0
100GA41	Spanish Territory Pack	\$0



3CX Compact Plus Compact Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations as desired.

SALES CODE	ENCLOSURE CONTROLS	LIST PRICE
I00HA23	IT Lifting Shackle	\$177
I00HA24	Mechanical Excavator Quick Hitch and IT Shackle	\$1,978
LOADER BUCKETS		
I00JA10	Mk2 Hydraulic QH only	\$0
I00JA17	GP Shovel - 78 in (2000mm) Width + Mk2 Hydraulic QH + Toeplate	\$779
I00JA18	6 In I Shovel - 78 in (2000mm) Width + Mk2 Hydraulic QH + Toeplate	\$2,990
I00JA30	GP Shovel - 78 in (2000mm) Width + Skid-Steer Hydraulic QH + Toeplate	\$779
I00JA31	6 In I Shovel - 78 in (2000mm) Width + SSL Hydraulic QH + Toeplate	\$2,990
I00JA32	Skid-Steer Hydraulic QH only	\$0
LOADER BUCKET OPTIONS		
I00KA03	6 In I Clam Ram Guards	\$271
I00KA04	QH Mountedfork Frame And Forks. For Mk2 QH.	\$4,490
BACKHOE BUCKET OPTIONS		
I00MA02	12in (300mm) Excavator Bucket	\$765
I00MA05	18in (450mm) Excavator Bucket	\$859
I00MA06	24in (600mm) Excavator Bucket	\$977
I00MA40	47in (1200mm) Grading Bucket	\$840
I00MA47	1x Extra Bucket Pin Set	\$203
HAND HELD TOOL CIRCUITS		
I00NA01	HHTC Pipework (Does Not Include Hose Reel)	\$1,216
I00NA02	9M Hose Reel With HHTC Pipework and Breaker Mount	\$4,439
I00NA06	Boom and Dipper HBCVs For Use with Hammer Pipework	\$1,748
VEHICLE ELECTRICAL OPTIONS		
I00PA05	Rotating Amber Beacon	\$58
I00PA18	LED Work Light Pack of 6x (2x Front, 4x Rear)	\$1,266
I00PA19	LED Work Light Pack of 10x (4x Front, 6 Rear)	\$2,113
I00PA23	LED Boom Mounted Worklight	\$164
I00PA27	Step Light	\$320
ADDITIONAL OPTIONS		
I00RA21	Rear Fish Eye Mirror (Requires LED Work Lights)	\$207
I00RA21	Rear Fish Eye Mirror (Requires LED Work Lights)	\$207
I00RA43	Hand Shovel Mount	\$293



3CX Compact Plus Compact Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
I45	3CX COMPACT PRO, 4WD, 4WS, 74hp T4 Final, 12ft Side-shift Backhoe with Extending Dipper, Powerslide. Battery Isolator, Livelink. Includes Street Pads.	\$139,159
MODEL PACK		
I00AA67	3CX Compact Pro, High Flow, 7-Way Lever Loader Controls, Model Pack	\$0
TIRES AND TRANSMISSIONS		
I00BA43	Michelin Power CL 340/80-18	\$684
I00BA44	Michelin Power CL 340/80-18 LSD Front and Rear Axle	\$2,103
I00BA45	Michelin Power XMCL 340/80-18	\$1,496
I00BA46	Michelin Power XMCL 340/80-18 LSD Front and Rear Axle	\$2,920
I00BA47	Michelin Power XP 27 Turf Tire Set 340/65-18	\$2,303
I00BA48	Michelin Power XP 27 Turf Tire Set 340/65-18 LSD Front and Rear Axle	\$3,795
I00BA49	Michelin BIBLOAD Tire Set 340/80 R18	\$2,867
I00BA50	Michelin BIBLOAD Tire Set 340/80 R18 LSD Front and Rear Axle	\$4,361
OPERATORS COMPARTMENT		
I00CA33	Cab with A/C, Cloth Suspension Seat. Includes 110v Engine Block Heater.	\$4,254
ENCLOSURE CONTROLS		
I00DA18	Cab Electrics, Livelink	\$0
I00DA19	Cab Electrics, Livelink, Key Immobiliser	\$1,087
I00DA20	Cab Electrics, Livelink, Keypad Immobiliser	\$1,087
BACKHOE PIPEWORK		
I00EA31	Hammer/Bi-Directional Pipework	\$1,043
SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS CONT.		
SALES CODE	LOADER PIPEWORK	LIST PRICE
I00FA37	5/8 Loader Pipework with Smooth Ride System (SRS), Return to Dig (RTD), Constant Flow and Vari-Speed PRO	\$3,742
LANGUAGE PACK		
I00GA39	English Territory Pack	\$0
I00GA40	French Territory Pack	\$0
I00GA41	Spanish Territory Pack	\$0



3CX Compact Plus Compact Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations as desired.

SALES CODE	ENCLOSURE CONTROLS	LIST PRICE
I00HA23	1T Lifting Shackle	\$177
I00HA24	Mechanical Excavator Quick Hitch and 1T Shackle	\$1,978
LOADER BUCKETS		
I00JA40	Skid Steer Compatible Hitch Only	\$0
I00JA47	GP Shovel - 78 in (2000mm) Width + Skid-Steer Hydraulic QH + Toeplate	\$779
I00JA48	6 In I Shovel - 78 in (2000mm) Width + Skid-Steer Hydraulic QH + Toeplate	\$2,990
LOADER BUCKET OPTIONS		
I00KA03	6 In I Clam Ram Guards	\$271
BACKHOE BUCKET OPTIONS		
I00MA02	12in (300mm) Excavator Bucket	\$765
I00MA05	18in (450mm) Excavator Bucket	\$859
I00MA06	24in (600mm) Excavator Bucket	\$977
I00MA40	47in (1200mm) Grading Bucket	\$840
I00MA47	1x Extra Bucket Pin Set	\$203
HAND HELD TOOL CIRCUITS		
I00NA01	HHTC Pipework (Does Not Include Hose Reel)	\$1,216
I00NA02	9M Hose Reel With HHTC Pipework and Breaker Mount	\$4,439
I00NA06	Boom and Dipper HBCVs For Use with Hammer Pipework	\$1,748
VEHICLE ELECTRICAL OPTIONS		
I00PA05	Rotating Amber Beacon	\$58
I00PA18	LED Work Light Pack of 6x (2x Front, 4x Rear)	\$1,266
I00PA19	LED Work Light Pack of 10x (4x Front, 6 Rear)	\$2,113
I00PA24	LED Boom Mounted Worklight	\$164
I00PA26	Front and Rear Cameras	\$3,532
I00PA27	Step Light	\$320
ADDITIONAL OPTIONS		
I00RA08	Front Fenders (Yellow)	\$1,591
I00RA20	Fuel Mounted Stowage Box	\$328
I00RA21	Rear Fish Eye Mirror (Requires LED Work Lights)	\$207
I00RA23	Internal Stowage Box	\$689
I00RA43	Hand Shovel Mount	\$293



2023

**JCB Backhoe Loaders
3CX
Centermount**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: January 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

3CX Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

SAFETY AND SECURITY

Two post Roll Over Protective Structure (ROPS), Falling Objects Protective Structure (FOPS) and retractable seat belt. Equipped with independent park brake and loader service strut. Rear boom lock activated from operator's compartment; boom swing lock. Vandalism protection with key lock-able hydraulic fill and fuel cap. All locks operate with ignition key. Front and rear horn buttons. Automatic backup alarm.

ENGINE

74 HP Turbocharged. Water-cooled, 4 cyl, 4.4 liter T4F engine. Electronic hand and foot throttle. Full flow pressure engine oil lubricant with spin-on filter cartridge. Air to fluid coolers. Separately serviceable radiator, hydraulic and transmission oil coolers. Two stage fuel filtering system utilizing a water/sediment separator and spin-on type filter element. Dual element air filter, dry type with cleanable outer element, replaceable inner element and under hood pre-cleaner.

TRANSMISSION

Separate unit mounted to engine containing torque converter and all transmission components. Pressure lubrication with spin on filter. Electrically operated Fwd / Rev lever on steering column. Electrically with 4 forward and 4 reverse speeds.

FRONT AXLE

Industrial duty JCB Max-Trac torque proportioning, outboard planetary reduction axle, 4WD shift-on-the-go; steering cylinder located behind front axle.

REAR AXLE

Separate, rigidly mounted to mainframe and connected to transmission via drive shaft. Heavy duty double reduction, outboard planetary gear final reduction. Limited slip differential to provide automatic equalization of wheel spin under conditions of unequal footing.

BRAKES

Sealed wet multiple disc. Brake pedals can be independently operated or locked together. Servo-assisted quick fill brakes. Independent over acuation, parking brake. Transmission shifts to neutral when park brake is activated. 4 wheel braking in 2WD activated by brake pedal.

STEERING

Hydrostatic power, with priority valve.

BACKHOE AND MAINFRAME

Sealed swing post pins and swing cylinder pins, 2" top and bottom Std dipper features sacrificial steel wear strip. Durable steel fenders and fuel tank. SAE maximum dig depth: Std dipper - 14' 7", Extradig dipper - 14' 7" - 18' 6". Two lever, JCB (SAE) backhoe controls. Fabricated stabilizer legs with anti-drift valves and cylinder guards.



U.S. Dollar Price Page

3CX Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

LOADER

Equipped with integrally mounted front end loader using two lift cylinders and two bucket dump cylinders. Parallel lift standard during loader raise and lower functions. Dump height: 9' 0". Bucket return-to-dig standard. Dump reach at full height - 32".

ELECTRICAL SYSTEM

12 volt system with 95 amp alternator. Wiring harness and outside cab connectors meet IP69 standard for protection against ingress of dust, and pressure spray of 4.23 gpm at 1450 psi. Inside cab connectors meet IP67 standard for protection against ingress of dust, and water when submerged. Single, maintenance free battery rated at 900 CCA. Four halogen work lights in front and four separate halogen work lights in the rear. Stop lights, turn signals, and four way hazards standard. Backlit gauges and readouts consisting of a tachometer, fuel gauge, engine coolant temperature gauge, digital hour meter and digital clock. Light and alarm for battery charge condition, coolant temp., coolant level, engine oil pressure, engine oil level, transmission oil pressure, transmission oil temp, air cleaner restriction, water in fuel indicator, windshield washer fluid level and park brake.

OPERATORS ENVIRONMENT

Suspension seat with adjustments for weight, seat angle, and back angle. Armrests and retractable seat belt standard. Two door entry with deluxe trim. Composite sure grip molded floor, tilt steering column, front windshield with 2 speed plus intermittent wiper and washer, interior rear view mirror, pre-wired for beacon, cup holders, storage compartment. Cab includes door ajar stays, 14 adj. vents, operable side windows, one piece rear window with wiper and washer that acts as a shield during inclement weather, heater with defogger vents, and radio pre-wire with speakers in-cabs.

HYDRAULIC SYSTEM

Open center system, triple gear pumps, engine driven, 37.8 gpm. Separate oil reservoir not shared with other systems, externally mounted to mainframe for ground level servicing. Abrasion protection of valve to boom hoses. Hoses have burst pressure of 4 times working pressure. Structural steel pipes to withstand minor impacts.

SERVICABILITY AND MAINTENANCE

Electronic daily check of engine oil and coolant level, air cleaner restriction, water in fuel and windshield washer levels through in cab gauge. Ground level check for transmission oil and brake fluid levels. Ground level top off of engine oil, transmission oil, hydraulic fluid, fuel and engine coolant. Tilt engine hood and lockable front grill. 40 gallon fuel tank. 22 gallon hydraulic tank with 10 micron filter. 500 hour engine oil and filter service interval. 1000 hour transmission oil and 500 hour transmission filter service interval. 2000 hour hydraulic oil and 500 hour hydraulic filter service interval. External Toolbox. Auto Check automatically performs daily maintenance checks on 'key on'.

LIVELINK

Telematics monitored and managed remotely via a PC or Smartphone. Two year subscription. Real time reporting of machine hours, routine maintenance alerts and location. Ability to set machine geo- fences and curfews.



3CX Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s). If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

SALES CODE	ITEM	LIST PRICE
2FPI	3CX-14 Extending dipper, Centermount 74hp T4F, 4WD, manual controls, Standard lift Includes 3 Spool Loader Valve with Float and Reset, Flip-over Feet, Stabilizer Ram Guards, Interior Mirror, Front and Rear Worklights and Battery Isolator.	\$94,996
200AM60	3CX-14 74HP CM 4WD Manual Control Model Pack	\$0
200B7VM	Michelin Power CL 340/80-18 & 440/80-28 Manual + LSD, 4WD/2WS	\$7,247
200CF03	Low Roof Canopy, Vinyl Suspension Seat	\$4,952
200DE12	Low Canopy, LIVELINK	\$0
200EC27	Hammer Pipework	\$3,989
200FB25	3/8 Loader Pipework RTD	\$1,409
200GA7I	English Territory Pack	\$0
LIST PRICE		\$112,593



3CX Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

SALES CODE	PRIMARY BUILD	LIST PRICE
2FP1	3CX-14 Extending dipper, Centermount 74hp T4F, 4WD, manual controls, Standard lift Includes 3 Spool Loader Valve with Float and Reset, Flip-over Feet, Stabilizer Ram Guards, Interior Mirror, Front and Rear Worklights and Battery Isolator.	\$94,996
MODEL PACK		
200AM60	3CX-14 74HP CM 4WD Manual Control Model Pack	\$0
TIRES AND TRANSMISSIONS		
200B7UB	Galaxy Industrial 14-17.5-10 and 19.5L-24-12 Manual + LSD, 4WD/2WS	\$6,690
200B7VB	Galaxy Industrial 12.5-18-10 and 21L-24-10 includes Manual Transmission + LSD, 4WD/2WS	\$6,307
200B7VM	Michelin Power CL 340/80-18 & 440/80-28 Manual + LSD, 4WD/2WS	\$7,247
OPERATORS COMPARTMENT		
200CF03	Low Roof Canopy, Vinyl Suspension Seat	\$4,952
200CF05	Low Roof Cab with A/C, Cloth Suspension seat	\$13,966
CAB/CANOPY ELECTRICS		
200DE12	Low Canopy, LIVELINK	\$0
200DE14	Low Canopy, LIVELINK Keypad Immobilizer	\$2,325
200DE16	Low Cab, LIVELINK,	\$0
200DE20	Low Cab, LIVELINK, Keypad Immobilizer	\$2,526
BACKHOE PIPEWORK		
200EC26	No Auxiliary Pipework	\$0
200EC27	Hammer Pipework	\$3,989
200EC28	Hammer/Bi-Directional Pipework	\$7,119
LOADER PIPEWORK		
200FB23	3 Spool loader valve with RTD, No Loader Pipework	\$0
200FB25	3/8 Loader Pipework RTD	\$1,409
LANGUAGE PACK		
200GA71	English Territory Pack	\$0



3CX Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	BACKHOE QUICK HITCH OPTIONS (MUST ORDER HA AND HD CODES)	LIST PRICE
200HA37	Hydraulic Excavator Quick Hitch with Lifting Kit and 5T Shackle	\$5,949
200HA38	Hydraulic Excavator Quick Hitch (HMR) with Lifting Kit and 5T Shackle	\$5,949
200HA39	Hydraulic Excavator Quick Hitch (HMR) with Lifting Kit and 5T Shackle	\$5,949
200HA50	Mechanical Quick Hitch with 1 Ton Shackle	\$2,874
200HD85	Code Required For Excavator Quickhitches	\$0
LOADER BUCKETS		
200JA78	Direct Mount 6-in-1 Multipurpose Loader Bucket, 92in (2350mm), 1.3yd ³ (1.0m ³). Standard Duty with Bolt on Cutting Edge.	\$8,618
200JA82	Direct Mount General Purpose Loader Bucket, 92in (2350mm), 1.4yd ³ (1.1m ³), Heavy Duty with Bolt on Cutting Edge.	\$3,714
200JA88	Direct Mount General Purpose Loader Bucket 92in (2350mm), 1.4yd ³ (1.1m ³) Heavy Duty with Bolt on Cutting Edge for use with Thumb	\$3,714
BACKHOE BUCKET OPTIONS		
200MA36	Excavator Bucket Pivot Pin Set	\$203
200MA40	300mm (12) STANDARD PROFILE WITH TOE PLATE"	\$1,472
200MA42	Backhoe Bucket - 24in (600mm) Heavy Duty with Toe Plate	\$1,993
200MA48	Backhoe Bucket - 12in (300mm) Heavy Duty 3 Teeth	\$1,472
200MA49	Backhoe Bucket - 18in (450mm) Heavy Duty 4 Teeth	\$1,741
200MA50	Backhoe Bucket - 24in (600mm) Heavy Duty 4 Teeth	\$1,741
200MA51	Backhoe Bucket - 24in (600mm) Heavy Duty 5 Teeth	\$1,960
200MA52	Backhoe Bucket - 30in (750mm) Heavy Duty 5 Teeth	\$2,380
200MA53	Backhoe Bucket - 36in (900mm) Heavy Duty 6 Teeth	\$2,797
ADDITIONAL OPTIONS		
200KA14	6-in-1 Clam Ram Guards	\$370
200PB05	110v Engine Block Heater For Canopy (Standard on Cab builds)	\$156
200RA01	220lb (100kg) Counterweight	\$406
200RA05	750lb (340kg) Counterweight	\$1,253
200RA27	Instrument Vandal Guard	\$160
200RA36	Seat Headrest	\$112
200RA57	Front Fenders	\$605
200RA93	Large Exterior Mirrors	\$440



3CX Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3as needed.

SALES CODE	PRIMARY BUILD	LIST PRICE
2FP3	3CX-14 Extending dipper, Centermount 74hp T4F, 4WD, Easy controls, Standard lift Includes 3 Spool Loader Valve with Float and Reset, Flip-over Feet, Stabilizer Ram Guards, Interior Mirror, Front and Rear Worklights and Battery Isolator.	\$99,449
MODEL PACK		
200AM6I	3CX-14 74HP CM 4WD Easy Control Model Pack	\$0
TIRES AND TRANSMISSIONS		
200B7UB	Galaxy Industrial 14-17.5-10 and 19.5L-24-12 Manual + LSD, 4WD/2WS	\$6,690
200B7VB	Galaxy Industrial 12.5-18-10 and 21L-24-10 includes Manual Transmission + LSD, 4WD/2WS	\$6,307
200B7VM	Michelin Power CL 340/80-18 & 440/80-28 Manual + LSD, 4WD/2WS	\$7,247
OPERATORS COMPARTMENT		
200CF83	Low Roof Canopy, Vinyl Suspension Seat	\$4,267
200CF84	Low Roof Cab with Heater, Cloth Suspension seat	\$7,399
200CF85	Low Roof Cab with A/C, Cloth Suspension seat	\$12,519
CAB/CANOPY ELECTRICS		
200DG60	Low Canopy, LIVELINK	\$0
200DG61	Low Canopy, LIVELINK, Keypad Immobilizer	\$2,325
200DG62	Low Cab, LIVELINK,	\$0
200DG63	Low Cab, LIVELINK, Keypad Immobilizer	\$2,526
BACKHOE PIPEWORK		
200ED1A	No Auxiliary Pipework	\$0
200ED1B	Hammer Pipework	\$4,251
LOADER PIPEWORK		
200FH25	3 Spool loader valve with RTD, No loader Arm Pipework	\$0
200FH26	3/8 Loader Pipework RTD	\$1,500
200FH28	3 Spool loader valve with RTD, Loader Arm Pipework and Smoothride	\$3,346
LANGUAGE PACK		
200GA7I	English Territory Pack	\$0



3CX Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	BACKHOE QUICK HITCH OPTIONS (MUST ORDER HA AND HD CODES)	LIST PRICE
200HA37	Hydraulic Excavator Quick Hitch with Lifting Kit and 5T Shackle	\$5,949
200HA38	Hydraulic Excavator Quick Hitch (HMR) with Lifting Kit and 5T Shackle	\$5,949
200HA39	Hydraulic Excavator Quick Hitch (HMR) with Lifting Kit and 5T Shackle	\$5,949
200HA50	Mechanical Quick Hitch with 1 Ton Shackle	\$2,874
200HD85	Code Required For Excavator Quickhites	\$0
LOADER BUCKETS		
200JA78	Direct Mount 6-in-1 Multipurpose Loader Bucket, 92in (2350mm), 1.3yd3 (1.0m3). Standard Duty with Bolt on Cutting Edge.	\$8,618
200JA82	Direct Mount General Purpose Loader Bucket, 92in (2350mm), 1.4yd3 (1.1m3), Heavy Duty with Bolt on Cutting Edge.	\$3,714
200JA88	Direct Mount General Purpose Loader Bucket 92in (2350mm), 1.4yd3 (1.1m3) Heavy Duty with Bolt on Cutting Edge for use with Thumb	\$3,714
BACKHOE BUCKET OPTIONS		
200MA36	Excavator Bucket Pivot Pin Set	\$203
200MA40	300mm (12) STANDARD PROFILEWITH TOEPLATE"	\$1,472
200MA42	Backhoe Bucket - 24in (600mm) Heavy Duty with Toe Plate	\$1,993
200MA48	Backhoe Bucket - 12in (300mm) Heavy Duty 3 Teeth	\$1,472
200MA49	Backhoe Bucket - 18in (450mm) Heavy Duty 4 Teeth	\$1,741
200MA50	Backhoe Bucket - 24in (600mm) Heavy Duty 4 Teeth	\$1,741
200MA51	Backhoe Bucket - 24in (600mm) Heavy Duty 5 Teeth	\$1,960
200MA52	Backhoe Bucket - 30in (750mm) Heavy Duty 5 Teeth	\$2,380
200MA53	Backhoe Bucket - 36in (900mm) Heavy Duty 6 Teeth	\$2,797
ADDITIONAL OPTIONS		
200PB05	110v Engine Block Heater For Canopy (Standard on Cab builds)	\$156
200RA01	220lb (100kg) Counterweight	\$406
200RA05	750lb (340kg) Counterweight	\$1,253
200RA27	Instrument Vandal Guard	\$160
200RA36	Seat Headrest	\$112
200RA57	Front Fenders	\$605
200RA93	Large Exterior Mirrors	\$440



U.S. Dollar Price Page

3CX-14 Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

SAFETY AND SECURITY

Two post Roll Over Protective Structure (ROPS), Falling Objects Protective Structure (FOPS) and retractable seat belt. Equipped with independent park brake and loader service strut. Rear boom lock activated from operator's compartment; boom swing lock. Vandalism protection with key lock-able hydraulic fill and fuel cap. All locks operate with ignition key. Front and rear horn buttons. Automatic backup alarm.

ENGINE

74 HP turbocharged, water-cooled, 4 cyl, 4.4L direct injection diesel T4F compliant engine with Exhaust Gas Recirculation (EGR). Hand and foot throttle. Selective full flow pressure engine oil lubrication with spin-on filter cartridge. Air to fluid coolers. Separately serviceable radiator, hydraulic and transmission oil coolers. Two stage fuel filtering system utilizing a water/sediment separator and spin-on type filter element. Dual element air filter, dry type with cleanable outer element, replaceable inner element and under hood pre-cleaner.

TRANSMISSION

Separate unit mounted to engine containing torque converter and all transmission components. Pressure lubrication with spin on filter. Electrically operated Fwd / Rev lever on steering column. Manually operated transmission. disconnect on gear shift and loader levers. Manual gear selection with 4 Fwd / 4 Rev speeds.

FRONT AXLE

4WD - Industrial duty JCB Max-Trac torque proportioning, outboard planetary reduction axle, 4WD shift-on-the-go; steering cylinder located behind front axle.

REAR AXLE

Separate, rigidly mounted to mainframe and connected to transmission via drive shaft. Heavy duty double reduction, outboard planetary gear final reduction. Limited slip differential to provide automatic equalization of wheel spin under conditions of unequal footing.

BRAKES

Sealed wet multiple disc. Brake pedals can be independently operated or locked together. Power-assisted hydraulic brakes. Independent over acuation, parking brake. Transmission shifts to neutral when park brake is activated. 4 wheel braking in 2WD activated by switch.

STEERING

Hydrostatic power, with priority valve. Three steering wheel turns (lock to lock). Unbraked turning circle 26'5"



U.S. Dollar Price Page

3CX-14 Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

BACKHOE AND MAINFRAME

Unitized, one piece heavy duty mainframe with integral backhoe. Sealed swing post pins and swing cylinder pins, 2" top and bottom rear frame plates (centermount). Std dipper features sacrificial steel wear strip. Durable steel fenders and fuel tank. SAE maximum dig depth: Std dipper - 14' 7", Extradig dipper - 14' 7" - 18' 6". Two lever, JCB (SAE) backhoe controls. Fabricated stabilizer legs with anti-anti-drift valves and cylinder guards.

LOADER

Equipped with integrally mounted front end loader using two lift cylinders and two bucket dump cylinders. Parallel lift standard during loader raise and lower functions. Dump height: 9' 0". Bucket return-to-dig standard. Dump reach at full height - 32". Auto Smooth Ride System (AutoSRS)

ELECTRICAL SYSTEM

12 volt system with 95 amp alternator. Wiring harness and outside cab connectors meet IP69 standard for protection against ingress of dust, and pressure spray of 4.23 gpm at 1450 psi. Inside cab connectors meet IP67 standard for protection against ingress of dust, and water when submerged. Single, maintenance free battery rated at 900 CCA. Four halogen work lights in front and four separate halogen work lights in the rear. Stop lights, turn signals, and four way hazards standard. Backlit gauges and readouts consisting of a tachometer, fuel gauge, engine coolant temperature gauge, digital hour meter and digital clock. Light and alarm for battery charge condition, coolant temp., engine oil pressure, transmission oil pressure, transmission oil temp, air cleaner restriction, water in fuel indicator, windshield washer fluid level and park brake engaged. Light indicators for hazard flashers on, turn signals, steering mode, and lights on. 12 volt outlet for powered accessories. Common fuses and relays located in an easy access panel. Main circuit breakers at battery positive terminal for added circuit protection. Battery Isolator as standard.



U.S. Dollar Price Page

3CX-14 Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

OPERATORS ENVIRONMENT

Suspension seat with adjustments for weight, seat angle, and back angle. Armrests and retractable seat belt standard. Two door entry with deluxe trim. Composite sure grip molded floor, tilt steering column, front windshield with 2 speed plus intermittent wiper and washer, interior rear view mirror, pre-wired for beacon, cup holders, storage compartment. Cab includes door ajar stays, 14 adj. vents, operable side windows, one piece rear window with wiper and washer that acts as a shield during inclement weather, heater with defogger vents, and radio pre-wire with speakers in-cabs. AutoTHROTTLE returns engine speed to pre-set hand throttle position when work is resumed. AutoDRIVE provides cruise control-type characteristics during roading. AutoSTABILIZERS and AutoBOOMLOCK.

HYDRAULIC SYSTEM

Open center system, variable displacement piston pump, engine driven, 44 gpm at 3650 psi. Separate oil reservoir not shared with other systems, externally mounted to mainframe for ground level servicing. Abrasion protection of valve to boom hoses. Hoses have burst pressure of 4 times working pressure. Structural steel pipes to withstand minor impacts. AutoIDLE reduces engine speed when no hydraulic functions are requested.

SERVICABILITY AND MAINTENANCE

Ground level check for engine and transmission oil, brake fluid, engine coolant, and windshield washer levels. Ground level top off of engine oil, transmission oil, hydraulic fluid, brake fluid, fuel, and engine coolant. Tilt engine hood and lockable front grill. 15 second engine manifold preheat (activated through ignition switch). 42.5 gallon fuel tank. 22 gallon hydraulic tank with 5 micron filter. 500 hour engine oil and filter service interval. 1000 hour transmission oil and 500 hour transmission filter service interval. 2000 hour hydraulic oil and 500 hour hydraulic filter service interval. External Toolbox. AutoCHECK automatically performs daily under hood maintenance checks on 'key on'

LIVELINK

Telematics monitored and managed remotely via a PC or Smartphone. Five year subscription. Real time reporting of machine hours, routine maintenance alerts and location. Ability to set machine geo-fences and curfews for improved security.



U.S. Dollar Price Page

3CX-14 Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select options from Section 3 as needed.

SALES CODE	PRIMARY BUILD	LIST PRICE
2EN6	3CX-14, 4WD, 2WS, 74hp T4 Final, 14ft Centermount backhoe with ExtraDig Extending Dipper. 95A Alternator, Battery Isolator, Livelink and Automate (AutoCheck, Autodidle, AutoDrive and AutoThrottle). Includes Flipover Feet and Telescopic Steering Wheel.	\$101,901
MODEL PACK		
200AM23	3CX-14 74hp CM Model Pack, Advanced Easy Controls	\$0
TIRES AND TRANSMISSIONS		
200B7WB	Galaxy Industrial 14-17.5-10 and 19.5L-24-12 includes Manual Transmission with LSD, 4WD/2WS	\$6,690
200B7WC	Galaxy Industrial 14-17.5-10 and 19.5L-24-12 includes Powershift Transmission with LSD, 4WD/2WS	\$11,165
OPERATORS COMPARTMENT		
200CF28	Canopy, Vinyl Suspension Seat - Low Roof. Not Compatible with LED light or Road light Package.	\$5,208
200CF29	Cab with Heater, Heated Air Suspension Seat - Low Roof. Not Compatible with LED light or Road light Package. Includes 110v Engine Block Heater.	\$14,691
200CF30	Cab with A/C, Heated Air Suspension Seat - Low Roof. Not Compatible with LED light or Road light Package. Includes 110v Engine Block Heater.	\$22,280
ENCLOSURE CONTROLS		
200DE78	Canopy, LIVELINK,	\$0
200DE84	Cab, LIVELINK	\$0
200DE92	Cab, LIVELINK, Keypad Immobilizer	\$2,325



3CX-I4 Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS CONT.

BACKHOE PIPEWORK

200EQ81	No Auxiliary Pipework	\$0
200EQ82	Hammer Pipework for Cab	\$3,989
200EQ83	Hammer/Bi-Directional Pipework for Cab	\$7,119
200EQ84	Hydraulic Thumb (Not For Quick Hitch Use) for Cab	\$15,544
200EQ85	Hydraulic Thumb (For Quick Hitch Use) for Cab	\$15,544
200EY22	Hammer/Bi-Directional Pipework, for Canopy	\$7,119
200EY23	Hydraulic Thumb (Not For Quick Hitch Use) for Canopy	\$15,544
200EY24	Hydraulic Thumb (For Quick Hitch Use) for Canopy	\$15,544

SALES CODE LOADER PIPEWORK LIST PRICE

200FC90	No Loader Pipework. Includes Return To Dig (RTD)	\$0
200FC94	5/8 Loader Pipework. Includes Return To Dig (RTD), 3 Spool Float and Re	\$1,409
200FD03	5/8 Loader Pipework, Return To Dig (RTD) and Auto SRS, 3 Spool Float and Reset	\$1,409
200FD05	5/8 Loader Pipework, Return To Dig (RTD) and Auto SRS, 3 Spool Float and Reset for Bi-Directional Circuit	\$1,409
200FF76	5/8 Loader Pipework, Return To Dig (RTD) Auto SRS, 3 Spool Float and Reset for Hammer Circuit.	\$1,409

LANGUAGE PACK

200GA71	English Territory Pack	\$0
200GA72	Spanish Territory Pack For Use with Thumb includes 750lb Counterweigh	\$0
200GA73	French Territory Pack	\$0
200GA74	French Territory Pack For Use with Thumb	\$0
200GA75	Spanish Territory Pack	\$0
200GA76	Spanish Territory Pack For Use with Thumb	\$0



U.S. Dollar Price Page

3CX-14 Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	BACKHOE QUICK HITCH OPTIONS (MUST ORDER HA AND HD CODES)	LIST PRICE
200HA42	Hydraulic Excavator Quick Hitch with Lifting Kit and 5T Shackle	\$5,949
200HA43	Hydraulic Excavator Quick Hitch (HMR) with Lifting Kit and 5T Shackle	\$5,949
200HA50	Mechanical Quick Hitch with 1 Ton Shackle	\$2,874
200HD85	Code Required For Excavator Quickhtes	\$0
LOADER BUCKETS		
200JA78	Direct Mount 6-in-1 Multipurpose Loader Bucket, 92in (2350mm), 1.3yd3 (1.0m3). Standard Duty with Bolt on Cutting Edge.	\$8,618
200JA82	Direct Mount General Purpose Loader Bucket, 92in (2350mm), 1.4yd3 (1.1m3), Heavy Duty with Bolt on Cutting Edge.	\$3,714
200JA88	Direct Mount General Purpose Loader Bucket 92in (2350mm), 1.4yd3 (1.1m3) Heavy Duty with Bolt on Cutting Edge for use with Thumb	\$3,714
LOADER BUCKET OPTIONS		
200KA10	Q-Fit Mounted Fork Frame and 48in Forks.	\$3,312
200KA14	6-in-1 Clam Ram Guards	\$370



3CX-14 Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS CONT.

BACKHOE BUCKET OPTIONS

200MA36	Excavator Bucket Pivot Pin Set	\$203
200MA42	Backhoe Bucket - 24in (600mm) Heavy Duty with Toe Plate	\$1,993
200MA48	Backhoe Bucket - 12in (300mm) Heavy Duty 3 Teeth	\$1,472
200MA49	Backhoe Bucket - 18in (450mm) Heavy Duty 4 Teeth	\$1,741
200MA50	Backhoe Bucket - 24in (600mm) Heavy Duty 4 Teeth	\$1,741
200MA51	Backhoe Bucket - 24in (600mm) Heavy Duty 5 Teeth	\$1,960
200MA52	Backhoe Bucket - 30in (750mm) Heavy Duty 5 Teeth	\$2,380
200MA53	Backhoe Bucket - 36in (900mm) Heavy Duty 6 Teeth	\$2,797

SALES CODE HAND HELD TOOL CIRCUITS LIST PRICE

200NA25	9M Hose Reel with Hand Held Tool Circuit	\$6,250
200NA26	9M Hose Reel with Hand Held Tool Circuit For Use with Bi-Directional	\$6,250

VEHICLE ELECTRICAL OPTIONS

200PB01	Rotating Amber Beacon	\$264
200PB03	Rear Lights	\$410
200PB05	110v Engine Block Heater For Canopy (Standard on Cab builds)	\$156

ADDITIONAL OPTIONS

200RA05	750lb (340kg) Counterweight	\$1,253
200RA20	Exterior Mirrors (2)	\$248
200RA27	Instrument Vandal Guard	\$160
200RA36	Seat Headrest	\$112
200RA37	Seatbelt (3in)	\$118
200RA57	Front Fenders	\$605
200RA59	Stabilizer Ram Guards - Centermount	\$792
200RA68	AEC Canopy Adjustments	\$0



2023

**JCB Backhoe Loaders
3CX-14 Super
Centermount**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: January 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

3CX-14 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

SAFETY AND SECURITY

Two post Roll Over Protective Structure (ROPS), Falling Objects Protective Structure (FOPS) and retractable seat belt. Equipped with independent park brake and loader service strut. Rear boom lock activated from operator's compartment; boom swing lock. Vandalism protection with key lock-able hydraulic fill and fuel cap. All locks with the exception of the Diesel Exhaust Fluid (DEF) tank operate with ignition key. Front and rear horn buttons. Automatic backup alarm.

ENGINE

109 HP turbocharged, water-cooled, 4 cyl, direct injection diesel T4F compliant engine with Selective Catalytic Reduction (SCR) and 5 gallon DEF tank. Hand and foot throttle. Selective full flow pressure engine oil lubrication with spin-on filter cartridge. Air to fluid coolers. Separately serviceable radiator, hydraulic and transmission oil coolers. Two stage fuel filtering system utilizing a water/sediment separator and spin-on type filter element. Dual element air filter, dry type with cleanable outer element, replaceable inner element and under hood pre-cleaner.

TRANSMISSION

Separate unit mounted to engine containing torque converter and all transmission components. Pressure lubrication with spin on filter. Electrically operated Fwd / Rev lever on steering column. Electrically operated transmission disconnect on gear shift and loader levers. Powershift gear selection with 4 Fwd / 4 Rev speeds.

FRONT AXLE

4WD - Industrial duty JCB Max-Trac torque proportioning, outboard planetary reduction axle, 4WD shift-on-the-go; steering cylinder located behind front axle.

REAR AXLE

Separate, rigidly mounted to mainframe and connected to transmission via drive shaft. Heavy duty double reduction, outboard planetary gear final reduction. Limited slip differential to provide automatic equalization of wheel spin under conditions of unequal footing.

BRAKES

Sealed wet multiple disc. Brake pedals can be independently operated or locked together. Power-assisted hydraulic brakes. Independent over acuation, parking brake. Transmission shifts to neutral when park brake is activated. 4 wheel braking in 2WD activated by switch.

STEERING

Hydrostatic power, with priority valve. Three steering wheel turns (lock to lock). Unbraked turning circle 26'5"



U.S. Dollar Price Page

3CX-14 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

BACKHOE AND MAINFRAME

Unitized, one piece heavy duty mainframe with integral backhoe. Sealed swing post pins and swing cylinder pins, 2" top and bottom rear frame plates (centermount). Fabricated boom and dipper. SAE maximum dig depth: Extradig dipper - 14' 7" - 18' 6". EasyControl backhoe controls. Fabricated stabilizer legs with anti-drift valves. 11,000 lb. lifting hook as standard.

LOADER

Equipped with integrally mounted front end loader using two lift cylinders and two bucket dump cylinders. Parallel lift standard during loader raise and lower functions. Dump height: 9' 0". Bucket return-to-dig and third spool loader valve standard. Dump reach at full height - 32". Auto Smooth Ride System (AutoSRS). Front bumper protection fitted as standard as standard.

ELECTRICAL SYSTEM

12 volt system with 150 amp alternator. Wiring harness and outside cab connectors meet IP69 standard for protection against ingress of dust, and pressure spray of 4.23 gpm at 1450 psi. Inside cab connectors meet IP67 standard for protection against ingress of dust, and water when submerged. Single, maintenance free battery rated at 900 CCA. Four halogen work lights in front and four separate halogen work lights in the rear. Stop lights, turn signals, and four way hazards standard. Backlit gauges and readouts consisting of a tachometer, fuel gauge, engine coolant temperature gauge, digital hour meter and digital clock. Light and alarm for battery charge condition, coolant temp., engine oil transmission oil temp., transmission oil pressure, air cleaner restriction, water in fuel indicator, and park brake engaged. Light indicators for flashers on, turn signals, steering mode, and lights on. 12 volt outlet for powered accessories. Common fuses and relays located in an easy access panel. Main circuit breakers at battery positive terminal for added circuit protection. Battery Isolator as standard.



U.S. Dollar Price Page

3CX-14 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

OPERATORS ENVIRONMENT

Suspension seat with adjustments for weight, seat angle, and back angle. Armrests and retractable seat belt standard. Two door entry with deluxe trim. Composite sure grip molded floor, tilt steering column, front windshield with 2 speed plus intermittent wiper and washer, interior rear view mirror, pre-wired for beacon, cup holders, storage compartment. Cab includes door ajar stays, 14 adj. vents, operable side windows, one piece rear window with wiper and washer that acts as a shield during inclement weather, heater with defogger vents, and radio pre-wire with speakers in-cabs. AutoTHROTTLE returns engine speed to pre-set hand throttle position when work is resumed. AutoDRIVE provides cruise control-type characteristics during roading.

HYDRAULIC SYSTEM

Open center system, variable displacement piston pump, engine driven, 44 gpm at 3650 psi. Separate oil reservoir not shared with other systems, externally mounted to mainframe for ground level servicing. Abrasion protection of valve to boom hoses. Hoses have burst pressure of 4 times working pressure. Structural steel pipes to withstand minor impacts. AutoIDLE reduces engine speed when no hydraulic functions are requested.

SERVICABILITY AND MAINTENANCE

Ground level check for engine and transmission oil, brake fluid, engine coolant, and windshield washer levels. Ground level top off of engine oil, transmission oil, hydraulic fluid, brake fluid, fuel, and engine coolant. Tilt engine hood and lockable front grill. 15 second engine manifold preheat (activated through ignition switch). 40 gallon fuel tank. 22 gallon hydraulic tank with 5 micron filter. 500 hour engine oil and filter service interval. 1000 hour transmission oil and 500 hour transmission filter service interval. 2000 hour hydraulic oil and 500 hour hydraulic filter service interval. External Toolbox. AutoCHECK automatically performs daily under hood maintenance checks on 'key on'.

LIVELINK

Telematics monitored and managed remotely via a PC or Smartphone. Five year subscription. Real time reporting of machine hours, routine maintenance alerts and location. Ability to set machine geo-fences and curfews for improved security.



3CX-14 Super Centermount Backhoe Loader



Canadian. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select options from Section 3 as needed.

SALES CODE	PRIMARY BUILD	LIST PRICE
2EP9	3CX-14 SUPER, 4WD, 2WS, 109hp T4F, 14ft Centermount Backhoe with ExtraDig Extending Dipper. 150A Alternator, 400lbs Counterweight. Includes 2 Spool Loader Valve, Flipover Feet, Interior Mirror, Front and Rear Worklights, Battery Isolator, Toolbox and Automate (AutoCheck, Autodle, AutoDrive and AutoThrottle) and Telescopic Steering Wheel.	\$124,007
MODEL PACK		
200AM25	3CX-14 Super 109hp CM Model Pack, Advanced Easy Controls	\$0
200B6RF	Michelin XMCL 340/80-18 and 440/80-28 includes Powershift Transmission with LSD and TorqueLock, 4WD/2WS	\$14,872
200B6RJ	Michelin XMCL 340/80-18 and 440/80-28 includes Autoshift Transmission with LSD and TorqueLock, 4WD/2WS	\$17,345
200B9YF	Galaxy Industrial 14-17.5-10 and 19.5L-24-12 includes Powershift Transmission with LSD and TorqueLock, 4WD/2WS	\$12,402
200B9YJ	Galaxy Industrial 14-17.5-10 and 19.5L-24-12 includes Autoshift Transmission with LSD and TorqueLock, 4WD/2WS	\$14,872
200B9ZF	Galaxy Industrial 12.5-18-10 and 21L-24-10 includes Powershift Transmission with LSD and TorqueLock, 4WD/2WS	\$10,547
200B9ZJ	Galaxy Industrial 12.5-18-10 and 21L-24-10 includes Autoshift Transmission with LSD and TorqueLock, 4WD/2WS	\$13,020
OPERATORS ENVIRONMENT		
200CF34	Canopy, Vinyl Suspension Seat	\$5,208
200CF35	Cab with Heater, Heated Air Suspension Seat. Includes 110v Engine Block Heater.	\$14,691
200CF36	Cab with A/C, Heated Air Suspension Seat. Includes 110v Engine Block Heater.	\$22,280
ENCLOSURE CONTROLS		
200DE60	Canopy, LIVELINK	\$0
200DE66	Cab, LIVELINK	\$0
200DE74	Cab, LIVELINK, Keypad Immobilizer	\$2,325
200DE76	Cab, LIVELINK, Keypad Immobilizer, Heated Screen	\$3,668



3CX-14 Super Side-Shift Backhoe Loader



Canadian. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS CONT.

SALES CODE	BACKHOE PIPEWORK	LIST PRICE
200EQ76	No Auxiliary Pipework	\$0
200EQ77	Hammer Pipework	\$3,989
200EQ78	Hammer/Bi-Directional Pipework	\$7,119
200EQ79	Hydraulic Thumb (Not For Quick Hitch Use)	\$15,544
200EQ80	Hydraulic Thumb (For Quick Hitch Use)	\$15,544
200EY19	Hammer/Bi-Directional Pipework, for Canopy	\$7,119
200EY20	Hydraulic Thumb (Not For Quick Hitch Use) for Canopy	\$15,544
200EY21	Hydraulic Thumb (For Quick Hitch Use) for Canopy	\$15,544
LOADER PIPEWORK		
200FE07	No Loader Pipework. Includes Return To Dig (RTD) and Auto SRS	\$0
200FE08	5/8 Loader Pipework, Return To Dig (RTD) Auto SRS, 3 Spool Float and Reset	\$1,409
200FE09	5/8 Loader Pipework RTD & Auto SRS For Bi-Directional	\$1,409
200FF77	5/8 Loader Pipework, Return To Dig (RTD) Auto SRS, 3 Spool Float and Reset for Hammer Circuit.	\$1,409
LANGUAGE PACK		
200GA29	English Territory Pack	\$0
200GA36	English Territory Pack For Use with Thumb	\$0
200GA43	French Territory Pack	\$0
200GA50	French Territory Pack For Use with Thumb	\$0
200GA57	Spanish Territory Pack	\$0
200GA64	Spanish Territory Pack For Use with Thumb	\$0



3CX-14 Super Centermount Backhoe Loader



Canadian. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations as indicated.

SALES CODE	BACKHOE QUICK HITCH OPTIONS (MUST ORDER HA AND HD CODES)	LIST PRICE
200HA50	Mechanical Quick Hitch with 1 Ton Shackle	\$2,874
200HA92	Hydraulic Excavator Quick Hitch with Lifting Kit and 5T Shackle	\$5,949
200HA93	Hydraulic Excavator Quick Hitch (HMR/BI-DI) with Lifting Kit and 5T	\$5,949
200HD85	Code Required For Excavator Quickhtes	\$0
LOADER BUCKETS		
200JA78	Direct Mount 6-in-1 Multipurpose Loader Bucket, 92in (2350mm), 1.3yd3 (1.0m3). Standard Duty with Bolt on Cutting Edge.	\$8,618
200JA80	Direct Mount 6-in-1 Multipurpose Loader Bucket, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$9,806
200JA82	Direct Mount General Purpose Loader Bucket, 92in (2350mm), 1.4yd3 (1.1m3), Heavy Duty with Bolt on Cutting Edge.	\$3,714
200JA85	Q-Fit Hitch and General Purpose Loader Bucket: Includes Q-Fit Toolcarrier + 92in (2350mm), 1.4yd3 (1.1m3) Standard Duty with Bolt on Cutting Edge	\$7,788
200JA86	Q-Fit General Purpose Loader Bucket: Includes Q-Fit Toolcarrier, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$8,592
200JA87	Q-Fit 6-in-1 Multipurpose Loader Bucket: Includes Q-Fit Toolcarrier, 92in (2350mm), 1.3yd3 (1.0m3) Standard Duty with Bolt on Cutting Edge.	\$12,686
200JA88	Direct Mount General Purpose Loader Bucket 92in (2350mm), 1.4yd3 (1.1m3) Heavy Duty with Bolt on Cutting Edge for use with Thumb	\$3,714
200JA99	Q-Fit Tool Carrier Quick Hitch	\$4,506
LOADER BUCKET OPTIONS		
200KA10	Q-Fit Mounted Fork Frame and 48in Forks.	\$3,312
200KA14	6-in-1 Clam Ram Guards	\$370



3CX-14 Super Centermount Backhoe Loader



Canadian. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS CONT.

SALES CODE	BACKHOE BUCKET OPTIONS	LIST PRICE
200MA36	Excavator Bucket Pivot Pin Set	\$203
200MA42	Backhoe Bucket - 24in (600mm) Heavy Duty with Toe Plate	\$1,993
200MA48	Backhoe Bucket - 12in (300mm) Heavy Duty 3 Teeth	\$1,472
200MA49	Backhoe Bucket - 18in (450mm) Heavy Duty 4 Teeth	\$1,741
200MA50	Backhoe Bucket - 24in (600mm) Heavy Duty 4 Teeth	\$1,741
200MA51	Backhoe Bucket - 24in (600mm) Heavy Duty 5 Teeth	\$1,960
200MA52	Backhoe Bucket - 30in (750mm) Heavy Duty 5 Teeth	\$2,380
200MA53	Backhoe Bucket - 36in (900mm) Heavy Duty 6 Teeth	\$2,797
HAND HELD TOOL CIRCUITS		
200NA09	Hand Held Tool Circuit	\$2,676
200NA10	Hand Held Tool Circuit For Use with Bi-Directional	\$2,676
200NA25	9M Hose Reel with Hand Held Tool Circuit	\$6,250
200NA26	9M Hose Reel with Hand Held Tool Circuit For Use with Bi-Directional	\$6,250
VEHICLE ELECTRICAL OPTIONS		
200PB01	Rotating Amber Beacon	\$264
200PB05	110v Engine Block Heater For Canopy (Standard on Cab builds)	\$156
200PB18	Headlights (RHD) USA	\$358
ADDITIONAL OPTIONS		
200RA05	750lb (340kg) Counterweight	\$1,253
200RA06	Auto PRE-HEAT	\$1,305
200RA20	Exterior Mirrors (2)	\$248
200RA27	Instrument Vandal Guard	\$160
200RA36	Seat Headrest	\$112
200RA37	Seatbelt (3in)	\$118
200RA56	Flipover Stabilizer Feet - Centermount	\$610
200RA57	Front Fenders	\$605
200RA66	Fuel Tank Guard	\$673
200RA68	AEC Canopy Adjustments	\$0
200RA77	LED Worklights	\$1,482



2023

**JCB Backhoe Loaders
3CX-15 Super
Centermount**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: January 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

3CX-15 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

SAFETY AND SECURITY

Two post Roll Over Protective Structure (ROPS), Falling Objects Protective Structure (FOPS) and retractable seat belt. Equipped with independent park brake and loader service strut. Rear boom lock activated from operator's compartment; boom swing lock. Vandalism protection with key lock-able hydraulic fill and fuel cap. All locks with the exception of the Diesel Exhaust Fluid (DEF) tank operate with ignition key. Front and rear horn buttons. Automatic backup alarm.

ENGINE

109 HP turbocharged, water-cooled, 4 cyl, direct injection diesel. T4F compliant engine with Selective Catalytic Reduction (SCR) and 5 gallon DEF tank. Hand and foot throttle. Selective full flow pressure engine oil lubrication with spin-on filter cartridge. Air to fluid coolers. Separately serviceable radiator, hydraulic and transmission oil coolers. Two stage fuel filtering system utilizing a water/sediment separator and spin-on type filter element. Dual element air filter, dry type with cleanable outer element, replaceable inner element and under hood pre-cleaner.

TRANSMISSION

Separate unit mounted to engine containing torque converter and all transmission components. Pressure lubrication with spin on filter. Electrically operated Fwd / Rev lever on steering column. Electrically operated transmission disconnect on gear shift and loader levers. Powershift gear selection with 4 Fwd / 4 Rev speeds.

FRONT AXLE

4WD - Industrial duty JCB Max-Trac torque proportioning, outboard planetary reduction axle, 4WD shift-on-the-go; steering cylinder located behind front axle.

REAR AXLE

Separate, rigidly mounted to mainframe and connected to transmission via drive shaft. Heavy duty double reduction, outboard planetary gear final reduction. Limited slip differential to provide automatic equalization of wheel spin under conditions of unequal footing.

BRAKES

Sealed wet multiple disc. Brake pedals can be independently operated or locked together. Power-assisted hydraulic brakes. Independent over acuation, parking brake. Transmission shifts to neutral when park brake is activated. 4 wheel braking in 2 wheel drive activated by switch.



U.S. Dollar Price Page

3CX-15 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

STEERING

Hydrostatic power, with priority valve. Three steering wheel turns (lock to lock). Unbraked turning circle 26' 5"

BACKHOE AND MAINFRAME

Unitized, one piece heavy duty mainframe with integral backhoe. Sealed swing post pins and swing cylinder pins, 2" top and bottom rear frame plates (centermount). Fabricated boom and dipper. SAE maximum dig depth: Extradig dipper - 16' 3" - 20' 1". EasyControl backhoe controls. Fabricated stabilizer legs with anti-drift valves. 11,000 lb. lifting hook as standard.

LOADER

Equipped with integrally mounted front end loader using two lift cylinders and two bucket dump cylinders. Parallel lift standard during loader raise and lower functions. Dump height: 9' 0". Bucket return-to-dig and third spool loader valve standard. Dump reach at full height - 32". Auto Smooth Ride System (AutoSRS). Front bumper protection fitted as standard.

ELECTRICAL SYSTEM

12 volt system with 150 amp alternator. Wiring harness and outside cab connectors meet IP69 standard for protection against ingress of dust, and pressure spray of 4.23 gpm at 1450 psi. Inside cab connectors meet IP67 standard for protection against ingress of dust, and water when submerged. Single, maintenance free battery rated at 900 CCA. Four halogen work lights in front and four separate halogen work lights in the rear. Stop lights, turn signals, and four way hazards standard. Backlit gauges and readouts consisting of a tachometer, fuel gauge, engine coolant temperature gauge, digital hour meter and digital clock. Light and alarm for battery charge condition, coolant temp., engine oil pressure, transmission oil temp., transmission oil pressure, air cleaner restriction, water in fuel indicator, and park brake engaged. Light indicators for hazard flashers on, turn signals, steering mode, and lights on. 12 volt outlet for powered accessories. Common fuses and relays located in an easy access panel. Main circuit breakers at battery positive terminal for added circuit protection. Battery Isolator as standard.



U.S. Dollar Price Page

3CX-15 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

OPERATORS ENVIRONMENT

Suspension seat with adjustments for weight, seat angle, and back angle. Armrests and retractable seat belt standard. Two door entry with deluxe trim. Composite sure grip molded floor, tilt steering column, front windshield with 2 speed plus intermittent wiper and washer, interior rear view mirror, pre-wired for beacon, cup holders, storage compartment. Cab includes door ajar stays, 14 adj. vents, operable side windows, one piece rear window with wiper and washer that acts as a shield during inclement weather, heater with defogger vents, and radio pre-wire with speakers in-cabs. AutoTHROTTLE returns engine speed to pre-set hand throttle position when work is resumed. AutoDRIVE provides cruise control-type characteristics during roading.

HYDRAULIC SYSTEM

Open center system, variable displacement piston pump, engine driven, 44 gpm at 3650 psi. Separate oil reservoir not shared with other systems, externally mounted to mainframe for ground level servicing. Abrasion protection of valve to boom hoses. Hoses have burst pressure of 4 times working pressure. Structural steel pipes to withstand minor impacts. AutoIDLE reduces engine speed when no hydraulic functions are requested.

SERVICABILITY AND MAINTENANCE

Ground level check for engine and transmission oil, brake fluid, engine coolant, and windshield washer levels. Ground level top off of engine oil, transmission oil, hydraulic fluid, brake fluid, fuel, and engine coolant. Tilt engine hood and lockable front grill. 15 second engine manifold preheat (activated through ignition switch). 40 gallon fuel tank. 20 gallon hydraulic tank with 5 micron filter. 500 hour engine oil and filter service interval. 1000 hour DEF interval. 1000 hour transmission oil and 500 hour transmission filter service interval. 2000 hour hydraulic oil and 500 hour hydraulic filter service interval. External Toolbox. AutoCHECK automatically performs daily under hood maintenance checks on 'key on'.

LIVELINK

Telematics monitored and managed remotely via a PC or Smartphone. Five year subscription. Real time reporting of machine hours, routine maintenance alerts and location. Ability to set machine geo-fences and curfews for improved security.



U.S. Dollar Price Page

3CX-15 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s). If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

SALES CODE	3CX-15 SUPER CAB	LIST PRICE
2EQ7	3CX-15 SUPER, 4WD, 2WS, 109hp T4F, 15ft Centermount Backhoe with ExtraDig Extending Dipper. 150A Alternator, 750lbs Counterweight. Includes 2 Spool Loader Valve, Flipover Feet, Interior Mirror, Front and Rear Worklights, Battery Isolator, Toolbox and Automate (AutoCheck, Autoldle, AutoDrive and AutoThrottle) and Telescopic Steering Wheel.	\$117,100
200AM26	3CX-15 Super 109hp CM Model Pack, Advanced Easy Controls	\$0
200B7WK	Galaxy Industrial 14-17.5-10 and 19.5L-24-12 includes Powershift Transmission with LSD and TorqueLock, 4WD/2WS	\$12,402
200CF36	Cab with A/C, Heated Air Suspension Seat. Includes 110v Engine Block Heater.	\$22,280
200DE66	Cab, LIVELINK	\$0
200EQ98	Hammer/Bi-Directional Pipework	\$7,119
200FE09	5/8 Loader Pipework RTD & Auto SRS For Bi-Directional	\$1,409
200GA30	English Territory Pack	\$0
200LA12	15ft/109hp Price Equalization	\$0
200PB18	Headlights (RHD) USA	\$358
200RA20	Exterior Mirrors (2)	\$248
200RA37	Seatbelt (3in)	\$118
LIST PRICE		\$161,034



U.S. Dollar Price Page

3CX-15 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed. JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
2EQ7	3CX-15 SUPER, 4WD, 2WS, 109hp T4F, 15ft Centermount Backhoe with ExtraDig Extending Dipper. 150A Alternator, 750lbs Counterweight. Includes 2 Spool Loader Valve, Flipover Feet, Interior Mirror, Front and Rear Worklights, Battery Isolator, Toolbox and Automate (AutoCheck, Autoldle, AutoDrive and AutoThrottle) and Telescopic Steering Wheel.	\$117,100
MODEL PACK		
200AM07	3CX-15 Super 109hp CM 4WD Model Pack, Manual Controls	\$0
TIRES AND TRANSMISSIONS		
200B6QF	Michelin XMCL 340/80-18 and 440/80-28 includes Powershift	\$14,872
200B6QJ	Michelin XMCL 340/80-18 and 440/80-28 includes Autoshift	\$17,345
200B7VJ	Galaxy Industrial 12.5-18-10 and 21L-24-10 includes Autoshift	\$13,020
200B9WF	Galaxy Industrial 14-17.5-10 and 19.5L-24-12 includes Powershift	\$12,402
200B9WJ	Galaxy Industrial 14-17.5-10 and 19.5L-24-12 includes Autoshift	\$14,872
200B9XF	Galaxy Industrial 12.5-18-10 and 21L-24-10 includes Powershift	\$10,547
200B9XJ	Galaxy Industrial 12.5-18-10 and 21L-24-10 includes Autoshift	\$13,020
OPERATORS ENVIRONMENT		
200CF09	Canopy, Vinyl Suspension Seat	\$5,208
200CF10	Cab with Heater, Cloth Suspension Seat. Includes 110v Engine Block Heater.	\$14,691
200CF11	Cab with A/C, Cloth Suspension Seat. Includes 110v Engine Block Heater.	\$20,906
ENCLOSURE CONTROLS		
200DE24	Canopy, LIVELINK	\$0
200DE30	Cab, LIVELINK	\$0



U.S. Dollar Price Page

3CX-15 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS CONT.

SALES CODE	BACKHOE PIPEWORK	LIST PRICE
200EC12	No Auxiliary Pipework	\$0
200EC14	Hammer/Bi-Directional Pipework	\$7,119
200EC15	Hydraulic Thumb (For Quick Hitch Use)	\$15,544
200EC16	Hydraulic Thumb (Not For Quick Hitch Use)	\$15,544
LOADER PIPEWORK		
200FD83	No Loader Pipework Return To Dig (RTD) and Auto SRS	\$0
200FD85	5/8 Loader Pipework, Return To Dig (RTD) and Auto SRS, 3 Spool Float, Reset and Detent	\$1,409
200FD93	5/8 Loader Pipework, Return To Dig Auto SRS, 3 Spool, Float, Reset and Detent for BI-DI.	\$1,409
LANGUAGE PACK		
200GA30	English Territory Pack	\$0
200GA44	French Territory Pack	\$0



U.S. Dollar Price Page

3CX-15 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	BACKHOE QUICK HITCH OPTIONS (MUST ORDER HA AND HD CODES)	LIST PRICE
200HA50	Mechanical Quick Hitch with 1 Ton Shackle	\$2,874
200HA90	Hydraulic Excavator Quick Hitch with Lifting Kit and 5T Shackle	\$5,949
200HA91	Hydraulic Excavator Quick Hitch (HMR/BI-DI) with Lifting Kit and 5T Shackle	\$5,949
200HD85	Code Required For Excavator Quickhtes	\$0
LOADER BUCKETS		
200JA78	Direct Mount 6-in-1 Multipurpose Loader Bucket, 92in (2350mm), 1.3yd3 (1.0m3). Standard Duty with Bolt on Cutting Edge.	\$8,618
200JA80	Direct Mount 6-in-1 Multipurpose Loader Bucket, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$9,806
200JA82	Direct Mount General Purpose Loader Bucket, 92in (2350mm), 1.4yd3 (1.1m3), Heavy Duty with Bolt on Cutting Edge.	\$3,714
200JA85	Q-Fit Hitch and General Purpose Loader Bucket: Includes Q-Fit Toolcarrier + 92in (2350mm), 1.4yd3 (1.1m3) Standard Duty with Bolt on Cutting Edge	\$7,788
200JA86	Q-Fit General Purpose Loader Bucket: Includes Q-Fit Toolcarrier, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$8,592
200JA87	Q-Fit 6-in-1 Multipurpose Loader Bucket: Includes Q-Fit Toolcarrier, 92in (2350mm), 1.3yd3 (1.0m3) Standard Duty with Bolt on Cutting Edge.	\$12,686
200JA88	Direct Mount General Purpose Loader Bucket 92in (2350mm), 1.4yd3 (1.1m3) Heavy Duty with Bolt on Cutting Edge for use with Thumb	\$3,714
200JA99	Q-Fit Tool Carrier Quick Hitch	\$4,506
LOADER BUCKET OPTIONS		
200KA10	Q-Fit Mounted Fork Frame and 48in Forks.	\$3,312
200KA14	6-in-1 Clam Ram Guards	\$370
DISCOUNTS		
200LA12	15ft/109hp Price Equalization	\$0



3CX-15 Super Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS CONT.

SALES CODE	BACKHOE BUCKET OPTIONS	LIST PRICE
200MA36	Excavator Bucket Pivot Pin Set	\$203
200MA48	Backhoe Bucket - 12in (300mm) Heavy Duty 3 Teeth	\$1,472
200MA49	Backhoe Bucket - 18in (450mm) Heavy Duty 4 Teeth	\$1,741
200MA50	Backhoe Bucket - 24in (600mm) Heavy Duty 4 Teeth	\$1,741
200MA51	Backhoe Bucket - 24in (600mm) Heavy Duty 5 Teeth	\$1,960
200MA52	Backhoe Bucket - 30in (750mm) Heavy Duty 5 Teeth	\$2,380
200MA53	Backhoe Bucket - 36in (900mm) Heavy Duty 6 Teeth	\$2,797
HAND HELD TOOL CIRCUITS		
200NA11	Hand Held Tool Circuit	\$2,676
200NA27	9M Hose Reel with Hand Held Tool Circuit	\$6,250
200NA29	9M Hose Reel with Hand Held Tool Circuit For Use with Bi-Directional	\$6,250
VEHICLE ELECTRICAL OPTIONS		
200PB01	Rotating Amber Beacon	\$264
200PB03	Rear Lights	\$410
200PB05	110v Engine Block Heater For Canopy (Standard on Cab builds)	\$156
200PB18	Headlights (RHD) USA	\$358
ADDITIONAL OPTIONS		
200RA06	Auto PRE-HEAT	\$1,305
200RA20	Exterior Mirrors (2)	\$248
200RA27	Instrument Vandal Guard	\$160
200RA36	Seat Headrest	\$112
200RA37	Seatbelt (3in)	\$118
200RA57	Front Fenders	\$605
200RA59	Stabilizer Ram Guards - Centermount	\$792
200RA66	Fuel Tank Guard	\$673
200RA77	LED Worklights	\$1,482



U.S. Dollar Price Page

3CX-15 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
2EH5	3CX-15 SUPER, 4WD, 2WS, 109hp T4F, 15ft Centermount Backhoe with ExtraDig Extending Dipper. 150A Alternator, 750lbs Counterweight. Includes 2 Spool Loader Valve, Flipover Feet, Interior Mirror, Front and Rear Worklights, Battery Isolator, Toolbox and Automate (AutoCheck, Autoldle, AutoDrive and AutoThrottle).	\$110,192
MODEL PACK		
200AM07	3CX-15 Super 109hp CM 4WD Model Pack, Manual Controls	\$0
TIRES AND TRANSMISSIONS		
200B6QF	Michelin XMCL 340/80-18 and 440/80-28 includes Powershift Transmission with LSD and TorqueLock, 4WD/2WS	\$14,872
200B6QJ	Michelin XMCL 340/80-18 and 440/80-28 includes Autoshift Transmission with LSD and TorqueLock, 4WD/2WS	\$17,345
200B7VJ	Galaxy Industrial 12.5-18-10 and 21L-24-10 includes Autoshift Transmission with LSD and TorqueLock, 4WD/2WS	\$13,020
200B9WF	Galaxy Industrial 14-17.5-10 and 19.5L-24-12 includes Powershift Transmission with LSD and TorqueLock, 4WD/2WS	\$12,402
200B9WJ	Galaxy Industrial 14-17.5-10 and 19.5L-24-12 includes Autoshift Transmission with LSD and TorqueLock, 4WD/2WS	\$14,872
200B9XF	Galaxy Industrial 12.5-18-10 and 21L-24-10 includes Powershift Transmission with LSD and TorqueLock, 4WD/2WS	\$10,547
200B9XJ	Galaxy Industrial 12.5-18-10 and 21L-24-10 includes Autoshift Transmission with LSD and TorqueLock, 4WD/2WS	\$13,020
OPERATORS ENVIRONMENT		
200CF09	Canopy, Vinyl Suspension Seat	\$5,208
200CF10	Cab with Heater, Cloth Suspension Seat. Includes 110v Engine Block Heater.	\$14,691
200CF11	Cab with A/C, Cloth Suspension Seat. Includes 110v Engine Block Heater.	\$20,906



3CX-15 Super Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS CONT.

SALES CODE	ENCLOSURE CONTROLS	LIST PRICE
200DE24	Canopy, LIVELINK	\$0
200DE30	Cab, LIVELINK	\$0
BACKHOE PIPEWORK		
200EC12	No Auxiliary Pipework	\$0
200EC14	Hammer/Bi-Directional Pipework	\$7,119
200EC15	Hydraulic Thumb (For Quick Hitch Use)	\$15,544
200EC16	Hydraulic Thumb (Not For Quick Hitch Use)	\$15,544
LOADER PIPEWORK		
200FD83	No Loader Pipework Return To Dig (RTD) and Auto SRS	\$0
200FD85	5/8 Loader Pipework, Return To Dig (RTD) and Auto SRS, 3 Spool Float, Reset and Detent	\$1,409
200FD93	5/8 Loader Pipework, Return To Dig Auto SRS, 3 Spool, Float, Reset and Detent for BI-DI.	\$1,409
LANGUAGE PACK		
200GA30	English Territory Pack	\$0
200GA44	French Territory Pack	\$0



3CX-15 Super Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	BACKHOE QUICK HITCH OPTIONS (MUST ORDER HA AND HD CODES)	LIST PRICE
200HA50	Mechanical Quick Hitch with 1 Ton Shackle	\$2,874
200HA87	Hydraulic Excavator Quick Hitch with Lifting Kit and 5T Shackle	\$5,949
200HA88	Hydraulic Excavator Quick Hitch (HMR) with Lifting Kit and 5T Shackle	\$5,949
200HA89	Hydraulic Excavator Quick Hitch (BI-DI) with Lifting Kit and 5T Shackle	\$5,949
200HD85	Code Required For Excavator Quickhites	\$0
LOADER BUCKETS		
200JA78	Direct Mount 6-in-1 Multipurpose Loader Bucket, 92in (2350mm), 1.3yd3 (1.0m3). Standard Duty with Bolt on Cutting Edge.	\$8,618
200JA80	Direct Mount 6-in-1 Multipurpose Loader Bucket, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$9,806
200JA82	Direct Mount General Purpose Loader Bucket, 92in (2350mm), 1.4yd3 (1.1m3), Heavy Duty with Bolt on Cutting Edge.	\$3,714
200JA85	Q-Fit Hitch and General Purpose Loader Bucket: Includes Q-Fit Toolcarrier + 92in (2350mm), 1.4yd3 (1.1m3) Standard Duty with Bolt on Cutting Edge	\$7,788
200JA86	Q-Fit General Purpose Loader Bucket: Includes Q-Fit Toolcarrier, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$8,592
200JA87	Q-Fit 6-in-1 Multipurpose Loader Bucket: Includes Q-Fit Toolcarrier, 92in (2350mm), 1.3yd3 (1.0m3) Standard Duty with Bolt on Cutting Edge.	\$12,686
200JA88	Direct Mount General Purpose Loader Bucket 92in (2350mm), 1.4yd3 (1.1m3) Heavy Duty with Bolt on Cutting Edge for use with Thumb	\$3,714
200JA99	Q-Fit Tool Carrier Quick Hitch	\$4,506
LOADER BUCKET OPTIONS		
200KA10	Q-Fit Mounted Fork Frame and 48in Forks.	\$3,312
200KA14	6-in-1 Clam Ram Guards	\$370
DISCOUNTS		
200LA12	15ft/109hp Price Equalization	\$0



3CX-15 Super Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS CONT.

SALES CODE	BACKHOE BUCKET OPTIONS	LIST PRICE
200MA36	Excavator Bucket Pivot Pin Set	\$203
200MA42	Backhoe Bucket - 24in (600mm) Heavy Duty with Toe Plate	\$1,993
200MA48	Backhoe Bucket - 12in (300mm) Heavy Duty 3 Teeth	\$1,472
200MA49	Backhoe Bucket - 18in (450mm) Heavy Duty 4 Teeth	\$1,741
200MA50	Backhoe Bucket - 24in (600mm) Heavy Duty 4 Teeth	\$1,741
200MA51	Backhoe Bucket - 24in (600mm) Heavy Duty 5 Teeth	\$1,960
200MA52	Backhoe Bucket - 30in (750mm) Heavy Duty 5 Teeth	\$2,380
200MA53	Backhoe Bucket - 36in (900mm) Heavy Duty 6 Teeth	\$2,797
HAND HELD TOOL CIRCUITS		
200NA31	9M Hose Reel with Hand Held Tool Circuit	\$6,250
VEHICLE ELECTRICAL OPTIONS		
200PB01	Rotating Amber Beacon	\$264
200PB03	Rear Lights	\$410
200PB05	110v Engine Block Heater For Canopy (Standard on Cab builds)	\$156
200PB18	Headlights (RHD) USA	\$358
ADDITIONAL OPTIONS		
200RA06	Auto PRE-HEAT	\$1,305
200RA20	Exterior Mirrors (2)	\$248
200RA25	Heated Cloth Air Suspension Seat	\$1,155
200RA27	Instrument Vandal Guard	\$160
200RA36	Seat Headrest	\$112
200RA37	Seatbelt (3in)	\$118
200RA57	Front Fenders	\$605
200RA59	Stabilizer Ram Guards - Centermount	\$792
200RA66	Fuel Tank Guard	\$673
200RA77	LED Worklights	\$1,482



2023

**JCB Backhoe Loaders
4CX-14 Super
Centermount**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: January 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

SAFETY AND SECURITY

Two post Roll Over Protective Structure (ROPS), Falling Objects Protective Structure (FOPS) and retractable seat belt. Equipped with independent park brake and loader service strut. Rear boom lock activated from operator's compartment; boom swing lock. Vandalism protection with key lock-able hydraulic fill and fuel cap. All locks with the exception of the Diesel Exhaust Fluid (DEF) tank operate with ignition key. Front and rear horn buttons. Automatic backup alarm.

ENGINE

109 HP turbocharged, water-cooled, 4 cyl, direct injection diesel. T4F compliant engine with Selective Catalytic Reduction (SCR) and 5 gallon DEF tank. Hand and foot throttle. Selective full flow pressure engine oil lubrication with spin-on filter cartridge. Air to fluid coolers. Separately serviceable radiator, hydraulic and transmission oil coolers. Two stage fuel filtering system utilizing a water/sediment separator and spin-on type filter element. Dual element air filter, dry type with cleanable outer element, replaceable inner element and under hood pre-cleaner.

TRANSMISSION

Separate unit mounted to engine containing torque converter and all transmission components. Pressure lubrication with spin on filter. Electrically operated Fwd / Rev lever on steering column. Electrically operated transmission disconnect on gear shift and loader levers. Powershift gear selection with 4 Fwd / 4 Rev speeds.

FRONT AXLE

4WD - Industrial duty JCB Max-Trac torque proportioning, outboard planetary reduction axle, 4WD shift-on-the-go; steering cylinder located behind front axle.

REAR AXLE

Separate, rigidly mounted to mainframe and connected to transmission via drive shaft. Heavy duty double reduction, outboard planetary gear final reduction. Limited slip differential to provide automatic equalization of wheel spin under conditions of unequal footing.

BRAKES

Sealed wet multiple disc. Brake pedals can be independently operated or locked together. Power-assisted hydraulic brakes. Independent over acuation, parking brake. Transmission shifts to neutral when park brake is activated. 4 wheel braking in 2 wheel drive activated by switch.

STEERING

4-Wheel Steer. Hydrostatic power, with priority valve. Three steering wheel turns (lock to lock). Unbraked turning circle 26' 5". Three steer modes: 2-wheel steer, 4-wheel steer and crab steer.



U.S. Dollar Price Page

4CX-14 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

BACKHOE AND MAINFRAME

Unitized, one piece heavy duty mainframe with integral backhoe. Sealed swing post pins and swing cylinder pins, 2" top and bottom rear frame plates (centermount). Fabricated boom and dipper. SAE maximum dig depth: Extradig dipper - 14' 7" - 18' 6". EasyControl backhoe controls. Fabricated stabilizer legs with anti-drift valves. 11,000 lb. lifting hook as standard.

LOADER

Equipped with integrally mounted front end loader using two lift cylinders and two bucket dump cylinders. Parallel lift standard during loader raise and lower functions. Dump height: 9' 0". Bucket return-to-dig and third spool loader valve standard. Dump reach at full height - 32". Auto Ride System (AutoSRS). Front bumper protection fitted as standard. Heavy Lift loader arms standard.

ELECTRICAL SYSTEM

12 volt system with 150 amp alternator. Wiring harness and outside cab connectors meet IP69 standard for protection against ingress of dust, and pressure spray of 4.23 gpm at 1450 psi. Inside cab connectors meet IP67 standard for protection against ingress of dust, and water when submerged. Single, maintenance free battery rated at 900 CCA. Four halogen work lights in front and four separate halogen work lights in the rear. Stop lights, turn signals, and four way hazards standard. Backlit gauges and readouts consisting of a tachometer, fuel gauge, engine temperature gauge, digital hour meter and digital clock. Light and alarm for battery charge condition, coolant temp., engine oil pressure, transmission oil temp., transmission oil pressure, air cleaner restriction, water in fuel indicator, and park brake engaged. Light indicators for flashers on, turn signals, steering mode, and lights on. 12 volt outlet for powered accessories. Common fuses and relays located in an easy access panel. Main circuit breakers at battery positive terminal for added circuit protection. Battery Isolator as standard.



U.S. Dollar Price Page

4CX-14 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

OPERATORS ENVIRONMENT

Suspension seat with adjustments for weight, seat angle, and back angle. Armrests and retractable seat belt standard. Two door entry with deluxe trim. Composite sure grip molded floor, tilt steering column, front windshield with 2 speed plus intermittent wiper and washer, interior rear view mirror, pre-wired for beacon, cup holders, storage compartment. Cab includes door ajar stays, 14 adj. vents, operable side windows, one piece rear window with wiper and washer that acts as a shield during inclement weather, heater with defogger vents, and radio pre-wire with speakers in-cabs. AutoTHROTTLE returns engine speed to pre-set hand throttle position when work is resumed. AutoDRIVE provides cruise control-type characteristics during roading.

HYDRAULIC SYSTEM

Open center system, variable displacement piston pump, engine driven, 44 gpm at 3650 psi. Separate oil reservoir not shared with other systems, externally mounted to mainframe for ground level servicing. Abrasion protection of valve to boom hoses. Hoses have burst pressure of 4 times working pressure. Structural steel pipes to withstand minor impacts. AutoIDLE reduces engine speed when no hydraulic functions are requested.

SERVICABILITY AND MAINTENANCE

Ground level check for engine and transmission oil, brake fluid, engine coolant, and windshield washer levels. Ground level top off of engine oil, transmission oil, hydraulic fluid, brake fluid, fuel, and engine coolant. Tilt engine hood and lockable front grill. 15 second engine manifold preheat (activated through ignition switch). 40 gallon fuel tank. 20 gallon hydraulic tank with 5 micron filter. 500 hour engine oil and filter service interval. 1000 hour DEF interval. 1000 hour transmission oil and 500 hour transmission filter service interval. 2000 hour hydraulic oil and 500 hour hydraulic filter service interval. External Toolbox. AutoCHECK automatically performs daily under hood maintenance checks on 'key on'

LIVELINK

Telematics monitored and managed remotely via a PC or Smartphone. Five year subscription. Real time reporting of machine hours, routine maintenance alerts and location. Ability to set machine geo-fences and curfews for improved security.



U.S. Dollar Price Page

Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

YELLOW SERIES

Select one of the following machine Package Build(s). If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

SALES CODE	ITEM	LIST PRICE
2EQ3	4CX-14 SUPER, 4WD, 4WS, 109hp T4F, 14ft Centermount Backhoe with ExtraDig Extending Dipper. 150A Alternator, 100lbs Counterweight. Includes 2 Spool Loader Valve, Flipover Feet, Interior Mirror, Front and Rear Worklights, Battery Isolator, Toolbox and Automate (AutoCheck, AutoIdle, AutoDrive and AutoThrottle) and Telescopic Steering Wheel.	\$148,875
200AM28	4CX-14 Super 109hp CM Model Pack, Advanced Easy Controls	\$0
200B2KZ	Michelin Power CL 440/80-28 includes Powershift Transmission with TorqueLock and Front and Rear LSD, AWS	\$10,014
200CF39	Cab with A/C, Heated Air Suspension Seat. Includes 110v Engine Block Heater.	\$22,280
200DE66	Cab, LIVELINK	\$0
200EQ78	Hammer/Bi-Directional Pipework	\$7,119
200FE12	5/8 Loader Pipework Return To Dig (RTD) Auto SRS, 3 Spool, Float, Reset for Bi-Directional Circuit.	\$1,409
200GA31	English Territory Pack	\$0
200PB18	Headlights (RHD) USA	\$358
200RA20	Exterior Mirrors (2)	\$248
200RA37	Seatbelt (3in)	\$118
LIST PRICE		\$190,421



U.S. Dollar Price Page

Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
2EQ3	4CX-14 SUPER, 4WD, 4WS, 109hp T4F, 14ft Centermount Backhoe with ExtraDig Extending Dipper. 150A Alternator, 100lbs Counterweight. Includes 2 Spool Loader Valve, Flipover Feet, Interior Mirror, Front and Rear Worklights, Battery Isolator, Toolbox and Automate (AutoCheck, Autodrive, AutoDrive and AutoThrottle) and Telescopic Steering Wheel.	\$148,875
MODEL PACK		
200AM28	4CX-14 Super 109hp CM Model Pack, Advanced Easy Controls	\$0
TIRES AND TRANSMISSIONS		
200B2KY	Michelin Power CL 440/80-28 includes Autoshift Transmission with TorqueLock and Front and Rear LSD, AWS	\$12,487
200B2KZ	Michelin Power CL 440/80-28 includes Powershift Transmission with TorqueLock and Front and Rear LSD, AWS	\$10,014
200B2ZY	Michelin XMCL440/80-28 includes Autoshift Transmission with TorqueLock and Front and Rear LSD, AWS	\$15,577
200B2ZZ	Michelin XMCL440/80-28 includes Powershift Transmission with TorqueLock and Front and Rear LSD, AWS	\$13,102
200B3JZ	Michelin BIBLOAD 440/80-28 includes Autoshift Transmission with TorqueLock and Front and Rear LSD, AWS	\$18,661
OPERATORS ENVIRONMENT		
200CF37	Canopy, Vinyl Suspension Seat	\$5,208
200CF39	Cab with A/C, Heated Air Suspension Seat. Includes 110v Engine Block Heater.	\$22,280
ENCLOSURE CONTROLS		
200DE60	Canopy, LIVELINK	\$0
200DE66	Cab, LIVELINK	\$0
200DE74	Cab, LIVELINK, Keypad Immobilizer	\$2,325



4CX-14 Super Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS CONT.

SALES CODE	BACKHOE PIPEWORK	LIST PRICE
200EQ76	No Auxiliary Pipework	\$0
200EQ78	Hammer/Bi-Directional Pipework	\$7,119
200EQ79	Hydraulic Thumb (Not For Quick Hitch Use)	\$15,544
200EQ80	Hydraulic Thumb (For Quick Hitch Use)	\$15,544
200EY19	Hammer/Bi-Directional Pipework, for Canopy	\$7,119
200EY20	Hydraulic Thumb (Not For Quick Hitch Use) for Canopy	\$15,544
200EY21	Hydraulic Thumb (For Quick Hitch Use) for Canopy	\$15,544
LOADER PIPEWORK		
200FE10	No Loader Pipework. Includes Return To Dig (RTD) and Auto SRS	\$0
200FE11	5/8 Loader Pipework, Return To Dig (RTD) Auto SRS, 3 Spool Float and Reset	\$1,409
200FE12	5/8 Loader Pipework Return To Dig (RTD) Auto SRS, 3 Spool, Float, Reset for Bi-Directional Circuit.	\$1,409
LANGUAGE PACK		
200GA31	English Territory Pack	\$0
200GA40	English Territory Pack For Use with Thumb	\$0
200GA45	French Territory Pack	\$0
200GA54	French Territory Pack For Use with Thumb	\$0
200GA59	Spanish Territory Pack	\$0
200GA68	Spanish Territory Pack For Use with Thumb	\$0



U.S. Dollar Price Page

Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	BACKHOE QUICK HITCH OPTIONS (MUST ORDER HA AND HD CODES)	LIST PRICE
200HA50	Mechanical Quick Hitch with 1 Ton Shackle	\$2,874
200HA92	Hydraulic Excavator Quick Hitch with Lifting Kit and 5T Shackle	\$5,949
200HA93	Hydraulic Excavator Quick Hitch (HMR/BI-DI) with Lifting Kit and 5T Shackle	\$5,949
200HD85	Code Required For Excavator Quickhtes	\$0
LOADER BUCKETS		
200JA78	Direct Mount 6-in-1 Multipurpose Loader Bucket, 92in (2350mm), 1.3yd3 (1.0m3). Standard Duty with Bolt on Cutting Edge.	\$8,618
200JA80	Direct Mount 6-in-1 Multipurpose Loader Bucket, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$9,806
200JA82	Direct Mount General Purpose Loader Bucket, 92in (2350mm), 1.4yd3 (1.1m3), Heavy Duty with Bolt on Cutting Edge.	\$3,714
200JA85	Q-Fit Hitch and General Purpose Loader Bucket: Includes Q-Fit Toolcarrier + 92in (2350mm), 1.4yd3 (1.1m3) Standard Duty with Bolt on Cutting Edge	\$7,788
200JA86	Q-Fit General Purpose Loader Bucket: Includes Q-Fit Toolcarrier, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$8,592
200JA87	Q-Fit 6-in-1 Multipurpose Loader Bucket: Includes Q-Fit Toolcarrier, 92in (2350mm), 1.3yd3 (1.0m3) Standard Duty with Bolt on Cutting Edge.	\$12,686
200JA88	Direct Mount General Purpose Loader Bucket 92in (2350mm), 1.4yd3 (1.1m3) Heavy Duty with Bolt on Cutting Edge for use with Thumb	\$3,714
200JA99	Q-Fit Tool Carrier Quick Hitch	\$4,506
LOADER BUCKET OPTIONS		
200KA10	Q-Fit Mounted Fork Frame and 48in Forks.	\$3,312
200KA14	6-in-1 Clam Ram Guards	\$370



4CX-14 Super Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS CONT.

SALES CODE	BACKHOE BUCKET OPTIONS	LIST PRICE
200MA36	Excavator Bucket Pivot Pin Set	\$203
200MA48	Backhoe Bucket - 12in (300mm) Heavy Duty 3 Teeth	\$1,472
200MA49	Backhoe Bucket - 18in (450mm) Heavy Duty 4 Teeth	\$1,741
200MA50	Backhoe Bucket - 24in (600mm) Heavy Duty 4 Teeth	\$1,741
200MA51	Backhoe Bucket - 24in (600mm) Heavy Duty 5 Teeth	\$1,960
200MA52	Backhoe Bucket - 30in (750mm) Heavy Duty 5 Teeth	\$2,380
200MA53	Backhoe Bucket - 36in (900mm) Heavy Duty 6 Teeth	\$2,797
HAND HELD TOOL CIRCUITS		
200NA09	Hand Held Tool Circuit	\$2,676
200NA10	Hand Held Tool Circuit For Use with Bi-Directional	\$2,676
200NA57	9M Hose Reel with Hand Held Tool Circuit	\$6,250
200NA58	9M Hose Reel with Hand Held Tool Circuit For Use with Bi-Directional	\$6,250
200NB04	Loader Arms HBCVs	\$2,496
VEHICLE ELECTRICAL OPTIONS		
200PB01	Rotating Amber Beacon	\$264
200PB03	Rear Lights	\$410
200PB05	110v Engine Block Heater For Canopy (Standard on Cab builds)	\$156
200PB18	Headlights (RHD) USA	\$358
ADDITIONAL OPTIONS		
200RA01	220lb (100kg) Counterweight	\$406
200RA04	562lb (255kg) Counterweight	\$846
200RA06	Auto PRE-HEAT	\$1,305
200RA20	Exterior Mirrors (2)	\$248
200RA27	Instrument Vandal Guard	\$160
200RA36	Seat Headrest	\$112
200RA37	Seatbelt (3in)	\$118
200RA59	Stabilizer Ram Guards - Centermount	\$792
200RA66	Fuel Tank Guard	\$673
200RA68	AEC Canopy Adjustments	\$0
200RA77	LED Worklights	\$1,482



2023

**JCB Backhoe Loaders
4CX-15 Super
Centermount**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: January 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



4CX-15 Super Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

STANDARD EQUIPMENT

SAFETY AND SECURITY

Two post Roll Over Protective Structure (ROPS), Falling Objects Protective Structure (FOPS) and retractable seat belt. Equipped with independent park brake and loader service strut. Rear boom lock activated from operator's compartment; boom swing lock. Vandalism protection with key lock-able hydraulic fill and fuel cap. All locks with the exception of the Diesel Exhaust Fluid (DEF) tank operate with ignition key. Front and rear horn buttons. Automatic backup alarm.

ENGINE

109 HP turbocharged, water-cooled, 4 cyl, direct injection diesel. T4F compliant engine with Selective Catalytic Reduction (SCR) and 5 gallon DEF tank. Hand and foot throttle. Selective full flow pressure engine oil lubrication with spin-on filter cartridge. Air to fluid coolers. Separately serviceable radiator, hydraulic and transmission oil coolers. Two stage fuel filtering system utilizing a water/sediment separator and spin-on type filter element. Dual element air filter, dry type with cleanable outer element, replaceable inner element and under hood pre-cleaner.

TRANSMISSION

Separate unit mounted to engine containing torque converter and all transmission components. Pressure lubrication with spin on filter. Electrically operated Fwd / Rev lever on steering column. Electrically operated transmission disconnect on gear shift and loader levers. Powershift gear selection with 4 Fwd / 4 Rev speeds.

FRONT AXLE

4WD - Industrial duty JCB Max-Trac torque proportioning, outboard planetary reduction axle, 4WD shift-on-the-go; steering cylinder located behind front axle.

REAR AXLE

Separate, rigidly mounted to mainframe and connected to transmission via drive shaft. Heavy duty double reduction, outboard planetary gear final reduction. Limited slip differential to provide automatic equalization of wheel spin under conditions of unequal footing.

BRAKES

Sealed wet multiple disc. Brake pedals can be independently operated or locked together. Power-assisted hydraulic brakes. Independent over acuation, parking brake. Transmission shifts to neutral when park brake is activated. 4 wheel braking in 2 wheel drive activated by switch.



U.S. Dollar Price Page

4CX-15 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

STEERING

4-Wheel Steer. Hydrostatic power, with priority valve. Three steering wheel turns (lock to lock). Unbraked turning circle 26' 5". Three steer modes: 2-wheel steer, 4-wheel steer and crab steer.

BACKHOE AND MAINFRAME

Unitized, one piece heavy duty mainframe with integral backhoe. Sealed swing post pins and swing cylinder pins, 2" top and bottom rear frame plates (centermount). Fabricated boom and dipper. SAE maximum dig depth: Extradig dipper - 16' 3" - 20' 1". EasyControl backhoe controls. Fabricated stabilizer legs with anti-drift valves. 11,000 lb. lifting hook as standard.

LOADER

Equipped with integrally mounted front end loader using two lift cylinders and two bucket dump cylinders. Parallel lift standard during loader raise and lower functions. Dump height: 9' 0". Bucket return-to-dig and third spool loader valve standard. Dump reach at full height - 32". Auto Ride System (AutoSRS). Front bumper protection fitted as standard. Heavy Lift loader arms standard.

ELECTRICAL SYSTEM

12 volt system with 150 amp alternator. Wiring harness and outside cab connectors meet IP69 standard for protection against ingress of dust, and pressure spray of 4.23 gpm at 1450 psi. Inside cab connectors meet IP67 standard for protection against ingress of dust, and water when submerged. Single, maintenance free battery rated at 900 CCA. Four halogen work lights in front and four separate halogen work lights in the rear. Stop lights, turn signals, and four way hazards standard. Backlit gauges and readouts consisting of a tachometer, fuel gauge, engine temperature gauge, digital hour meter and digital clock. Light and alarm for battery charge condition, coolant temp., engine oil pressure, transmission oil temp., transmission oil pressure, air cleaner restriction, water in fuel indicator, and park brake engaged. Light indicators for flashers on, turn signals, steering mode, and lights on. 12 volt outlet for powered accessories. Common fuses and relays located in an easy access panel. Main circuit breakers at battery positive terminal for added circuit protection. Battery Isolator as standard.



U.S. Dollar Price Page

4CX-15 Super Centermount Backhoe Loader

Effective: January 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT CONT.

OPERATORS ENVIRONMENT

Suspension seat with adjustments for weight, seat angle, and back angle. Armrests and retractable seat belt standard. Two door entry with deluxe trim. Composite sure grip molded floor, tilt steering column, front windshield with 2 speed plus intermittent wiper and washer, interior rear view mirror, pre-wired for beacon, cup holders, storage compartment. Cab includes door ajar stays, 14 adj. vents, operable side windows, one piece rear window with wiper and washer that acts as a shield during inclement weather, heater with defogger vents, and radio pre-wire with speakers in-cabs. AutoTHROTTLE returns engine speed to pre-set hand throttle position when work is resumed. AutoDRIVE provides cruise control-type characteristics during roading.

HYDRAULIC SYSTEM

Open center system, variable displacement piston pump, engine driven, 44 gpm at 3650 psi. Separate oil reservoir not shared with other systems, externally mounted to mainframe for ground level servicing. Abrasion protection of valve to boom hoses. Hoses have burst pressure of 4 times working pressure. Structural steel pipes to withstand minor impacts. AutoIDLE reduces engine speed when no hydraulic functions are requested.

SERVICABILITY AND MAINTENANCE

Ground level check for engine and transmission oil, brake fluid, engine coolant, and windshield washer levels. Ground level top off of engine oil, transmission oil, hydraulic fluid, brake fluid, fuel, and engine coolant. Tilt engine hood and lockable front grill. 15 second engine manifold preheat (activated through ignition switch). 40 gallon fuel tank. 20 gallon hydraulic tank with 5 micron filter. 500 hour engine oil and filter service interval. 1000 hour DEF interval. 1000 hour transmission oil and 500 hour transmission filter service interval. 2000 hour hydraulic oil and 500 hour hydraulic filter service interval. External Toolbox. AutoCHECK automatically performs daily under hood maintenance checks on 'key on'

LIVELINK

Telematics monitored and managed remotely via a PC or Smartphone. Five year subscription. Real time reporting of machine hours, routine maintenance alerts and location. Ability to set machine geo-fences and curfews for improved security.



4CX-15 Super Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options from Section 3 as needed.

SALES CODE	PRIMARY BUILD	LIST PRICE
2ES0	4CX-15 SUPER, 4WD, 4WS, 109hp T4F, 15ft Centermount Backhoe with ExtraDig Extending Dipper. 150A Alternator, 750lbs Counterweight. Includes 2 Spool Loader Valve, Flipover Feet, Interior Mirror, Front and Rear Worklights, Battery Isolator, Toolbox and Automate (AutoCheck, Autoldle, AutoDrive and AutoThrottle) and Telescopic Steering Wheel.	\$159,237
MODEL PACK		
200AM29	4CX-15 Super 109hp CM Model Pack, Advanced Easy Controls	\$0
TIRES AND TRANSMISSIONS		
200B2KY	Michelin Power CL 440/80-28 includes Autoshift Transmission with TorqueLock and Front and Rear LSD, AWS	\$12,487
200B2KZ	Michelin Power CL 440/80-28 includes Powershift Transmission with TorqueLock and Front and Rear LSD, AWS	\$10,014
200B2ZY	Michelin XMCL440/80-28 includes Autoshift Transmission with TorqueLock and Front and Rear LSD, AWS	\$15,577
200B2ZZ	Michelin XMCL440/80-28 includes Powershift Transmission with TorqueLock and Front and Rear LSD, AWS	\$13,102
200B3JZ	Michelin BIBLOAD 440/80-28 includes Autoshift Transmission with TorqueLock and Front and Rear LSD, AWS	\$18,661
OPERATORS ENVIRONMENT		
200CF37	Canopy, Vinyl Suspension Seat	\$5,208
200CF39	Cab with A/C, Heated Air Suspension Seat. Includes 110v Engine Block Heater.	\$22,280
ENCLOSURE CONTROLS		
200DE60	Canopy, LIVELINK	\$0
200DE66	Cab, LIVELINK	\$0
200DE74	Cab, LIVELINK, Keypad Immobilizer	\$2,325



4CX-15 Super Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS CONT.

SALES CODE	BACKHOE PIPEWORK	LIST PRICE
200EQ96	No Auxiliary Pipework, no Boom End Dampening, Heavy Lift	\$0
200EQ97	Hammer Pipework	\$3,989
200EQ98	Hammer/Bi-Directional Pipework	\$7,119
200EQ99	Hydraulic Thumb (Not For Quick Hitch Use)	\$15,544
200ER01	Hydraulic Thumb (For Quick Hitch Use)	\$15,544
200EY31	Hammer/Bi-Directional Pipework,	\$7,119
200EY32	Hydraulic Thumb (Not For Quick Hitch Use)	\$15,544
200EY33	Hydraulic Thumb (For Quick Hitch Use)	\$15,544
LOADER PIPEWORK		
200FE10	No Loader Pipework. Includes Return To Dig (RTD) and Auto SRS	\$0
200FE11	5/8 Loader Pipework, Return To Dig (RTD) Auto SRS, 3 Spool Float and Reset	\$1,409
200FE12	5/8 Loader Pipework Return To Dig (RTD) Auto SRS, 3 Spool, Float, Reset for Bi-Directional Circuit.	\$1,409
LANGUAGE PACK		
200GA40	English Territory Pack For Use with Thumb	\$0
200GA54	French Territory Pack For Use with Thumb	\$0
200GA68	Spanish Territory Pack For Use with Thumb	\$0



4CX-15 Super Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	BACKHOE QUICK HITCH OPTIONS (MUST ORDER HA AND HD CODES)	LIST PRICE
200HA50	Mechanical Quick Hitch with 1 Ton Shackle	\$2,874
200HA90	Hydraulic Excavator Quick Hitch with Lifting Kit and 5T Shackle	\$5,949
200HA91	Hydraulic Excavator Quick Hitch (HMR/BI-DI) with Lifting Kit and 5T Shackle	\$5,949
200HD85	Code Required For Excavator Quickhtes	\$0
LOADER BUCKETS		
200JA78	Direct Mount 6-in-1 Multipurpose Loader Bucket, 92in (2350mm), 1.3yd3 (1.0m3). Standard Duty with Bolt on Cutting Edge.	\$8,618
200JA80	Direct Mount 6-in-1 Multipurpose Loader Bucket, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$9,806
200JA82	Direct Mount General Purpose Loader Bucket, 92in (2350mm), 1.4yd3 (1.1m3), Heavy Duty with Bolt on Cutting Edge.	\$3,714
200JA85	Q-Fit Hitch and General Purpose Loader Bucket: Includes Q-Fit Toolcarrier + 92in (2350mm), 1.4yd3 (1.1m3) Standard Duty with Bolt on Cutting Edge	\$7,788
200JA86	Q-Fit General Purpose Loader Bucket: Includes Q-Fit Toolcarrier, 96in (2438mm), 1.6yd3 (1.3m3) Standard Duty with Bolt on Cutting Edge.	\$8,592
200JA87	Q-Fit 6-in-1 Multipurpose Loader Bucket: Includes Q-Fit Toolcarrier, 92in (2350mm), 1.3yd3 (1.0m3) Standard Duty with Bolt on Cutting Edge.	\$12,686
200JA88	Direct Mount General Purpose Loader Bucket 92in (2350mm), 1.4yd3 (1.1m3) Heavy Duty with Bolt on Cutting Edge for use with Thumb	\$3,714
200JA99	Q-Fit Tool Carrier Quick Hitch	\$4,506
LOADER BUCKET OPTIONS		
200KA10	Q-Fit Mounted Fork Frame and 48in Forks.	\$3,312
200KA14	6-in-1 Clam Ram Guards	\$370



4CX-15 Super Centermount Backhoe Loader



U.S. Dollar Price Page

Effective: January 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS CONT.

SALES CODE	BACKHOE BUCKET OPTIONS	LIST PRICE
200MA36	Excavator Bucket Pivot Pin Set	\$203
200MA42	Backhoe Bucket - 24in (600mm) Heavy Duty with Toe Plate	\$1,993
200MA48	Backhoe Bucket - 12in (300mm) Heavy Duty 3 Teeth	\$1,472
200MA49	Backhoe Bucket - 18in (450mm) Heavy Duty 4 Teeth	\$1,741
200MA50	Backhoe Bucket - 24in (600mm) Heavy Duty 4 Teeth	\$1,741
200MA51	Backhoe Bucket - 24in (600mm) Heavy Duty 5 Teeth	\$1,960
200MA52	Backhoe Bucket - 30in (750mm) Heavy Duty 5 Teeth	\$2,380
200MA53	Backhoe Bucket - 36in (900mm) Heavy Duty 6 Teeth	\$2,797
HAND HELD TOOL CIRCUITS		
200NA11	Hand Held Tool Circuit	\$2,676
200NA59	9M Hose Reel with Hand Held Tool Circuit	\$6,250
200NA61	9M Hose Reel with Hand Held Tool Circuit For Use with Bi-Directional	\$6,250
VEHICLE ELECTRICAL OPTIONS		
200PB01	Rotating Amber Beacon	\$264
200PB03	Rear Lights	\$410
200PB05	110v Engine Block Heater For Canopy (Standard on Cab builds)	\$156
200PB18	Headlights (RHD) USA	\$358
ADDITIONAL OPTIONS		
200RA01	220lb (100kg) Counterweight	\$406
200RA06	Auto PRE-HEAT	\$1,305
200RA20	Exterior Mirrors (2)	\$248
200RA27	Instrument Vandal Guard	\$160
200RA36	Seat Headrest	\$112
200RA37	Seatbelt (3in)	\$118
200RA59	Stabilizer Ram Guards - Centermount	\$792
200RA66	Fuel Tank Guard	\$673
200RA77	LED Worklights	\$1,482