



2023

JCB TELETRUK FAMILY



JCB, Inc. North American Machine Price List In U.S. Dollars Effective: Jan 1, 2023

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



2023

**JCB Teletruk
TLT55-28G**

(TLT25 LPG)



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

TLT55-28G Teletruk

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

ENGINE	58HP, Kubota liquid propane gas (LPG), Tier IV compliant.
TRANSMISSION	Torque Converter Response Hydrostatic drive system; 2 speed hydrostatic transmission; position one (1) good for shovel work; position two (2) general duty.
ELECTRICAL	12 volt, 110 Ah battery, with 80 amp alternator. Wire harness connectors meet/exceed IP67 electrical system rating. 2 front 1 rear worklights. Reverse alarm, low level beacon.
INSTRUMENTS	IDC (information display center) Visual warning system for general faults, hourmeter
LOAD MOTION CONTROL	LMC alerts the operator and progressively stops the lift hydraulics when the maximum lift capacity is reached, preventing forward tipping; informed through simple, progressive green, yellow, red warning lights.
TELESCOPIC BOOM	Two section, 13ft 1 in. lift height, max capacity of 5500 lb; Capacity of 2800 lb at 7ft forward reach
HYDRAULICS	One set of auxiliaries. standard flow 7 gpm; high flow 19 gpm. Greasing Kit.
OPERATOR AREA	Meets SAE J231 FOPS and SAE J1040 ROPS requirements, left side entry Canopy and cab tilts up for improved access to machine for service and maintenance Vinyl operators seat, adjustable fore and aft; dual joysticks for boom and aux/side-shift functions. FNR column adjustment; operator manual. Low Cab height is approximately 4 in. (100mm) shorter than the standard cab.
CARRIAGE	Standard Class II ITA carriage
LIVELINK TELEMATICS	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 year, 3,000 hours - See the machine warranty certificate for details



U.S. Dollar Price Page

**TLT55-28G
Teletruk**

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOMER FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select Options from Section 3 as needed.

SALES CODE	DESCRIPTION	LIST PRICE
I30I	Teletruk 55-28G - 2WD - LOGISTICS	\$51,406
TIRES & WHEELS		
250A001	7 x 12 Front, 6 x 9 Rear - Semi-Solid Tires	\$2,965
250A007	7 x 12 Front, 6 x 9 Rear - Semi-Solid Tires (Continental)	\$3,176
250A010	27 x 10 x 12 Front, 6.5 x 10 Rear - Semi-Solid Tires	\$3,453
250A013	27 x 10 x 12 Front, 6.5 x 10 Rear - Semi Solid Tires (Continental)	\$3,698
250A026	27 x 10 x 12 Front, 6 x 9 Rear - Non-Marking, Semi-Solid Tires	\$3,494
250A028	27 x 10 x 12 Front, 6.5 x 10 Rear - Non-Marking, Semi-Solid Tires	\$3,884
OPERATORS COMPARTMENT		
250B409	Standard Height Canopy - Right Hand Side and Top Glass	\$4,879
250B450	Standard Height Full Cab - Heater/Demister	\$9,187
HYDRAULICS		
250C011	1 Aux - Standard Flow - Used for Side-Shift	\$3,428
250C012	2 Aux- Standard Flow - Used for Side-Shift & 1 Spare Aux Line	\$4,969
250C013	1 Aux - High Flow - Used for Side-Shift	\$4,421
250C014	2 Aux - High Flow - Used for Side-Shift & 1 Spare Aux Line	\$5,962
TRANSMISSION		
250D080	Hydrostatic Drive - No Creep	\$0
250D090	Hydrostatic Drive - Creep (Drives like torque converter)	\$0
FORKS		
250E002	42" Standard Class II Industrial Forks	\$648
250E003	48" Standard Class II Industrial Forks	\$1,007
LANGUAGE PACK		
250F504	Operator Manual - English (USA)	\$0
250F506	Operator Manual - French (Canadian)	\$0
SEATS		
250G401	Standard, Vinyl	\$840
250G402	Standard, Fabric	\$861



U.S. Dollar Price Page

**TLT55-28G
Teletruk**

Effective: Jan 1, 2023

**SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS**

Selection Optional Equipment as desired, within limitations if indicated.

SALES CODE	SIDE-SHIFT	List Price
250H001	Bolt-on Side-Shift Class II Carriage	\$2,216
250H057	Hydraulic Fork Positioner Carriage with Side-Shift - Class II	\$4,115
CAB & CONTROLS		
250H036	Panoramic Mirror - Interior	\$305
250L410	Face Level Fan	\$193
250K060	Speed Reduction Kit: To Reduce Travel Speed by 50%	\$2,003
250L488	In-Cab Coolant Temperature Gauge	\$226
LIGHTING		
250L460	LED Work Lights - 2 Front, 1 Rear	\$897
250L463	2 Additional Work Lights (Low Level Mounted)	\$739
COUPLER		
250J005	Quick Release Couplings for 1 Aux	\$415
250J006	Quick Release Couplings for 2 Aux	\$821
OTHER ATTACHMENTS		
250H023	Load Guard - Low Height Enclosure (35" from top of Forks)	\$493
250H024	Load Guard - Standard Height Enclosure (49" from top of Forks)	\$518
250H114	Single Tilt Carriage Pin - Heavy Duty Applications	\$2,237
MISCELLANEOUS		
250H201	Wheel Protection Kit: 2WD Models	\$305



2023

**JCB Teletruk
TLT66-38G
2WD
(TLT 30 LPG 2WD)**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

TLT66-38G Teletruk

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

ENGINE	58HP, Kubota liquid propane gas (LPG), Tier IV compliant.
TRANSMISSION	Torque Converter Response Hydrostatic drive system; 2 speed hydrostatic transmission; position one (1) good for shovel work; position two (2) general duty.
ELECTRICAL	12 volt, 110 Ah battery, with 80 amp alternator. Wire harness connectors meet/exceed IP67 electrical system rating. 2 front 1 rear worklights. Reverse alarm, low level beacon.
INSTRUMENTS	IDC (information display center) Visual warning system for general faults, hourmeter
LOAD MOTION CONTROL	LMC alerts the operator and progressively stops the lift hydraulics when the maximum lift capacity is reached, preventing forward tipping; informed through simple, progressive green, yellow, red warning lights.
TELESCOPIC BOOM	Two section, 13ft 1in. lift height, max capacity of 6600 lb; Capacity of 4400 lb at 7ft forward reach
HYDRAULICS	One set of auxiliaries. standard flow 7 gpm; high flow 19 gpm. Greasing Kit.
OPERATOR AREA	Meets SAE J231 FOPS and SAE J1040 ROPS requirements, left side entry, cab tilts up for improved access to machine for service and maintenance; dual joysticks for boom and aux/side-shift functions. FNR column adjustment; operator manual. Low Cab height is approximately 4 in. (100mm) shorter than the standard height cab
CARRIAGE	Standard class III ITA carriage
LIVELINK TELEMATICS	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 year, 3,000 hours - See the machine warranty certificate for details



U.S. Dollar Price Page

TLT66-38G Teletruk

Effective: Jan 1, 2023



SECTION 2 - NEW CUSTOMER FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
I303	Teletruk 66-38G - 2WD - LOGISTICS	\$55,012
TIRES & WHEELS		
250A010	27 x 10 x 12 Front, 6.5 x 10 Rear - Semi-Solid Tires	\$3,453
250A013	27 x 10 x 12 Front, 6.5 x 10 Rear - Semi Solid Tires (Continental)	\$3,698
250A026	27 x 10 x 12 Front, 6 x 9 Rear - Non-Marking, Semi-Solid Tires	\$3,494
250A028	27 x 10 x 12 Front, 6.5 x 10 Rear - Non-Marking, Semi-Solid Tires	\$3,884
OPERATORS COMPARTMENT		
250B409	Standard Height Canopy - Right Hand Side and Top Glass	\$4,879
250B450	Standard Height Full Cab - Heater/Demister	\$9,187
HYDRAULICS		
250C011	1 Aux - Standard Flow - Used for Side-Shift	\$3,428
250C012	2 Aux- Standard Flow - Used for Side-Shift & 1 Spare Aux Line	\$4,969
250C013	1 Aux - High Flow - Used for Side-Shift	\$4,421
250C014	2 Aux - High Flow - Used for Side-Shift & 1 Spare Aux Line	\$5,962
250C152	Changeeze System - Standard Flow - 1 Spare Aux Line	\$5,455
250C153	Changeeze System - High Flow - No Spare Aux Line	\$4,857
TRANSMISSION		
250D080	Hydrostatic Drive - No Creep	\$0
250D090	Hydrostatic Drive - Creep (Drives like torque converter)	\$0
FORKS		
250E020	42" Standard Class III Industrial Forks (3A)	\$986
250E021	48" Standard Class III Industrial Forks (3A)	\$1,178
LANGUAGE PACK		
250F504	Operator Manual - English (USA)	\$0
250F506	Operator Manual - French (Canadian)	\$0
SEATS		
250G401	Standard, Vinyl	\$840
250G402	Standard, Fabric	\$861



U.S. Dollar Price Page

**TLT66-38G
Teletruk**

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired within limitations, if indicated.

SALES CODE	SIDE-SHIFT	List Price
250H056	Hydraulic Fork Positioner Carriage with Side-Shift - Class III	\$4,638
250H080	#N/A	#N/A
250H081	Bolt-on Side-Shift Class III Carriage	\$1,322
250H502	Quick Disconnect Side-Shift Carriage	\$3,650
CAB & CONTROLS		
250H036	Panoramic Mirror - Interior	\$305
250L410	Face Level Fan	\$193
250K060	Speed Reduction Kit: To Reduce Travel Speed by 50%	\$2,003
250L488	In-Cab Coolant Temperature Gauge	\$226
LIGHTING		
250L460	LED Work Lights - 2 Front, 1 Rear	\$897
250L463	2 Additional Work Lights (Low Level Mounted)	\$739
COUPLINGS		
250J005	Quick Release Couplings for 1 Aux	\$415
250J006	Quick Release Couplings for 2 Aux	\$821
250J007	Quick Release Couplings Integral Side-Shift	\$416
OTHER ATTACHMENTS		
250H014	Single Tilt Carriage Pin - Heavy Duty Applications	\$488
250H558	2nd Changzee Fork Frame	\$1,761
250H044	Load Guard - Low Height Enclosure (35" from top of Forks)	\$494
250H045	Load Guard - Standard Height Enclosure (49" from top of Forks)	\$518
250H201	Wheel Protection Kit: 2WD Models	\$305



2023

**JCB Teletruk
TLT66-44G
4WD**

(TLT 30 LPG 4x4)



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

TLT66-44G 4WD Teletruk

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

ENGINE	58HP, Kubota liquid propane gas (LPG), Tier IV compliant.
TRANSMISSION	Torque Converter Response Hydrostatic drive system; 2 speed hydrostatic transmission; position one (1) good for shovel work; position two (2) general duty.
ELECTRICAL	12 volt, 110 Ah battery, with 80 amp alternator. Wire harness connectors meet/exceed IP67 electrical system rating. 2 front 1 rear worklights. Reverse alarm, low level beacon.
INSTRUMENTS	IDC (information display center) Visual warning system for general faults, hourmeter
LOAD MOTION CONTROL	LMC alerts the operator and progressively stops the lift hydraulics when the maximum lift capacity is reached, preventing forward tipping; informed through simple, progressive green, yellow, red warning lights.
TELESCOPIC BOOM	Two section, 13ft 1 in. lift height, max capacity of 6600 lb; Capacity of 4500 lb at 7ft forward reach
HYDRAULICS	One set of auxiliaries. standard flow 7 gpm; high flow 19 gpm. Greasing Kit.
OPERATOR AREA	Meets SAE J231 FOPS and SAE J1040 ROPS requirements, left side entry, cab tilts up for improved access to machine for service and maintenance; dual joysticks for boom and aux/side-shift functions. FNR column adjustment; operator manual. Low cab height approximately 4 in. (100 mm) shorter than the standard height cab.
CARRIAGE	Standard class III ITA carriage
LIVELINK TELEMATICS	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 year, 3,000 hours - See the machine warranty certificate for details



U.S. Dollar Price Page

**TLT66-44G 4WD
Teletruk**

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOMER FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
1323	Teletruk 66-44G - 4WD - CONSTRUCTION	\$60,548
TIRES & WHEELS		
250A020	27 x 10 x 12 Front & Rear Pneumatic Crossply Traction	\$6,097
250A021	27 x 10 x 12 Traction Front & Rear Foam Filled Traction	\$7,730
250A025	27 x 10 x 12 Semi-Solid Tires	\$8,198
250A051	ITWS MDT Traction Tires	\$8,738
OPERATORS COMPARTMENT		
250B407	Standard Height Full Cab - Heater/Demister	\$6,465
250B408	Low Height Full Cab (4" Lower) Includes Heater/Demister	\$6,465
250B409	Standard Height Canopy - Right Hand Side and Top Glass	\$4,879
250B410	Low Height Canopy (4" Lower) Right Hand Side and Top Glass	\$4,879
HYDRAULICS		
250C111	1 Aux - Standard Flow - Used for Side-Shift	\$3,764
250C112	2 Aux- Standard Flow - Used for Side-Shift & 1 Spare Aux Line	\$5,455
250C113	1 Aux - High Flow - Used for Side-Shift	\$4,857
250C152	Changeeze System - Standard Flow - 1 Spare Aux Line	\$5,455
250C153	Changeeze System - High Flow - No Spare Aux Line	\$4,857
TRANSMISSION		
250D080	Hydrostatic Drive - No Creep	\$0
250D090	Hydrostatic Drive - Creep (Drives like torque converter)	\$0
FORKS		
250E031	42" Standard Class III Industrial Forks (3B)	\$1,224
250E032	48" Standard Class III Industrial Forks (3B)	\$1,267
LANGUAGE PACK		
250F504	Operator Manual - English (USA)	\$0
250F506	Operator Manual - French (Canadian)	\$0
SEATS		
250G401	Standard, Vinyl	\$840
250G402	Standard, Fabric	\$861



TLT66-44G 4WD Teletruk



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired within limitations, if indicated.

SALES CODE	SIDE-SHIFT	List Price
250H056	Hydraulic Fork Positioner Carriage with Side-Shift - Class III	\$4,638
250H501	Bolt-on Side-Shift Class III Carriage	\$2,263
250H502	Quick Disconnect Side-Shift Carriage	\$3,650
250H582	Changezee System: Carriage Only (Forks Separate)	\$8,555
250H587	Changezee System: Complete: Carriage and Shovel (Forks Separate)	\$11,023
CAB & CONTROLS		
250H036	Panoramic Mirror - Interior	\$305
250J030	Alternative Lever Pattern: For Cabs with Side Glass	\$226
250K060	Speed Reduction Kit: To Reduce Travel Speed by 50%	\$2,003
250L057	Radio Ready: Speakers and Antenna (Radio not included)	\$464
250L410	Face Level Fan	\$193
250L488	In-Cab Coolant Temperature Gauge	\$226
LIGHTING		
250L460	LED Work Lights - 2 Front, 1 Rear	\$897
COUPLERS		
250J005	Quick Release Couplings for 1 Aux	\$415
250J006	Quick Release Couplings for 2 Aux	\$821
OTHER ATTACHMENTS		
250H044	Load Guard - Low Height Enclosure (35" from top of Forks)	\$494
250H045	Load Guard - Standard Height Enclosure (49" from top of Forks)	\$518
250H046	General Purpose Bucket, Class III (0.65 yd ³ , 54" wide)	\$3,715
250H050	Quick Disconnect Bagezee Bucket (0.65 yd ³ , 50" wide)	\$9,969
250H558	2nd Changzee Fork Frame	\$1,761
MISCELLANEOUS		
250H200	Wheel Protection Kit: 4WD Models	\$306



2023

JCB Teletruk

TLT77-52D

4WD

(TLT35D)



JCB, Inc. North American

Machine Price List

In U.S. Dollars

Effective: Jan 1, 2023

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

TLT77-52D 4WD Teletruk

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

ENGINE	62HP, Kohler KD12504TCR Diesel Engine, Tier IV compliant.
TRANSMISSION	Torque Converter Response Hydrostatic drive system; 2 speed hydrostatic transmission. 2WD flow divider for traction control.
ELECTRICAL	12 volt, 110 Ah battery, with 80 amp alternator. Wire harness connectors meet/exceed IP67 electrical system rating. 2 front 1 rear worklights. Reverse alarm, low level beacon.
INSTRUMENTS	IDC (information display center) Visual warning system for general faults, hourmeter
LOAD MOTION CONTROL	LMC alerts the operator and progressively stops the lift hydraulics when the maximum lift capacity is reached, preventing forward tipping; informed through simple, progressive green, yellow, red warning lights.
TELESCOPIC BOOM	Two section, 14ft 3in. lift height, max capacity of 7700 lb; Capacity of 5200 lb at 7ft forward reach
HYDRAULICS	One set of auxiliaries. standard flow 7 gpm; high flow 19 gpm. Greasing Kit.
OPERATOR AREA	Meets SAE J231 FOPS and SAE J1040 ROPS requirements, left side entry Canopy and cab tilts up for improved access to machine for service and maintenance adjustable fore and aft; dual joysticks for boom and aux/side-shift functions. FNR column adjustment; operator manual. Low Cab height is approximately 4 in. (100mm) shorter than the
CARRIAGE	Standard class III ITA carriage
LIVELINK TELEMATICS	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 year, 3,000 hours - See the machine warranty certificate for details



TLT77-52D 4WD Teletruk



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION I - YELLOW SERIES

Select one of the following machine Package Build(s). If none of the Package Build combinations meet your requirements, please order a machine using the Custom Build Sections following.

SALES CODE	ITEM	LIST PRICE
1307	Teletruk 77-52D - 4WD - CONSTRUCTION	\$73,470
250A020	27 x 10 x 12 Front & Rear Pneumatic Crossply Traction	\$6,097
250B407	Standard Height Full Cab - Heater/Demister	\$6,465
250C022	2 Aux- Standard Flow - Used for Side-Shift & 1 Spare Aux Line	\$5,455
250D080	Hydrostatic Drive - No Creep	\$0
250E032	48" Standard Class III Industrial Forks (3B)	\$1,267
250F414	Operator Manual - English (USA)	\$0
250G401	Standard, Vinyl	\$840
250H036	Panoramic Mirror - Interior	\$305
250H056	Hydraulic Fork Positioner Carriage with Side-Shift - Class III	\$4,638
250H700	Air Conditioning - Standard Height Cab	\$4,941
250J006	Quick Release Couplings for 2 Aux	\$821
250L410	Face Level Fan	\$193
LIST PRICE		\$104,492



TLT77-52D 4WD Teletruk



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
I307	Teletruk 77-52D - 4WD - CONSTRUCTION	\$73,470
TIRES & WHEELS		
250A020	27 x 10 x 12 Front & Rear Pneumatic Crossply Traction	\$6,097
250A021	27 x 10 x 12 Traction Front & Rear Foam Filled Traction	\$7,730
250A025	27 x 10 x 12 Semi-Solid Tires	\$8,198
250A051	ITWS MDT Traction Tires	\$8,738
OPERATORS COMPARTMENT		
250B409	Standard Height Canopy - Right Hand Side and Top Glass	\$4,879
250B410	Low Height Canopy (4" Lower) Right Hand Side and Top Glass	\$4,879
250B407	Standard Height Full Cab - Heater/Demister	\$6,465
250B408	Low Height Full Cab (4" Lower) Includes Heater/Demister	\$6,465
HYDRAULICS		
250C021	1 Aux - Standard Flow - Used for Side-Shift	\$3,764
250C022	2 Aux- Standard Flow - Used for Side-Shift & 1 Spare Aux Line	\$5,455
250C023	1 Aux - High Flow - Used for Side-Shift	\$4,857
250C024	2 Aux - High Flow - Used for Side-Shift & 1 Spare Aux Line	\$6,548
250C062	Changeeze System - Standard Flow - 1 Spare Aux Line	\$5,455
250C064	Changeeze System - High Flow - 1 Spare Aux Line	\$6,548
SALES CODE	TRANSMISSION	LIST PRICE
250D080	Hydrostatic Drive - No Creep	\$0
250D090	Hydrostatic Drive - Creep (Drives like torque converter)	\$0
FORKS		
250E031	42" Standard Class III Industrial Forks (3B)	\$1,224
250E032	48" Standard Class III Industrial Forks (3B)	\$1,267
LANGUAGE PACK		
250F414	Operator Manual - English (USA)	\$0
SEATS		
250G401	Standard, Vinyl	\$840
250G402	Standard, Fabric	\$861



TLT77-52D 4WD Teletruk



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired within limitations, if indicated.

SALES CODE	SIDE-SHIFT OPTIONS	LIST PRICE
250H111	Bolt-on Side-Shift Class III Carriage	\$2,263
250H056	Hydraulic Fork Positioner Carriage with Side-Shift - Class III	\$4,638
250H112	Quick Disconnect Side-Shift Carriage	\$3,650
250H117	Quick Disconnect System: Includes 250H112, 250H46 and 250J005	\$8,123
250H582	Changezee System: Carriage Only (Forks Separate)	\$8,555
250H587	Changezee System: Complete: Carriage and Shovel (Forks Separate)	\$11,023
CAB & CONTROL OPTIONS		
250H036	Panoramic Mirror - Interior	\$305
250H700	Air Conditioning - Standard Height Cab	\$4,941
250H701	Air Conditioning - Low Height Cab	\$4,941
250J030	Alternative Lever Pattern: For Cabs with Side Glass	\$226
250K011	Traction Assist: Switch in Cab activates 4x4 Rear Axle Diff Lock	\$2,211
250K060	Speed Reduction Kit: To Reduce Travel Speed by 50%	\$2,003
250K011	Traction Assist: Switch in Cab activates 4x4 Rear Axle Diff Lock	\$2,211
250K400	Cold Climate Kit: Includes a Grid Heater.	\$159
250L410	Face Level Fan	\$193
250L044	Reverse Alarm - White Noise	\$353
250L057	Radio Ready: Speakers and Antenna (Radio not included)	\$464
250H434	Overhead Roof Guard	\$1,202
LIGHTING OPTIONS		
250L463	2 Additional Work Lights (Low Level Mounted)	\$739
250L465	Road Lights - Head, Tail, Indicators	\$2,317
250L460	LED Work Lights - 2 Front, 1 Rear	\$897
COUPLER OPTIONS		
250J005	Quick Release Couplings for 1 Aux	\$415
250J006	Quick Release Couplings for 2 Aux	\$821
250J007	Quick Release Couplings Integral Side-Shift	\$416
OTHER ATTACHMENTS		
250H044	Load Guard - Low Height Enclosure (35" from top of Forks)	\$494
250H045	Load Guard - Standard Height Enclosure (49" from top of Forks)	\$518
250H046	General Purpose Bucket, Class III (0.65 yd ³ , 54" wide)	\$3,715
250H050	Quick Disconnect Bagezee Bucket (0.65 yd ³ , 50" wide)	\$9,969
250H558	2nd Changzee Fork Frame	\$1,761
MISCELLANEOUS		
250H054	Angle Indicator for Carriage, includes Low Load Guard	\$983
250H055	Angle Indicator for Carriage, includes Standard Load Guard	\$1,005
250H200	Wheel Protection Kit: 4WD Models	\$306



2023

**JCB Teletruk
TLT77-52WM
4WD**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.



U.S. Dollar Price Page

TLT77-52WM 4WD Teletruk

Effective: Jan 1, 2023



F.O.B. Savannah, GA

STANDARD EQUIPMENT

ENGINE	62HP, Kohler KD12504TCR Diesel Engine, Tier IV compliant.
TRANSMISSION	Torque Converter Response Hydrostatic drive system; 2 speed hydrostatic transmission. 2WD flow divider for traction control.
ELECTRICAL	12 volt, 110 Ah battery, with 80 amp alternator. Wire harness connectors meet/exceed IP67 electrical system rating. 2 front 1 rear worklights. Reverse alarm, low level beacon.
INSTRUMENTS	IDC (information display center) Visual warning system for general faults, hourmeter
LOAD MOTION CONTROL	LMC alerts the operator and progressively stops the lift hydraulics when the maximum lift capacity is reached, preventing forward tipping; informed through simple, progressive green, yellow, red warning lights.
TELESCOPIC BOOM	Two section, 14ft 3in. lift height, max capacity of 7700 lb; Capacity of 5200 lb at 7ft forward reach
HYDRAULICS	One set of auxiliaries. standard flow 7 gpm; high flow 19 gpm. Greasing Kit.
OPERATOR AREA	Meets SAE J231 FOPS and SAE J1040 ROPS requirements, left side entry, cab tilts up for improved access to machine for service and maintenance; dual joysticks for boom and aux/side-shift functions. FNR column adjustment; operator manual. Low Cab height is approximately 4 in. (100mm) shorter than the standard height cab
CARRIAGE	Standard class III ITA carriage - heavy duty pin
LIVELINK TELEMATICS	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 year, 3,000 hours - See the machine warranty certificate for details
WASTEMASTER/ HEAVY DUTY	Heavy duty body kit, wheel motor guards, roof guards, fire extinguisher.



TLT77-52WM 4WD Teletruk



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
I 309	Teletruk 77-52DW - 4WD - WASTE / HEAVY DUTY	\$76,631
TIRES & WHEELS		
250A020	27 x 10 x 12 Front & Rear Pneumatic Crossply Traction	\$6,097
250A021	27 x 10 x 12 Traction Front & Rear Foam Filled Traction	\$7,730
250A025	27 x 10 x 12 Semi-Solid Tires	\$8,198
250A051	ITWS MDT Traction Tires	\$8,738
OPERATORS COMPARTMENT		
250B409	Standard Height Canopy - Right Hand Side and Top Glass	\$4,879
250B410	Low Height Canopy (4" Lower) Right Hand Side and Top Glass	\$4,879
250B407	Standard Height Full Cab - Heater/Demister	\$6,465
250B408	Low Height Full Cab (4" Lower) Includes Heater/Demister	\$6,465
HYDRAULICS		
250C021	1 Aux - Standard Flow - Used for Side-Shift	\$3,764
250C022	2 Aux- Standard Flow - Used for Side-Shift & 1 Spare Aux Line	\$5,455
250C023	1 Aux - High Flow - Used for Side-Shift	\$4,857
250C024	2 Aux - High Flow - Used for Side-Shift & 1 Spare Aux Line	\$6,548
250C062	Changeeze System - Standard Flow - 1 Spare Aux Line	\$5,455
250C064	Changeeze System - High Flow - 1 Spare Aux Line	\$6,548
SALES CODE	TRANSMISSION	
250D080	Hydrostatic Drive - No Creep	\$0
250D090	Hydrostatic Drive - Creep (Drives like torque converter)	\$0
FORKS		
250E031	42" Standard Class III Industrial Forks (3B)	\$1,224
250E032	48" Standard Class III Industrial Forks (3B)	\$1,267
LANGUAGE PACK		
250F414	Operator Manual - English (USA)	\$0
SEATS		
250G401	Standard, Vinyl	\$840
250G402	Standard, Fabric	\$861



TLT77-52WM 4WD Teletruk



U.S. Dollar Price Page

Effective: Jan 1, 2023

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired within limitations, if indicated.

SALES CODE	SIDE-SHIFT OPTIONS	LIST PRICE
250H110	#N/A	#N/A
250H111	Bolt-on Side-Shift Class III Carriage	\$2,263
250H056	Hydraulic Fork Positioner Carriage with Side-Shift - Class III	\$4,638
250H112	Quick Disconnect Side-Shift Carriage	\$3,650
250H117	Quick Disconnect System: Includes 250H112, 250H46 and 250J005	\$8,123
250H582	Changezee System: Carriage Only (Forks Separate)	\$8,555
250H587	Changezee System: Complete: Carriage and Shovel (Forks Separate)	\$11,023
CAB & CONTROL OPTIONS		
250H036	Panoramic Mirror - Interior	\$305
250H700	Air Conditioning - Standard Height Cab	\$4,941
250H701	Air Conditioning - Low Height Cab	\$4,941
250J030	Alternative Lever Pattern: For Cabs with Side Glass	\$226
250K011	Traction Assist: Switch in Cab activates 4x4 Rear Axle Diff Lock	\$2,211
250K060	Speed Reduction Kit: To Reduce Travel Speed by 50%	\$2,003
250K011	Traction Assist: Switch in Cab activates 4x4 Rear Axle Diff Lock	\$2,211
250K400	Cold Climate Kit: Includes a Grid Heater.	\$159
250L410	Face Level Fan	\$193
250L044	Reverse Alarm - White Noise	\$353
250L057	Radio Ready: Speakers and Antenna (Radio not included)	\$464
LIGHTING OPTIONS		
250L463	2 Additional Work Lights (Low Level Mounted)	\$739
250L465	Road Lights - Head, Tail, Indicators	\$2,317
250L460	LED Work Lights - 2 Front, 1 Rear	\$897
COUPLER OPTIONS		
250J005	Quick Release Couplings for 1 Aux	\$415
250J006	Quick Release Couplings for 2 Aux	\$821
250J007	Quick Release Couplings Integral Side-Shift	\$416
OTHER ATTACHMENTS		
250H044	Load Guard - Low Height Enclosure (35" from top of Forks)	\$494
250H045	Load Guard - Standard Height Enclosure (49" from top of Forks)	\$518
250H046	General Purpose Bucket, Class III (0.65 yd ³ , 54" wide)	\$3,715
250H050	Quick Disconnect Bagezee Bucket (0.65 yd ³ , 50" wide)	\$9,969
250H558	2nd Changzee Fork Frame	\$1,761
MISCELLANEOUS		
250H054	Angle Indicator for Carriage, includes Low Load Guard	\$983
250H055	Angle Indicator for Carriage, includes Standard Load Guard	\$1,005
250H200	Wheel Protection Kit: 4WD Models	\$306
250K501	Wide Core Radiator	\$431



2023

**JCB Teletruk
TLT66-40E**



**JCB, Inc. North American
Machine Price List
In U.S. Dollars
Effective: Jan 1, 2023**

Changes to specifications and/or prices may occur.
Please refer to the product manager for updates.

**STANDARD EQUIPMENT**

POWER	Powered by 80v -625Ah - 50Kwh lead-acid battery; forty (40) 2v cells Battery pack contained in one single compartment, can be removed as single pack Zero emissions
TRANSMISSION	Two independent AC front drive motors with reduction hub gearboxes work through a 21% gradient. Electric park brake. Forward, neutral, reverse (FNR) selection switch on single lever joystick.
ELECTRICAL FEATURES	Two (2) front, one (1) rear LED work light, reverse alarm, beacon
INSTRUMENTS	Panel includes indicators for work lights, indicators (if road light package equipped), operator present warning, seat belt warning, park brake warning, hydraulic oil over temp warning, rear door open warning, joystick isolation, active aux service, battery warning, service faults, ECO drive, battery percentage, travel speed, hour meter.
TELESCOPIC BOOM	Two section 13 ft 1 in. lift height with max capacity of 6,600 lbs and 4000 lb capacity at 7 ft forward reach
HYDRAULICS	Dual auxiliary port - 18 gal/min
OPERATOR STATION	Canopy or full cab options - ROP/FOPS certified. Cab height of 7 ft 2 in. JCB CommandPlus cab includes single lever joystick with SMART Hydraulics for all boom functions; soft touch instrument panel; updated seat design - various material options. Canopy will include right side glass.
LOAD MOTION CONTROL	LMC alerts the operator and progressively stops the lift hydraulics when the maximum lift capacity is reached, preventing forward tipping; informed through simple, progressive green, yellow, red warning lights.
CARRIAGE	Standard Class III ITA carriage
LIVELINK	5 year subscription allows for enhanced machine security, improved service monitoring and modernized fleet.
WARRANTY	2 year, 3,000 hours - See the machine warranty certificate for details

BATTERY CHARGER MUST BE ORDERED SEPARATELY
SEE DEALER FIT PAGES / PARTS LIST



U.S. Dollar Price Page

**TLT66-40E
Teletruk**

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOMER FACTORY BUILT ORDERS

To order a machine, select a code from each category below. Select Options from Section 3 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
1346	Teletruk 66-40E - 2WD - ELECTRIC	\$81,322
TIRES & WHEELS		
250A060	27x10x12 Front, 21x8-9 Rear - Industrial, Solid Tires	\$4,490
250A061	27x10x12 Front, 21x8-9 Rear - Non-Marking Tires	\$4,928
OPERATORS COMPARTMENT		
250B200	CommandPlus Full Cab - Heat, AC, Air Suspension Seat	\$6,441
250B201	CommandPlus Full Cab - Heat, Fabric Seat	\$5,806
250B203	CommandPlus Canopy - Right Side Glass, Vinyl Seat	\$4,447
HYDRAULICS		
250C200	1 Aux - Standard Flow - Used for Side-Shift	\$3,427
250C205	1 Aux - High Flow - Used for Side-Shift	\$4,857
250C204	2 Aux- High Flow - Used for Side-Shift & 1 Spare Aux Line	\$6,548
TRANSMISSION		
250D999	Electric Smart Drive - Battery Charger to be ordered separately	\$0
FORKS		
250E020	42" Standard Class III Industrial Forks (3A)	\$986
250E021	48" Standard Class III Industrial Forks (3A)	\$1,178
LANGUAGE PACK		
250F042	Operator Manual - English (USA)	\$0
250F043	Operator Manual - French (Canadian)	\$0
CONTROLS		
250G999	Single Lever Joystick - Smart Hydraulics	\$0



U.S. Dollar Price Page

**TLT66-40E
Teletruk**

Effective: Jan 1, 2023



F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired within limitations, if indicated.

SALES CODE	CAB & CONTROLS	
250R005	Front Screen Guard	\$387
	LIGHTING	
250S004	Blue Spot Light	\$288
	SIDE-SHIFT	List Price
250T009	Bolt-on Side-Shift Class III Carriage	\$2,263
250T010	Quick Disconnect Side-Shift Carriage	\$3,650
250T012	Hydraulic Fork Positioner Carriage with Side-Shift - Class III	\$4,524
250T013	Changezee System: Carriage Only (Forks Separate)	\$8,556
250T014	Changezee System: Complete: Carriage and Shovel (Forks Separate)	\$11,023
	OTHER ATTACHMENTS	
250T006	Load Guard - Standard Height Enclosure (49" from top of Forks)	\$518
250T007	Load Guard - Standard Height Enclosure (34" from top of Forks)	\$494
250T002	General Purpose Bucket, Class III, Quick Disconnect	\$5,449
250T003	Quick Disconnect Bagezee Bucket (0.65 yd ³ 50" wide)	\$9,968
250T015	Quick Release Couplings for 1 Aux - Standard Flow	\$415
250T016	Quick Release Couplings for 1 Aux - High Flow	\$415
250T017	Quick Release Couplings for 2 Aux - High Flow	\$821

**BATTERY CHARGER MUST BE ORDERED SEPARATELY
SEE DEALER FIT PAGES / PARTS LIST**