

Exhibit 2

HILTI

CORDLESS WITHOUT COMPROMISE

NURON

Your **NEW** all-on-one
cordless platform

NURON

CONTENTS



» NURON: ONE CORDLESS PLATFORM

» HELP STREAMLINE YOUR DAY-TO-DAY

» BATTERIES WITHOUT COMPROMISE

» CORDLESS SAWS, GRINDERS AND METAL WORKING TOOLS

DSH 600-22 Cut-off saw

SC 30 WL-22 & WR-22
Wood cutting circular saws

AG 6D-22 (5" & 6") Angle grinder

» CORDLESS IMPACT DRIVERS, SCREW DRIVERS, DRILL DRIVERS AND IMPACT WRENCHES

SID 6-22 Impact driver

SIW 8-22 1/2" Impact wrench

» CORDLESS BATTERY-ACTUATED NAILERS, PRESS TOOLS, CUTTERS, CRIMPERS & KNOCKOUTS

BX 3-22 Cordless concrete nailer
(Interior Finishing)

BX 3 ME-22 Cordless concrete nailer
(Mechanical and Electrical)

» CORDLESS HAMMER DRILLS, ROTARY & COMBIHAMMERS, AND CHIPPERS & BREAKERS

TE 6-22 Rotary hammer

TE 30-22 Combihammer SDS Plus

TE 60-22 Combihammer SDS Max

TE 2000-22 Cordless jackhammer

» BATTERIES & CHARGERS, AND CORDLESS VACUUMS & LIGHTS

VC 140-2-22 Vacuum

» WORLD'S FIRST CORDLESS SAFESET SYSTEM

» UPGRADE TO NURON

NURON

ONE CORDLESS PLATFORM



Nuron will redefine the way you work — and directly impact your bottom line.

Whether you're new to Hilti or considering an upgrade to Nuron, this all-on-one platform can maximize your productivity and help take charge of the most demanding projects so you can start and finish jobs faster.

A connected cordless platform to handle the broadest range of light- to heavy-duty construction jobs and projects, Nuron has you covered.



LONGER RUN TIMES

A fully compatible platform that enables optimization of your tool crib, you can count on higher efficiency than corded or gas-powered tools, helping your teams work with **more work-per-charge, more speed** and **less downtime**.



POWER-PACKED PERFORMANCE

The groundbreaking new battery technology packs **unmatched power** and **performance for demanding jobs** like breaking concrete, serial drilling into tough materials, and grinding and cutting metal.



DURABILITY AND SAFETY

All Nuron tools and batteries come with **improved durability** and more **built-in safety features** to help withstand the harshest conditions, keep your crews safe, and reduce risks that contribute to unnecessary costs and delays on your jobsites.



STREAMLINE YOUR TOOL CRIB AND JOBSITE MANAGEMENT

We're here to help simplify your day-to-day. All Nuron tools are designed with **integrated data-driven services** that help maintain tool and battery health while minimizing downtime and the burden of managing repairs.

HILTI

**CLICK TO
LEARN MORE**

NURON

HELP STREAMLINE YOUR DAY-TO-DAY

Nuron offers connected tools and batteries for more transparency to your tools and how they're being used, helping you improve tool crib management and jobsite productivity — with even more services and connectivity enabled for Fleet and ON!Track customers.

Hilti Tool Services



Tool Fleet Management
Better control your tools and your costs. We help manage your tools so you can focus on managing your business.



ON!Track Asset Management
Designed to help make it easier to manage your business, tools, and jobsites



In-House Repair Services
Simple to request tool repair services, often with a 1-business day turnaround



Hilti's 20-2-1 Warranty
We stand behind the quality of our tools with the 20-2-1 warranty
Some limitations apply. Contact Hilti for details.

HILTI

» ADDED NURON BENEFITS

Help eliminate jobsite delays and unnecessary costs while freeing up hours to use where they're needed most — allowing you to boost your efficiency, all on one platform.



BUILT-IN DIAGNOSTICS

- Get alerted when tools need maintenance
- Maintenance alerts to help keep your tools working



BATTERY STATE OF HEALTH

- Quickly gauge charge levels
- Automatic battery health scan and replacement service



TOOL USAGE INSIGHTS

- Last charged location
- Know where and who is using tools
- Identify and locate idle, underused, and hoarded tools

» [CLICK TO LEARN MORE](#)

BATTERIES WITHOUT COMPROMISE

NURON



THE NURON CORDLESS BATTERY DIFFERENCE



Two additional spring-loaded plugs deliver **twice the power** to your light to heaviest-duty jobs



Shock absorbing bumpers have been added to the outside of the battery for **increased drop protection**



New potted casing **protect electronics** from moisture, dust and other contaminants



Redesigned battery cell holders provide improved heat management to **enable greater performance**

Hilti Nuron cordless batteries not only bring you more connectivity, performance and the flexibility to use the same set of interchangeable batteries for all your tools – they've also been designed to sustain the toughest of jobsites – making your job just a little bit simpler.



With **data-driven insights**, you can make informed decisions for your business and your bottom line



Stored insights **automatically upload** when batteries are charged



Intuitive batteries help you stay ahead by collecting information on **usage, location and health data** while you work

CORDLESS SAWS, GRINDERS AND METAL WORKING TOOLS



CUT-OFF SAWS



DSH 600-22
Cut-off saw



COMING
SOON



DWP 15-22
Water pump



SC 4 WL-22
Wood cutting circular
saw (6.5") blade left

COMING
SOON



SC 30 WL-22
Wood cutting circular
saw (7.25") blade left



SC 30 WR-22
Wood cutting circular
saw (7.25") blade right



SC 5ML-22
Metal cutting
circular saw (6.5")
blade left



SB 4-22
Compact band
saw (2.5")



SJD 6-22
Jigsaw D handle



SJT 6-22
Jigsaw T handle

COMING
SOON



SR 4-22
One-handed
reciprocating saw



SR 6-22
Reciprocating saw



SCO 6-22
Cutout tool

GRINDERS



AG 4-22 (4.5")
4.5" Angle grinder



AG 4-22 (5")
5" Angle grinder



AG 5D-22 (5")
5" Angle grinder



AG 6D-22 (5")
5" Angle grinder
w/ SensTech



AG 6D-22 (6")
6" Angle grinder
w/ SensTech



METAL WORKING TOOLS



GDG 6-22
Die grinder



GFB 6X-22
Band file



GPB 6X-22
Burnisher



GTB 6X-22
Tube belt sander



SPN 6-22 (CN)
Nibbler with
CN toolset



SPN 6-22 (RN)
Nibbler with
RN toolset



SSH 6-22
Shear

NURON

DSH 600-22 Cut-off saw

CUT FASTER, SMOOTHER AND LONGER

Ditch your dependency on gas and experience game-changing power and performance — plus none of the fumes, noise, or delays gas can create — with the Nuron battery-powered DSH 600-22 cut-off saw.

Say goodbye to gas and all the hassles that come with it, including the inability to cut indoors.

- NO fumes or emissions
- NO excessive heat
- NO fuel mixing issues
- NO extra maintenance

You'll also benefit from quieter, lower-vibration cutting, built-in safety with a fast-acting blade brake and better handling and maneuverability with a tool body that is nearly 10 lbs. lighter than like cut-off saws.

With longer runtimes, less maintenance, and more control, the DSH 600-22 is the easy choice for all-day cutting—wet or dry. What are you waiting for?

APPLICATIONS

- **Cutting concrete and masonry**—such as making new openings or trimming blocks to size (max. cutting depth 4-¾" with 12" blades)
- **Paving**—cutting curbstones, pavers, and asphalt
- **Metalwork**—cutting metal deck, rebar, steel sheet, metal track, and pipes
- **Cutting indoors**—battery-powered, cordless cut-off saws are quieter and fume-free



UP TO
▲29%

**MORE CUTS
VS. GAS**



**LONGER
LIFETIME**



**FASTER
CUTTING**

» TECHNICAL DATA

Work environment/operation	Interior and exterior; wet and dry
Disc diameter	12 in.
Dimensions (L X W X H)	26.76 x 11.42 x 13.78 in.
Cutting depth	4 ¾ in.
Weight according EPTA-Procedure 01/2003	18.73 lbs.

[CLICK TO
LEARN MORE](#)

CUTTING EDGE SPEED AND UNMATCHED RUNTIME

NURON SC 30 WL-22 and WR-22 Wood cutting circular saws

Cut through your work effortlessly with SC 30 WL-22 or SC 30 WR-22 on the all-on-one Nuron cordless platform.

The brushless SC 30 WL-22 circular saw makes production cutting more efficient and less demanding, offering double the runtime in comparison to previous generations. With no more power cords and fewer trips to the charger, you can keep things running smoothly on your jobsite. No matter the blade orientation, you can expect cordless without compromise.

The SC 30 WL-22 has been redesigned to take full advantage of the high power delivered by the Nuron battery and deliver the best performance

versus the long-standing 15A corded blade-left worm-drive saw. With a 2-3/8" cutting depth, longer runtime and superior heat management, you can easily tackle tough all-day jobs.

The newest saw in the Hilti portfolio, the SC 30 WR-22 leaves other saws in the dust. Designed for the everyday grind on the jobsite, this blade-right 7-1/4" circular saw is built to boost your productivity with faster speeds, the best cutting depth and a virtually dust-free cutting experience.

» APPLICATIONS

SC 30 WL-22 & SC 30 WR-22

- **Bevel cuts**—the SC 30 WL-22 can cut at 0–50° angles, and the SC 30 WR-22 at 45° in materials up to 2" or at 50° up to 1.77" thickness
- **Cutting solid wood**—the SC 30 WL-22 and SC 30 WR-22 cut production wood, hardwoods, battens and pressure-treated lumber
- **Cutting wood-based board**—the SC 30 WL-22 and SC 30 WR-22 cut HDO, MDO, plywood and OSB
- **Cross and rip cuts**—the SC 30 WL-22 cuts through wood or plastic
- **Trimming interior finishing board**—the SC 30 WL-22 cuts drywall and sandwich boards

ADVANTAGES

SC 30 WL-22 & SC 30 WR-22

- **Designed for comfortable control**—weighing in under 12 lbs. with a B-170 battery, the rear handle grip makes precise cuts quicker and easier
- **LED light** enhances visibility
- **Virtually dust-free sawing**—by attaching optional adapter for use with a vacuum
- **Highest cutting depth**—the SC 30 WR-22 can cut through three 3/4 in. wood boards in a single pass



MORE RUNTIME
PER CHARGE



WORK ALL
DAY ON ONE
CHARGE



TRIPLE THE
CUTTING
SPEED

Cuts faster than any
other tool in its class

Ergonomics help
enable quick,
precise cuts

HILTI



CLICK TO
LEARN MORE

NURON

MORE SPEED, MORE SAFETY



A SMARTER,
SAFER GRINDER



MAXIMUM
OPERATOR SAFETY



MORE CUTTING
SPEED



THE NEWEST IN
GRINDER SAFETY
TECHNOLOGY

AG 6D-22 Angle grinder with SensTech and 3D ATC

Safety and performance are non-negotiables on the jobsite.

Help minimize downtime while experiencing the ultimate in performance and safety with Hilti's new AG 6D-22 (5" & 6") Angle grinder. Equipped with SensTech and 3D Active Torque Control (ATC), you can cut and grind with more control—making the uncompromising AG 6D-22 one of the world's safest grinders.

In a smaller package and 30% more compact, the AG 6D-22 offers power, comfort and control with an unmatched work per charge. Powered by self-optimizing Nuron batteries, you get twice the cutting speed plus the performance of a 36V grinder on a 22V platform.

APPLICATIONS

- Cutting rebar, pipes and sheet metal
- Weld removal, notching, grinding, deburring and finishing metal surfaces
- Cutting and grinding concrete, masonry, roof tiles or stone

TECHNICAL DATA

Dimensions (L x W x H)	11.81 x 3.26 x 5.19 in.
Weight according EPTA-Procedure 01/2003 (input)	4.4 lbs. (without battery)
Max. cutting depth	1.81 in.



WHAT IS SENSTECH AND 3D ATC?

Experience a powerhouse of safety and performance with Hilti-exclusive technologies, SensTech and 3D ATC.



SensTech is a patented, touch-activated deadman switch that automatically detects the operator's hand, shutting off the tool and immediately applying a break if a hand is removed



3D ATC kickback control adds another layer of safety, shutting the tool off to reduce risk of injury when it binds or spins abruptly out of its work zone in any direction



CLICK TO
LEARN MORE

NURON

CORDLESS IMPACT DRIVERS, SCREW DRIVERS, DRILL DRIVERS AND IMPACT WRENCHES



IMPACT DRIVERS



SID 6-22
Impact driver



SCREW DRIVERS



SD 5000-22
Drywall screw driver

DRILL DRIVERS



SF 4-22
Drill driver



SF 4H ATC-22
Drill driver



SF 6H ATC-22
Drill driver

IMPACT WRENCHES



SIW 6-22
Impact wrench



SIW 8-22
Impact wrench



HILTI

FASTER, SAFER, SMARTER

NURON SID 6-22
Impact driver

» TECHNICAL DATA

Dimensions (L X W X H)	5.43 X 2.68 X 8.11 in.
Chuck type	¼ in.
Tool body weight (input)	2.19 lbs.



1ST LED LIGHT
RING ON AN
IMPACT DRIVER



DRIVE FASTER
WITH QUICKER
TRIGGER TIME



LONGER
RUNTIME PER
CHARGE

With all-day performance and the power and speed to finish jobs faster, the SID 6-22 cordless impact driver is designed with a high-efficiency motor and tether-ready for added jobsite safety.

Powered by the Nuron cordless platform, the SID 6-22 enables your team to set fasteners with high speed and efficiency. The interface also enables data-driven services for more transparency to your tools and teams, providing location and idle tool utilization data to help further drive productivity.

The SID 6-22 comes with the performance you need for high frequency fastening, along with built-in safety features to help protect your workforce and reduce risks that contribute to unnecessary costs and delays.

APPLICATIONS

- **High-speed fastening**—built for high-speed fastening such as metal deck, stud framing, HVAC, formwork, prefab and glazing
- **Self-drilling screws**—optimized for drilling through metal and driving threads to completion
- **Wood screws**—high-speed cordless impact driver for attaching wood to wood
- **Concrete fasteners**—high-performing and long-lasting runtime ideal for driving concrete screw anchors such as HUS (max. diameter 6 mm)

HILTI



» [CLICK TO
LEARN MORE](#)

NURON

GREATER POWER AND DURABILITY



» TECHNICAL DATA

RPM	0-1,250/1,500
Torque	442 ft/lbs, 737 ft/lbs
Nut busting torque	1,217 ft/lbs
Anvil type	½" friction ring
Dimensions (L x W x H)	8 x 3.1 x 8.8 in.

SIW 8-22 ½" IMPACT WRENCH



Speed up your bolting and anchoring with the new Nuron-powered SIW 8-22 ½" impact wrench.

You'll also experience more precision and control thanks to the high torque, improved ergonomics, two speed settings and built-in LED light.

With the increased power, performance and runtime of the all-in-one cordless platform, the SIW 8-22 is the most powerful cordless impact wrench Hilti offers—so you can count on maximum longevity and durability, no matter the job.

» APPLICATIONS

- **Bolting steel**—structural steel connections, pipe flanges, equipment and A325 bolts (½" to 1½" diameter)
- **Setting HUS anchors in concrete**—such as for baseplates, formwork props, handrails and temporary fixtures (½" to ¾" diameter)
- **Lag bolting in wood**—such as for primary and secondary wood structures, wooden roofs or temporary structures (½" to ¾" diameter)



HILTI



» [CLICK TO LEARN MORE](#)

NURON

CORDLESS BATTERY ACTUATED NAILERS, PRESS TOOLS, CUTTERS, CRIMPERS & KNOCKOUTS

BATTERY-ACTUATED NAILERS



BX 3-22 (IF)
Battery fastener



BX 3-22 (ME)
Battery fastener



PRESS TOOLS



NPR 24-22
Press tool



NPR 32-22 (I)
Press tool (inline)



NPR 32-22 (P)
Press tool
(pistol grip)



NUN 54-22
Universal tool

CUTTERS, CRIMPERS & KNOCKOUTS



NCR 120-22
P/ Coated
Version
Crimper



NCR 60-22
D/ Coated
Version
Crimper



NCT 25-22
Cutter



NCT 45-22
Cutter



NCT 53-22
Cutter



NCT 85-22
Cutter



FASTER FASTENING MADE EASIER

BX 3-22, BX 3 ME-22
Battery fasteners

NURON

» TECHNICAL DATA

	BX 3-22	BX 3 ME-22
Fastener guide type	IF	ME
Fastener intake	30 nails	20 nails
Dimensions (L x W x H)	18.7 x 5.3 x 14.6 in.	18.7 x 5.3 x 11.6 in.
Bluetooth	Yes	Yes
Tool body weight	7.7 lbs.	7.6 lbs.



Simplify and speed up your installation and attachment projects and experience improved quality of fastening into concrete, steel, and masonry with the new BX 3-22 battery fastener on the all-on-one Nuron 22V cordless platform.

A powerhouse for productivity, the BX 3-22 can now shoot up to 700 nails per hour and fasten up to 850 nails on a single charge with lower recoil, less noise and virtually no dust. With its new comfort handle, you can easily access tight spaces and perform all of your suspended applications safely from the floor without needing to use lifts or platforms with BX 3-22-compatible pole tools.

Keep your jobsites running more safely and efficiently while reducing unnecessary downtime with the help of the BX 3-22's built-in features. They include an integrated motion sensor, nail refill indicator, LED light, two belt hooks for added convenience and a tether-ready attachment to protect against dropped tools.

APPLICATIONS

BX 3-22 Cordless concrete nailer (Interior Finishing)

- Fastening drywall track to concrete and steel (max. nail length 1/8")
- Fastening wall ties/brick ties to concrete, solid masonry or steel
- Fastening membranes, mesh and sheathing to concrete

BX 3 ME-22 Cordless concrete nailer (Mechanical and Electrical)

- Fastening cables and conduits to concrete and steel (max. nail length 15/16")
- Fastening M6/W6 threaded studs to steel or concrete



SHOOT UP TO 700
NAILS PER HOUR



DRIVE UP TO 850
NAILS PER CHARGE



MAXIMUM OUTPUT,
ALL DAY LONG



NO POWDER,
NO GAS



HILTI

» [CLICK TO
LEARN MORE](#)

NURON

CORDLESS HAMMER DRILLS, ROTARY & COMBIHAMMERS, AND CHIPPERS & BREAKERS



HAMMER DRILLS



TE 2-22
Rotary hammer



TE 4-22
Rotary hammer

ROTARY & COMBIHAMMERS WITH CHIPPING



TE 6-22
Rotary hammer
SDS Plus



TE 30-22
Combihammer
SDS Plus



TE 60-22
Combihammer
SDS Max

CHIPPERS & BREAKERS



TE 500-22
Breaker SDS Max



TE 2000-22
Breaker SDS Max

DISPENSERS



HDE 500-22 w/
red cartr. holder
Anchor dispenser



HDE 500-22 w/
black cartr. holder
Anchor dispenser



CD 4-22 (20oz)
Caulk dispenser



CD 4-22 (10oz)
Cartridge dispenser



NURON

TE 6-22 Rotary hammer

LIGHTER, SAFER, AND STRONGER THAN EVER

Power through bigger, tougher drilling and chipping jobs with the TE 6-22 SDS Plus cordless rotary hammer.

With upgraded power-to-weight ratio, better tool balance, improved ergonomics and more comfort, the TE 6-22 helps make all-day use easy.

Stay protected from uncontrollable spinning with Active Torque Control (ATC) and experience up to 20% less vibration for more comfort and less fatigue with the help of Active Vibration Reduction (AVR). Built with safety in mind, the TE 6-22 comes tether-ready to help prevent and protect against dropping or falling tools.

» APPLICATIONS

- Drilling and hammer drilling in concrete and masonry
- Light-duty chiseling—such as tile scraping, channel cleaning or surface correction
- Occasional drilling in wood and steel with optional quick-release chuck
- Setting anchors and drop-in anchors with optional TE-C bit holder

Simplifying overhead applications, the TE 6-22 also offers the lightest system with an OSHA 1926.1153 Table 1 compliant on-board Dust Removal System (DRS)



MORE WORK



LESS VIBRATION

» TECHNICAL DATA

Dimensions (L x W x H)	13.43 x 3.35 x 7.48 in.
Tool body weight	5.75 lbs.
Tool chuck type	TE-C (SDS Plus)
Hammer drilling RPM	1050 RPM



ATC AVR

CLICK TO LEARN MORE

NURON

TACKLE THE TOUGHEST JOBS

TE 30-22 Combihammer SDS Plus, TE 60-22 Combihammer SDS Max



» TECHNICAL DATA

TE 30-22

Tool body weight (input) 8.6 lbs.

Tool chuck type TE-C (SDS Plus)

» [CLICK TO LEARN MORE](#)

TE 60-22

Tool body weight (input) 13.9 lbs.

Tool chuck type TE-Y (SDS Max)

» [CLICK TO LEARN MORE](#)



» APPLICATIONS




TE 30-22

- Drilling anchor holes in concrete and masonry
- Drilling holes for rebar doweling—optimal for serial rebar drilling applications
- Virtually dust-free drilling with Hilti's Dust Removal System (DRS) solutions
- Light-duty chiseling—such as tile scraping, channel cleaning and surface correction
- Occasional drilling in wood and steel (optional quick-release chuck required)



TE 60-22

- Drilling in concrete, reinforced concrete and masonry
- Chiseling openings and channels in concrete or masonry
- Digging holes in earth—SDS Max clay spade and ground rod driver available separately



Conquer the toughest hammer-drilling and medium-duty demolition jobs with the same interchangeable set of 22V batteries powered by the Nuron platform.

Drill faster and experience more work per charge with the TE 60-22 SDS Max combihammer and TE 30-22 SDS Plus combihammer, giving you and your crew the strength, versatility, and simplicity you need to get the job done. With Nuron's data driven services, you'll find tools faster and reduce downtime while having insight into the health of your tools and batteries.

Integrated safety features like Active Torque Control (ATC) and Active Vibration Reduction (AVR) give you the added comfort and control you need while operating your hammer drills, helping to ensure safety while tackling the most demanding drilling jobs.



NURON

DEMOLISH MORE WITH LESS



APPLICATIONS & ADVANTAGES


- Breaking up concrete slabs and foundations up to 8" thick
- Floor chasing and cutting channels for pipes
- Removing heavy paving without damaging the slab
- **Cordless breaker without compromise**—delivers the same demolition as the corded version and larger jackhammers, but without all the extra bulk
- **Unprecedented work-per-charge**—demolish half a ton per charge on one pair of revolutionary Nuron B 22-255 batteries
- **OSHA 1926.1153 Table 1 compliant**—when used with a TE DRS-B dust removal system and compatible vacuum cleaner*



LOWEST VIBRATION
IN ITS CLASS



CORDED POWER,
CORDLESS PORTABILITY



VIRTUALLY DUST-
FREE DEMOLITION*



UNDER
50 LBS.



COMING
SOON

TE 2000-22 CORDLESS JACKHAMMER

Ditch the delays — break through faster with the lighter weight, high-powered TE 2000-22 cordless jackhammer.

Freeing you from relying on a main power supply and featuring easy portability, the TE 2000-22 helps remove all the guesswork from your jobsite. Medium-scale and controlled demolition jobs can now get started and finished faster thanks to the TE 2000-22's slimmer tool body at up to 22 lbs. lighter than comparable battery-powered jackhammers.

Keep your jobsites productive and your crews working with more safety and comfort with the help of the TE 2000-22—experience greater control, higher speeds, improved mobility and less operator fatigue.

» TECHNICAL DATA

Dimensions (L x W x H)	33.11 x 24.80 x 7.83 in.
Rated voltage	22V
Weight according to EPTA Procedure 01/2003	38 lbs.
A-weighted emission sound pressure level	100 dB (A)



HILTI

CLICK TO
LEARN MORE

NURON

BATTERIES & CHARGERS, AND CORDLESS VACUUMS & LIGHTS



BATTERIES



B 22-55
Compact battery



B 22-85
Power battery



B 22-170
Ultimate battery



B 22-255
Ultimate battery

CHARGERS



C 4-22
Connected charger



C 6-22
Connected charger

VACUUMS



VC 140-2-22
Vacuum



VC 75-1-22
Vacuum

LIGHTS



SL 2-22
Light



SL 6-22
Light

HILTI



Exceptional dust control, cordless convenience

NURON

VC 140-2-22 Vacuum OUR MOST POWERFUL CORDLESS VACUUM

Meet the VC 140-2-22 — a universal cordless vacuum cleaner with the mobility of cordless and the flexibility to tackle most wet and dry jobsite waste cleanup.

OSHA 1926.1153 Table 1 compliant for drilling, breaking, and cutting and grinding concrete with up to 5-inch blades, the VC 140-2-22 boasts 142 CFM, automatic filter cleaning, and 2-gal. capacity. And it's the only cordless SafeSet anchor installation system for the ultimate in anchoring productivity.

Its slim and lightweight design offers ideal ergonomics, allowing you to carry it more comfortably. Paired with the detachable backpack, you can carry it hands-free and better control dust anywhere on the jobsite. For even more convenience, the vac is equipped with remote on/off functionality via a retrofittable Bluetooth module.



APPROVED



OSHA 1926.1153
TABLE 1
COMPLIANT

APPLICATIONS

- Dust extraction from grinding, cutting, drilling and dry-coring tools
- Wet and dry vacuum cleaning of construction dust, wood chippings and other jobsite waste

ADVANTAGES

- **Uncompromised cordless performance**—Nuron batteries power the high suction needed for reducing dust exposure during most tasks, including drilling with hollow drill bits
- **Built for mobility**—a compact footprint, a large handle and a weight of just 13 lbs. make this Hilti's most agile jobsite vacuum to date
- **Automatic filter cleaning**—helps to keep suction high and consistent without interrupting your work



Between the Nuron-powered VC 140-2-22 and the soon-to-launch VC 75-1-22, Hilti has your dust control covered.



[CLICK TO LEARN MORE](#)

NURON

WORLD'S FIRST CORDLESS SAFESET SYSTEM

» OUT WITH THE OLD, IN WITH THE NEW



Conventional installation

1. Drill the hole
2. Clean the hole by blowing out dust twice with compressed air
3. Prepare the hole surface by removing debris with steel wire brushing
4. Blow out loosened dust and debris with compressed air, twice, then again
5. Calculate and inject the exact amount of properly mixed mortar
6. Insert threaded rod or rebar dowel in place



Nuron-powered SafeSet solution

1. Combined drilling and cleaning—**saving you up to 60% more time**
2. Inject the exact amount of mortar with smart cordless dispenser and volume calculator application—**helping to eliminate mistakes and waste**
3. Insert threaded rod or rebar dowel in place



ATC AVR



Tackle the most demanding anchor applications with the world's first fully cordless SafeSet system, powered by Nuron.

Combining hole drilling and cleaning with guess-free adhesive injection, SafeSet makes anchor installation faster, easier, and safer.

Drill faster and run longer with the top-performing, low-weight TE 60-22 combihammer, clean the hole as you drill with the VC 140-2-22 cordless vacuum cleaner, and take the guesswork out of proper mortar injection from discard to dosing with the HDE 500-22 smart cordless dispenser and volume calculator—all on one battery platform.

OUTPERFORMING INNOVATIONS POWERED WITH SAFESET



TE 60-22

- Up to double the work per charge
- Active Torque Control (ATC) better protects you from uncontrolled rotation of the tool
- Active Vibration Reduction (AVR) helps add comfort against vibration



VC 140-2-22

- ICC-ESR approved with SafeSet system
- OSHA 1926.1153 Table 1 compliant with HEPA filter
- Bluetooth (BLE) enabled features for even easier handling



HDE 500-22

- Intuitive LED indicates when the accurate amount of mortar is dispensed
- Hilti Volume Calculator helps you define and dispense the correct dosage of mortar needed
- Smart discard function makes properly mixed ratio of two-part mortar correctly, regardless of adhesive or tube size

HILTI

» CLICK TO
LEARN MORE

UPGRADE TO NURON

WE'VE MADE UPGRADING EASY AND SEAMLESS SO YOUR TEAMS STAY PRODUCTIVE

NURON



MAXIMUM EFFICIENCY, MINIMAL EFFORT

Ready to make the move?

Whether you're new to Hilti, an existing cordless user, or a Hilti Tool Fleet Management customer, we'll work together on a custom transition plan for your upgrade to Nuron—on your time and your terms. We're there for you every step of the way with on-site visits, online and telephone support, as well as hands-on training for you and your teams.

Enhance your crew's performance on the jobsite with the future-ready Nuron cordless platform—with the power of corded and none of the hassle, the choice is clear.



CLICK TO LEARN MORE



Hilti, Inc.
1-800-879-8000
www.hilti.com

Servicio al Cliente
en español
1-800-879-5000

Hilti (Canada) Corporation
1-800-363-4458
www.hilti.ca