

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

4 6 - 5 4 k G V W C A S C A D I A C H A S S I S S P E C S

Description
Price Level
CASCADIA PRL-29K (EFF:MY26 ORDERS)
Data Version
SPECPRO21 DATA RELEASE VER 008
Vehicle Configuration
CASCADIA 126 INCH SLEEPER/CAB 2026 MODEL YEAR SPECIFIED SET BACK AXLE - TRACTOR LH PRIMARY STEERING LOCATION
General Service
TRACTOR/TRAILER CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES) EPA EMISSIONS CERTIFICATION FOR REGISTRATION IN EPA OR ACT STATES - EPA CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR) NONE LINEHAUL/LONG HAUL SERVICE GOVERNMENT BUSINESS SEGMENT GENERAL FREIGHT COMMODITY TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS MAXIMUM 8% EXPECTED GRADE SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE FREIGHTLINER LEVEL I WARRANTY EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

EXPECTED REAR DRIVE AXLE(S) LOAD :
38000.0 lbs
EXPECTED GROSS VEHICLE WEIGHT CAPACITY
: 50000.0 lbs
EXPECTED GROSS COMBINATION WEIGHT :
80000.0 lbs

Truck Service

TRACTOR ONLY WITH NO BODY UPFIT

Tractor Service

VAN TRAILER
SINGLE (1) TRAILER

Engine

DETROIT DD13 GEN 5 12.8L 450 HP @ 1625
RPM, 1900 GOV RPM, 1550 LB/FT @ 975 RPM

Electronic Parameters

67 MPH ROAD SPEED LIMIT
CRUISE CONTROL SPEED LIMIT SAME AS ROAD
SPEED LIMIT, WITH AUTO RESUME AFTER
SHIFT
1650 RPM LIMIT FOR LOW GEARS, 1650 RPM
LIMIT FOR MIDDLE GEARS, 1650 RPM LIMIT FOR
HIGH GEARS
FLEET MANAGEMENT - DAILY ENGINE USAGE
ENABLED
5 MINUTES IDLE SHUTDOWN WITH CLUTCH
AND SERVICE BRAKE OVERRIDE
PTO MODE ENGINE RPM LIMIT - 900 RPM
PTO RPM CONTROL WITH STEERING WHEEL
SWITCHES
PTO MODE CANCEL VEHICLE SPEED - 2 MPH
PTO MODE RPM INCREMENT - 50 RPM
PTO GOVERNOR RAMP RATE - 50 RPM PER
SECOND
FUEL DOSING OF AFTERTREATMENT ENABLED
IN PTO MODE-CLEANS HYDROCARBONS AT
HIGH TEMPERATURES ONLY
ONE CLUSTER MENU PTO SPEED
PTO SPEED 1 SETTING - 900 RPM
ENGINE BRAKE WITH GLOBAL CRUISE
CONTROL ENABLED
NO FLEET SPEC FOR PARAMETERIZATION
PTO MINIMUM RPM - 600

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

ENABLE AUTO ENGINE RPM ELEVATE FOR
EXTENDED IDLE
PTO 1, DASH SWITCH, STATIONARY
OPERATION
MAINTENANCE SYSTEM WITH NO POP-UPS
AND NO MENU IN CLUSTER

Engine Equipment

EPA 2010/GHG 2024 CONFIGURATION
STANDARD OIL PAN
ENGINE MOUNTED OIL CHECK AND FILL
DUAL SIDE OF HOOD AIR INTAKE WITH ENGINE
MOUNTED AIR CLEANER
DR 12V 160 AMP 28-SI QUADRAMOUNT PAD
ALTERNATOR WITH REMOTE BATTERY VOLT
SENSE
(4) DTNA GENUINE, FLOODED STARTING AND
CYCLING, MIN 2800CCA, 760RC, THREADED
STUD BATTERIES
STEEL BATTERY BOX WITH ENCLOSED TRAY
SINGLE BATTERY BOX FRAME MOUNTED LH
SIDE UNDER CAB
WIRE GROUND RETURN FOR BATTERY CABLES
WITH ADDITIONAL FRAME GROUND RETURN
PLASTIC BATTERY BOX COVER
NON-ESSENTIAL POSITIVE LOAD DISCONNECT,
IN CAB CONTROL SWITCH MOUNTED
OUTBOARD OF DRIVER SEAT
POSITIVE AND NEGATIVE POSTS FOR
JUMPSTART LOCATED ON FRAME NEXT TO
STARTER
PROGRESSIVE LOW VOLTAGE DISCONNECT AT
12.3 VOLTS FOR DESIGNATED CIRCUITS
DETROIT HEAVY DUTY AUTOMATED MANUAL
TRANSMISSION CLUTCH
BW MODEL FE-921 19.0 CFM SINGLE CYLINDER
AIR COMPRESSOR WITH SAFETY VALVE
STANDARD MECHANICAL AIR COMPRESSOR
GOVERNOR
AIR COMPRESSOR DISCHARGE LINE
ELECTRONIC ENGINE INTEGRAL SHUTDOWN
PROTECTION SYSTEM
JACOBS COMPRESSION BRAKE
RH OUTBOARD UNDER STEP MOUNTED
HORIZONTAL AFTERTREATMENT SYSTEM
ASSEMBLY WITH RH HORIZONTAL TAILPIPE

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

ENGINE AFTERTREATMENT DEVICE,
AUTOMATIC OVER THE ROAD REGENERATION
AND VIRTUAL REGENERATION REQUEST
SWITCH IN CLUSTER
STANDARD EXHAUST SYSTEM LENGTH
RH STANDARD HORIZONTAL TAILPIPE
23 GALLON DIESEL EXHAUST FLUID TANK
100 PERCENT DIESEL EXHAUST FLUID FILL
LH HEAVY DUTY STANDARD DIESEL EXHAUST
FLUID TANK LOCATION
STANDARD DEF TANK CAP IN CENTER PANEL
CUTOUT
NO MUFFLER/TAILOPIPE SHIELD
AIR POWERED ON/OFF ENGINE FAN CLUTCH
AUTOMATIC FAN CONTROL WITHOUT DASH
SWITCH, NON ENGINE MOUNTED
DDC SUPPLIED ENGINE MOUNTED FUEL
FILTER/FUEL WATER SEPARATOR WITH
WATER-IN-FUEL INDICATOR
FULL FLOW OIL FILTER
NO COOLANT FILTER
1400 SQUARE INCH FUEL ECONOMY RADIATOR
ANTIFREEZE TO -34F, OAT (NITRITE AND
SILICATE FREE) EXTENDED LIFE COOLANT
GATES BLUE STRIPE COOLANT HOSES OR
EQUIVALENT
CONSTANT TENSION HOSE CLAMPS FOR
COOLANT HOSES
STANDARD CHARGE AIR COOLER PLUMBING
STANDARD RADIATOR MOUNTING
HDEP FIXED RATIO COOLANT PUMP AND
RADIATOR DRAIN VALVE
LOWER RADIATOR GUARD
PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK
HEATER
CHROME ENGINE HEATER RECEPTACLE
MOUNTED UNDER LH DOOR
ALUMINUM FLYWHEEL HOUSING
MITSUBISHI 12V MOD 3.175-DP60 STARTER
WITH INTEGRATED MAGNETIC SWITCH

Transmission

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

DT12-1650-DHE EFFICIENT ON-HIGHWAY 12-
SPEED DIRECT DRIVE AUTOMATED MANUAL
TRANSMISSION

Transmission Equipment

DT12 ECONOMY PACKAGE: ECONOMY ONLY,
NO ICU CONTROL MENUS, NO KICKDOWN
12 FORWARD GEARS SELECTABLE DT12
MANUAL MODE
MAXIMUM OUTPUT SPEED FOR PTO
ENGAGEMENT 50 RPM
DT12 REAR PTO LOW SPEED RATIO
NO MAXIMUM START GEAR
NO AMT COAST DOWN GEAR
NO AMT LOW MODE
NO AMT MANUAL MODE
NO AMT DRIVE MODE
NO AMT REVERSE MODE
ALUMINUM CLUTCH HOUSING
CUSTOMER INSTALLED DT12 REAR MOUNTED
PTO FOR CUSTOMER INSTALLED DRIVE SHAFT
PTO MOUNTING, REAR OF MAIN
TRANSMISSION DETROIT & EATON FULLER
MAGNETIC PLUGS, ENGINE DRAIN,
TRANSMISSION FILL AND DRAIN, AXLE(S) FILL
AND DRAIN
HEAVY DUTY ELECTRONIC TRANSMISSION
SHIFT CONTROL, COLUMN MOUNTED
AIR TO OIL TRANSMISSION COOLER
NO EXTERNAL TRANSMISSION OIL FILTER
SYNTHETIC TRANSMISSION LUBE

Front Axle and Equipment

DETROIT DA-F-14.7-3 14,700# FF1 71.5 KPI/3.74
DROP SINGLE FRONT AXLE
MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT
BRAKES, DOUBLE ANCHOR, FABRICATED
SHOES
2011/2013-FMVSS 121 RSD FRONT BRAKE
LINING
CONMET CAST IRON FRONT BRAKE DRUMS
FRONT OIL SEALS
VENTED FRONT HUB CAPS WITH WINDOW,
CENTER AND SIDE PLUGS - OIL
STANDARD SPINDLE NUTS FOR ALL AXLES

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

MERITOR AUTOMATIC FRONT SLACK
ADJUSTERS
TRW TAS-85 POWER STEERING
POWER STEERING PUMP
2 QUART SEE THROUGH POWER STEERING
RESERVOIR
CURRENT AVAILABLE SYNTHETIC 75W-90
FRONT AXLE LUBE

Front Suspension

14,600# TAPERLEAF FRONT SUSPENSION
MAINTENANCE FREE RUBBER BUSHINGS -
FRONT SUSPENSION
FRONT SHOCK ABSORBERS

Rear Axle and Equipment

DETROIT DA-RT-40.0-4T HH 40,000# R-SERIES
TANDEM REAR AXLE WITH AXLE LUBRICATION
MANAGEMENT (ALM 2.0)
2.85 REAR AXLE RATIO
IRON REAR AXLE CARRIER WITH STANDARD
AXLE HOUSING
RPL25 MERITOR MAIN DRIVELINE
RPL20 MERITOR INTERAXLE DRIVELINE
(1) INTERAXLE LOCK VALVE FOR TANDEM OR
TRIDEM DRIVE AXLES
INDICATOR LIGHT FOR EACH INTERAXLE
LOCKOUT SWITCH WITH IAD FEEDBACK
MERITOR 16.5X8.62 Q+ STAMPED SPIDER CAM
REAR BRAKES, DOUBLE ANCHOR, FABRICATED
SHOES
2011/2013-FMVSS 121 RSD REAR BRAKE
LININGS
BRAKE CAMS AND CHAMBERS ON FORWARD
SIDE OF DRIVE AXLE(S) WITH AUXILIARY
SUPPORT BRACKETS
CONMET CAST IRON REAR BRAKE DRUMS
REAR OIL SEALS
WABCO TRISTOP D LONGSTROKE 2-DRIVE
AXLE SPRING PARKING CHAMBERS
MERITOR AUTOMATIC REAR SLACK
ADJUSTERS
CURRENT AVAILABLE SYNTHETIC 75W-90 REAR
AXLE LUBE
STANDARD REAR AXLE BREATHER(S)

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

Rear Suspension

AIRLINER 40,000# REAR SUSPENSION
7.9 INCH NOMINAL RIDE HEIGHT (415MM
GLOBAL REFERENCE HEIGHT)
STANDARD AXLE SEATS IN AXLE CLAMP
GROUP
51 INCH AXLE SPACING
MANUAL DUMP VALVE FOR AIR SUSPENSION
WITHOUT GAUGE
INDICATOR LIGHT AND BUZZER FOR EACH
REAR SUSPENSION CONTROL SWITCH
SINGLE AIR REAR SUSPENSION LEVELING
VALVE
TRANSVERSE CONTROL RODS
REAR SHOCK ABSORBERS - TWO AXLES
(TANDEM) (AIR RIDE SUSPENSION)

Pusher / Tag Equipment

NO PUSHER/TAG BRAKE DUST SHIELDS

Brake System

WABCO 6S/6M ABS WITH HILL START AID AND
TRACTION CONTROL WITH ATC SHUT OFF
SWITCH
REINFORCED NYLON, FABRIC BRAID AND WIRE
BRAID CHASSIS AIR LINES
FIBER BRAID PARKING BRAKE HOSE
STANDARD BRAKE SYSTEM VALVES
STD U.S. FRONT BRAKE VALVE
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE,
NO REAR PROPORTIONING VALVE
WABCO SYSTEM SAVER HP WITH INTEGRAL
AIR GOVERNOR AND HEATER
WABCO OIL COALESCING FILTER FOR AIR
DRYER
AIR DRYER MOUNTED UNDER HOOD
STEEL AIR BRAKE RESERVOIRS; CUSTOMER
ACCEPTS TANKS MOUNTED PERPENDICULAR
TO RAIL
NO AUXILIARY AIR TANK
(1) 620 CUBIC INCH ALUMINUM TRANSMISSION
AIR TANK, INLET CHECK VALVE
PULL CABLES ON ALL AIR RESERVOIR(S)
QUICK DISCONNECT FITTING WITH TIRE
INFLATION KIT

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

Trailer Connections

12 FOOT STRAIGHT TRAILER AIR HOSE
36 INCH STAINLESS STEEL SLIDE BAR WITH
SPRING TYPE AIR HOSE HANGER
COMBINATION DUMMY GLAD HANDS AND
LIGHT PLUG HOLDER MOUNTED LH BACK OF
CAB WITH GROUND ACCESS
PRIMARY CONNECTOR/RECEPTACLE WIRED
FOR SEPARATE STOP/TURN, ABS CENTER PIN
POWERED THROUGH IGNITION
SAE J560 7-WAY PRIMARY TRAILER CABLE
RECEPTACLE MOUNTED LOWER LH BACK OF
CAB
12 FOOT DETACHABLE STRAIGHT PRIMARY
TRAILER ELECTRICAL CABLE WITH SAE J560
CONNECTOR

Wheelbase & Frame

5625MM (221 INCH) WHEELBASE
11.0MM X 85.0MM X 287.0MM STEEL FRAME
(0.43X3.35X11.30 INCH) 120 KSI
1350MM (53 INCH) REAR FRAME OVERHANG
FRAME OVERHANG RANGE: 51 INCH TO 60
INCH
CALC'D BACK OF CAB TO REAR SUSP C/L (CA) :
83.46 in
CALCULATED EFFECTIVE BACK OF CAB TO
REAR SUSPENSION C/L (CA) : 77.87 in
CALC'D FRAME LENGTH - OVERALL : 307.67 in
CALCULATED FRAME SPACE LH SIDE : 17.26 in
CALCULATED FRAME SPACE RH SIDE : 14.89 in
CALC'D SPACE AVAILABLE FOR DECKPLATE :
41.62 in
UNDER OR OVERSLUNG CROSSMEMBER
FLANGED TAPERED END OF FRAME
FRONT CLOSING CROSSMEMBER
LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE
CROSSMEMBER
STANDARD MIDSHIP #1 CROSSMEMBER(S)
STANDARD REARMOST CROSSMEMBER
STANDARD SUSPENSION CROSSMEMBER

Chassis Equipment

LH AND RH BACK OF CAB ACCESS

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

21 INCH (525MM) DECK PLATE FLUSH
MOUNTED BETWEEN RAILS
DARK GRAY AERODYNAMIC BUMPER WITH
CHROME OVERLAY
REMOVABLE FRONT TOW/RECOVERY
DEVICE, STORED ON CHASSIS FRAME
BUMPER MOUNTING FOR (3) LICENSE PLATES
BETTS B-60 PAINTED MUDFLAP BRACKETS
SYMPLASTICS SPRAY GUARD BLACK
MUDFLAPS WITH LOGO
FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS
HUCK-SPIN ROUND COLLAR CHASSIS
FASTENERS
EXTERIOR HARNESES WRAPPED IN
ABRASION TAPE
STAINLESS STEEL QUARTER FENDERS WITH
LOGO

Fifth Wheel

FONTAINE 6000 SERIES 6NWB 24.0 INCH AIR
SLIDE FIFTH WHEEL
FIFTH WHEEL 305MM (12.0 INCHES) AHEAD OF
SUSPENSION CENTERLINE
171MM (6.75 INCH) FIFTH WHEEL HEIGHT
STEEL OUTBOARD ANGLE - FIFTH WHEEL
MOUNTING
DASH MOUNTED CONTROL AND PLUMBING
FOR FIFTH WHEEL
SIDE LEFT FIFTH WHEEL RELEASE
BRAIDED FIFTH WHEEL GROUND STRAP
MOUNTED LEFT SIDE

Fuel Tanks

100 GALLON/378 LITER ALUMINUM FUEL TANK -
RH
80 GALLON/302 LITER ALUMINUM FUEL TANK -
LH
25 INCH DIAMETER FUEL TANK(S)
PLAIN ALUMINUM/PAINTED STEEL
FUEL/HYDRAULIC TANK(S) WITH PAINTED
BANDS
FUEL TANK(S) AFT
PLAIN STEP FINISH
FUEL TANK CAP(S)
EQUIFLO INBOARD FUEL SYSTEM

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

HIGH TEMPERATURE REINFORCED NYLON
FUEL LINE
NO FUEL COOLER

Tires

CONTINENTAL HS3+ ECO PLUS 295/75R22.5 16
PLY RADIAL FRONT TIRES
CONTINENTAL HDL2+ 295/75R22.5 14 PLY
RADIAL REAR TIRES

Hubs

CONMET HIGH CAPACITY PRESET PLUS
PREMIUM ALUMINUM FRONT HUBS
CONMET PRESET PLUS PREMIUM ALUMINUM
REAR HUBS

Wheels

ALCOA ULV39X 22.5X8.25 10-HUB PILOT 5.81
INSET ALUMINUM DISC FRONT WHEELS
ALCOA ULA18X 22.5X8.25 10-HUB PILOT
ALUMINUM DISC REAR WHEELS
POLISHED FRONT WHEELS; OUTSIDE ONLY
POLISHED REAR WHEELS; OUTSIDE OF OUTER
WHEELS ONLY
FLOW BELOW MOLD IN COLOR GRANITE GRAY
AERODYNAMIC REAR AXLE WHEEL COVERS
WITH LOCK, SHIP LOOSE
FRONT WHEEL MOUNTING NUTS
REAR WHEEL MOUNTING NUTS

Cab Exterior

126 INCH BBC ALUMINUM CONVENTIONAL CAB
RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP
LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP
72 INCH XT SLEEPERCAB
72 INCH XT AERODYNAMIC FACTORY PAINTED
AND INSTALLED ROOF FAIRING
24 INCH CAB/SLEEPERCAB SIDE EXTENDERS
WITH BLACK FLEXIBLE ENDS AND CHASSIS
FAIRING GAP FILLER PANEL
UNDER CAB VANITY PANELS
PAINTED FRAME SIDE FAIRINGS TO BACK OF
SIDE EXTENDERS
LATCHED FRONT LEFT SIDE FAIRING PANEL
FOR BATTERY ACCESS

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

LOW GROUND CLEARANCE CHASSIS FAIRING
SKIRTS
WHEEL WELL AERO FAIRING
LH BAGGAGE DOOR
AIR CAB MOUNTING
NONREMOVABLE BUGSCREEN MOUNTED
BEHIND GRILLE
NO SLEEPER DOOR
INTERIOR LH AND RH A PILLAR GRAB HANDLES
CHROME GRILLE WITH INTEGRAL SURROUND
BLACK HOOD MOUNTED AIR INTAKE GRILLE
WITH BRIGHT ACCENT
AERODYNAMIC HOOD
HOOD OPENING ASSIST
NEW CASCADIA NAMEPLATE
SINGLE AIR HORN UNDER LH DECK
SINGLE ELECTRIC HORN
REAR LICENSE PLATE MOUNT END OF FRAME
LED LOW BEAM AND HIGH BEAM HEADLIGHTS
VISOR MOUNTED LED MARKER LIGHTS
DAYTIME RUNNING LIGHTS
INTEGRAL LED STOP/TAIL/BACKUP LIGHTS
LED SIDE TURN SIGNAL
(2) FLUSH LED UTILITY LIGHTS MOUNTED BACK
OF CAB/SLEEPER
DUAL BRIGHT FINISH HEATED AERODYNAMIC
MIRRORS WITH INTEGRAL CONVEX AND LH
AND RH REMOTE
DOOR MOUNTED MIRRORS
RH DOWN VIEW MIRROR
RH AND LH HEATED BLACK HOOD/FENDER
MOUNTED MIRRORS
STANDARD SIDE/REAR REFLECTORS
REAR REFLECTIVE DEVICE
NO EMERGENCY WARNING SIRENS
(2) PAINTED SLEEPER VENTS, LH AND RH
EXTERIOR SUN VISOR
NO REAR WINDOW
SOLAR TINTED DOOR GLASS LH AND RH WITH
TINTED FORWARD SIDE GLASS
RH AND LH ELECTRIC POWERED WINDOWS

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

1-PIECE ROPED-IN SOLAR GREEN GLASS
WINDSHIELD
8 LITER (2 GAL) WINDSHIELD WASHER
RESERVOIR, CAB MOUNTED, WITHOUT FLUID
LEVEL INDICATOR

Cab Interior

SADDLE TAN UP LEVEL INTERIOR
SADDLE TAN WITH PACIFIC BIRCH WOODGRAIN
HARD TRIM
STANDARD LH DOOR TRIM
STANDARD RH DOOR TRIM
BLACK MATS
BLACK MAT IN SLEEPER AREA
BLACK MATS IN BAGGAGE COMPARTMENT
(3) DASH MOUNTED POWER OUTLETS AND
COIN TRAY
SLEEPER TALL CLOSET WITH WRITING
SURFACE AND UPPER STORAGE
MICROWAVE SHELF WITH UPPER STORAGE
AND CUSTOMER FURNISHED FRIDGE/COOLER
FORWARD ROOF MOUNTED CONSOLE WITH
DOORS RH AND LH
LH AND RH DOOR STORAGE POCKETS
INTEGRATED INTO MOLDED DOOR PANELS
STORAGE POCKET(S) MOUNTED INSIDE
CABINET DOOR(S)
40 INCH WIDE LIFTABLE LOWER BUNK, OMIT
BUNK DIVIDER PANELS
NO UPPER BUNK
TENT STYLE LOWER BUNK RESTRAINT
DIGITAL ALARM CLOCK IN DRIVER DISPLAY
WING DASH WITH E-VAULT
5 LB. FIRE EXTINGUISHER
FIRST AID KIT
HEATER, DEFROSTER AND AIR CONDITIONER
WITH CONSTANT OUTLET TEMPERATURE
CONTROL
HVAC DUCTING WITH MAIN FRESH AIR FILTER
MAIN HVAC CONTROLS WITH RECIRCULATION
SWITCH
AUXILIARY HEATER/AIR CONDITIONER WITH
CONSTANT OUTLET TEMPERATURE CONTROL
STANDARD HEATER PLUMBING

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

VALEO HEAVY DUTY A/C REFRIGERANT
COMPRESSOR
RADIATOR MOUNTED AIR CONDITIONER
CONDENSER
BINARY CONTROL, R-134A
STANDARD INSULATION
SOLID-STATE CIRCUIT PROTECTION AND
FUSES
12V NEGATIVE GROUND ELECTRICAL SYSTEM
DOOR AND BUNK ACTIVATED LH AND RH BUNK
MOUNTED LED BAGGAGE COMPARTMENT
LIGHTS
STANDARD LED CAB LIGHTING
STANDARD LED SLEEPER LIGHTING
DOOR LOCKS AND IGNITION SWITCH KEYED
THE SAME
KEY QUANTITY OF 2
LH AND RH ELECTRIC DOOR LOCKS
BRIGHT DOOR HANDLES
SPRING MATTRESS IN SLEEPER
(3) 12 VOLT POWER OUTLETS IN BUNK AREA
TRIANGULAR REFLECTORS WITHOUT FLARES
PREMIUM 2.0 HIGH BACK AIR SUSPENSION
DRIVER SEAT WITH 2 AIR LUMBAR,
INTEGRATED CUSHION EXTENSION, TILT AND
ADJUSTABLE SHOCK
PREMIUM 2.0 HIGH BACK AIR SUSPENSION
PASSENGER SEAT WITH 2 AIR LUMBAR,
INTEGRATED CUSHION EXTENSION, TILT AND
ADJUSTABLE SHOCK
BLACK SUSPENSION COVER FOR AIR DRIVER
SEAT
DUAL DRIVER AND PASSENGER SEAT
ARMRESTS
VINYL WITH VINYL INSERT DRIVER SEAT
VINYL WITH VINYL INSERT PASSENGER SEAT
3 POINT ADJUSTABLE D-RING RETRACTOR
DRIVER AND FIXED D-RING RETRACTOR
PASSENGER SEAT BELTS WITH DRIVER SEAT
BELT STATUS INDICATOR LIGHT AND AUDIBLE
ALARM
SLEEPER CURTAIN WITH MAGNETIC CLOSURE
ADJUSTABLE TILT AND TELESCOPING
STEERING COLUMN

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

4-SPOKE 18 INCH (450MM) BLACK STEERING
WHEEL WITH SWITCHES
DRIVER AND PASSENGER INTERIOR SUN
VISORS

Instruments & Controls

ELECTRONIC ACCELERATOR CONTROL
STANDARD CENTER INSTRUMENT PANEL
BLACK GAUGE BEZELS
LOW AIR PRESSURE INDICATOR LIGHT AND
AUDIBLE ALARM
DUAL NEEDLE PRIMARY AND SECONDARY AIR
PRESSURE GAUGE
DASH MOUNTED AIR RESTRICTION INDICATOR
WITH GRADUATIONS
ELECTRONIC CRUISE CONTROL WITH
INTELLIGENT POWERTRAIN MANAGEMENT AND
CONTROLS ON STEERING WHEEL SPOKES
KEY OPERATED IGNITION SWITCH AND
INTEGRAL START POSITION; 4 POSITION
OFF/RUN/START/ACCESSORY
PREMIUM INSTRUMENT CLUSTER WITH 5.0
INCH TFT COLOR DISPLAY
DIGITAL PANEL LAMP DIMMER SWITCH IN
DRIVER DISPLAY
HEAVY DUTY ONBOARD DIAGNOSTICS
INTERFACE CONNECTOR LOCATED BELOW LH
DASH
2 INCH ELECTRIC FUEL GAUGE
FUEL FILTER RESTRICTION INDICATOR
EMISSIONS LIMITED IDLE ADJUST
DIGITAL DUAL REAR AXLE TEMPERATURE IN
DRIVER DISPLAY WITH SENSOR SHIELDS
ELECTRICAL ENGINE COOLANT TEMPERATURE
GAUGE
DIGITAL ENGINE OIL TEMPERATURE IN DRIVER
DISPLAY
DIGITAL TRANSMISSION OIL TEMPERATURE IN
DRIVER DISPLAY
ELECTRONIC OUTSIDE TEMPERATURE
SENSOR DISPLAY IN DRIVER MESSAGE
CENTER
ENGINE AND TRIP HOUR METERS INTEGRAL
WITHIN DRIVER DISPLAY
PTO CONTROLS FOR ENHANCED VEHICLE
ELECTRIC/ELECTRONIC ARCHITECTURE

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

NO OBSTACLE DETECTION SYSTEM
NO SIDE OBJECT DETECTION SYSTEM
ELECTRONIC STABILITY CONTROL
NO LANE DEPARTURE WARNING SYSTEM
ELECTRIC ENGINE OIL PRESSURE GAUGE
7" B-PANEL INTERACTIVE TOUCHSCREEN
DISPLAY W/ USB-C, APPLE CARPLAY, ANDROID
AUTO, BLUETOOTH/AM/FM/SXM/WB,
MICROPHONE
DASH MOUNTED RADIO
STANDARD SPEAKER SYSTEM
NO AM/FM RADIO ANTENNA
POWER AND GROUND STUDS ON TOP OF DASH
TOP OF DASH MOUNT CB RADIO PROVISION
WITH PLATE AND STRAPS
INTEGRATED AERO-ROOF CB ANTENNA
HEADLINER MULTI-BAND ANTENNA:
AM/FM/WEATHERBAND, WIFI/BLUETOOTH,
GNSS/GPS
INTEROPERABLE SDAR ANTENNA
ELECTRONIC MPH SPEEDOMETER WITH
SECONDARY KPH SCALE, WITHOUT
ODOMETER
STANDARD VEHICLE SPEED SENSOR
ELECTRONIC 2500 RPM TACHOMETER
DETROIT CONNECT PLATFORM HARDWARE
5 YEARS DETROIT CONNECT BASE
PACKAGE(FEATURES VARY BY MODEL)
DETROIT CONNECT PLATFORM
NO FACTORY PREP DATA SERVICES SELECTED
(3) TMC RP 1226 ACCESSORY CONNECTORS:
(2) LOCATED BEHIND PASSENGER SIDE
REMOVABLE DASH PANEL, AND (1) LOCATED
CENTER OF OVERHEAD CONSOLE
IGNITION SWITCH CONTROLLED ENGINE STOP
NO PRE TRIP SYSTEM TEST
STEERING WHEEL MOUNTED ELECTRIC HORN
CONTROL
BW TRACTOR PROTECTION VALVE
TRAILER HAND CONTROL BRAKE VALVE
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH
DRIVER DISPLAY

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

Description

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS
TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR
MANUAL TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT
INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L0006EY WHITE ELITE EY
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT
CHASSIS SIDE FAIRINGS PAINTED SAME AS LOWER CAB SECTION OR FENDER
SUNVISOR PAINTED SAME AS CAB COLOR A
AERODYNAMIC ROOF DEVICE PAINTED SAME AS CAB COLOR A

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

Extended Warranty

TOWING: 2 YEARS/UNLIMITED MILES/KM EXTENDED TOWING COVERAGE \$1200 CAP FEX APPLIES

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Prepared for:
CINI ZACHARIA
OKLAHOMA STATE OF
5005 N LINCOLN BLVD
OKLAHOMA CITY, OK 73105
Phone: 405-521-2116

Prepared by:
Mike Sartin
PREMIER TRUCK GROUP OF
TULSA
5104 W. 60TH STREET
TULSA, OK 74107
Phone: 918-445-5300 ext 4061

