



## **PowerStar™ SERIES TRACTORS TABLE OF CONTENTS**

PowerStar 75.....	1
Parts Division Supplied Accessories for PowerStar 75 Tractors.....	9
PowerStar 75 Implement Compatibility Chart.....	10
PowerStar 100-120 PS CAB.....	11
PowerStar 100-120 PS ROPS.....	25
PowerStar 90-120 PS DUAL COMMAND CAB.....	35
650LU and 655LU Loader Specifications Chart.....	47
Parts Division Supplied Accessories & Tire Charts- Power Shuttle and Dual Command Models.....	48



**POWERSTAR 75  
US PRICE LIST****Standard Equipment**

## KEY SELLING POINTS:

- CommandArc™ ergonomically places most frequently used controls to operator's right
- Ten repositionable vents for heating and air conditioning
- 12x12 Transmission
- Hydraulic shuttle lever
- Full-size instructor seat
- Hi Visibility Panel
- Lift-O-Matic Plus
- Tier 4B EPA emissions compliant
- Factory Installed Loader

## ENGINE: PowerStar 75

- Engine MFG FPT/New Holland
- Emissions Level Tier 4B
- Gross Engine Power 74 hp
- PTO horsepower @ 2300rpm 61 hp
- Displacement 207 cu. In. (3.4 L)
- Num. Cylinders 4
- Fuel System
  - Bosch Fuel Injection Pump
- Aspiration Turbocharged/Aftercooled
- Air Cleaner Type: Power Core
- Air Cleaner Cartridge Size, diameter: 8"
- Grid Heater Starting Aid
- Fuel Sediment Filter with Water Sensor
- Electric Engine Shutoff
- Under Hood Muffler
- Vertical Exhaust

## EMISSIONS SYSTEM

- Tier 4B DOC + CEGR

## FUEL CAPACITIES

- Diesel Fuel 23.8-gallon (90 L)
- Protection Shield

## TRANSMISSION

- Wet Clutch
- LH Side Steering Column Shuttle Lever
- 12 Forward / 12 Reverse Speeds
- (4) Synchronized Gears
- (3) Non-synchronized Ranges
- Forward Reverse Power Shuttle
- FWD - 25 mph (40 kph)
- Speed varies with tire selection

## AXLES

## 2WD HD FRONT AXLE

- Inverted U-section type
- Adjustable Tread Width from 50.7 in. to 79.7 in.

## 4WD FRONT AXLE

- Electro-Hydraulic engagement
- Adjustable Tread Width from 60.8 in. to 76.6 in.

## REAR AXLE

- Flange Type
- Adjustable Tread Width 52.2 in. to 76.0 in.

## DIFFERENTIAL LOCK

- Mechanical Engagement

## HYDRAULIC SYSTEM

- Open Center System
- (2) Open Center Valves with detent
- 2 Function mid mount valve and joystick
- Dual Gear Pumps
  - Implement Pump: 12.9 gpm (48.9 L)
  - Steering Pump: 9.5 gpm (36.1 L)
  - Total Flow: 22.4 gpm (85 L)

**POWERSTAR 75  
US PRICE LIST****Standard Equipment****PTO**  
-----

- Fully Independent 540 rpm  
(1-3/8 in. diameter, 6 splines)
- Wet clutch
- Actuation: Servo-Assisted Hydraulic  
PTO engagement
- Flip-up PTO Shaft Guard

**HITCH**  
-----

- 3-point Category II with flex lower links  
and telescoping stabilizers
- Lift-O-Matic Plus rear hitch control
- ASAE Lift Capacity @ 24'' 3,664 lbs  
(1,662 kg)
- Swinging Drawbar
- Mechanical Draft Control
- Upper Link Draft Sensing
- 3-Point Hitch Ground Control

**STEERING/BRAKES**  
-----

- Hydrostatic Power Steering
- Brakes
  - Oil Immersed acting on differential  
shafts
  - Actuation: Hydraulic Girling Type
- Mechanical Parking Brake

**ELECTRICAL**  
-----

- (1) 800A cca Heavy-duty Battery
- Alternator: 120 amp
- 7-pin Outlet for trailer/implement l  
lighting and signals
- 4-pin Power Outlet (30 amp)
- 8 amp single pole
- 2 Auxiliary power sockets

**LIGHTING**  
-----

- (2) Front Halogen Headlights
- (4) Cab mounted work lights
- Turn Signals/Flashers/Rear Lights

**INSTRUMENTATION**  
-----

## Analog Instrumentation with warning

- Lights for
  - Alternator
  - Oil Pressure
  - Fuel
  - PTO Engagement
  - Head Light High Beam
  - Low Fuel
  - Parking Brake
- Digital Speed Readout
- Gauges
  - Fuel Level
  - Engine Temperature
  - Tachometer
  - Hour Meter

**OPERATOR PROTECTIVE STRUCTURE**  
-----

- ROPS protected, flat deck platform:
  - Heat and Air Conditioning
  - Tinted windshield
  - Retractable Sun Screen
  - Front / Rear Wiper and Washer
  - (2) Doors with Locks
  - (2) External Mirrors
  - Openable Side Windows
  - Hinged Rear Window (fully opens)
- High Visibility Panel
- Steering Wheel - adjustable tilt
- Hand and Foot Throttle Controls
- Cloth Seat
  - Air Suspension
  - 10 Degrees of Swivel
  - Operator's Presence Sensor
  - Retractable Seat Belt
  - Arm Rests
- Instructor Seat
- Suspended pedals
- Radio, speakers, and antenna

**POWERSTAR 75  
US PRICE LIST****Standard Equipment**MISCELLANEOUS  
-----

- Pivoting Engine Hood
- SMV Emblem
- Rear wheel weights
- Toolbox

WARRANTY  
-----

- New Holland Standard Warranty  
Applies

LOADERS:  
-----655TL/710LU NON SELF-LEVELING  
-----

- Max. Lift Height @ pivot pin: 127.2"
- Dump Clearance: 94.4"
- Digging Depth: 6.4"
- Lift Capacity
  - Max Height @ 800mm: 2,478 LBS
  - 59" high @ 800mm: 3,080 LBS
- Breakout Force @ 800mm: 3,739 LBS
- Reach @ Max Lift Height: 39.5"
- Reach @ Ground Level: 90.7"
- Bucket Rollback Angle: 45 degrees
- Bucket Dump Angle: 60 degrees
- Skid Steer or Euro style bucket attach

**POWERSTAR 75  
US PRICE LIST**

## Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	Weight	Factory Data	List Price
POWERSTAR 75	Cab	75 HP	7,996 LB		\$90,725.00
Includes the following Equipment					
11.2R24 R1W (8232404) \$1,525.00					
16.9R30 R1W (8355404) \$3,324.00					

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### PACKAGES

#### SD\_T9980 PACKAGES

	X99801X	Custom Configuration <b>Custom Configuration, ala Carte</b>			No Charge
	X99803X	Standard Packaging <b>NEW PACKAGE OPTIONS FOR MY26</b> Standard Package and Pricing Includes: 12x12 Power Shuttle 25 mph (40 kph) 4WD Electro Hydraulic Limited Slip Rear Wheel Weights, 4x110 External 3-point control Lift-O-Matic Plus 2 Remotes, 4 Couplers 2 MMV plus Diverter Choice of Loader			(\$3,220.00)
	759310	Utility Package <b>NEW PACKAGE OPTIONS FOR MY26</b> Utility Package and Pricing Includes: Lift-O-Matic Plus Choice of Tires			(\$3,220.00)

**POWERSTAR 75  
US PRICE LIST**
**TRANSMISSION**

## TRANSMISSION

## SD\_T2810 TRANSMISSION

Power Shuttle					
		330276	12x12 Power Shuttle <b>Hydraulic PTO</b>		No Charge
Power Shuttle with Creeper					
		334176	12x12 Power Shuttle w/Creeper <b>20x20 Power Shuttle with Creeper (12x12 + 8x8 creeper) Hydraulic PTO</b>		\$1,082.00

**POWER TRAIN**

## AXLES

## SD\_T4010 FRONT AXLE

		336858	2WD Heavy Duty <b>Requires 20 MPH (30 KPH) Compatible with 655TL Requires rear wheel weights (330470) Only when ordered with 655TL PowerStar 75 Only</b>		(\$1,451.00)
		744580	4WD Electro Hyd Limited Slip <b>Electro-hydraulic 4WD engagement</b>		No Charge

**TIRES**

## FRONT

## SD\_T4940 FRONT WHEELS AND TIRES

2WD Front Tires					
		8125801	7.50-16 8 PLY HD <b>7.50-16 8 PLY HD Axle</b>		\$621.00
		8126601	9.5L15 4 RIB 8 PLY <b>9.5L15 4 RIB 8 PLY HD Axle</b>		\$813.00
4WD Radial Tires					
		8223404	11.2R20 R1W <b>Requires either 14.9R28 R1W or 16.9R24 R1W rear wheels and tires</b>		\$1,597.00
		8232404	11.2R24 R1W <b>Requires 16.9R30 R1W rear wheels and tires</b>		\$1,525.00
4WD Specialty Tires					
		8290904	12.5/80-18 R4 Front Tire <b>"Beefy Baby" - Requires either 16.9-24 R4 or 19.5L-24 R4</b>		\$2,183.00

**POWERSTAR 75  
US PRICE LIST**

4WD Front Shipping Wheels					
		8873402	360/80R20 TRI 2 HD <b>Nokian municipality tires</b>		\$1,317.00
		8299801	Shipping Wheels Front Tire <b>Must be ordered with less rear wheels and tires</b>		\$124.00

**REAR**

## SD\_T4950 REAR WHEELS AND TIRES

Radial Tires					
		8351404	14.9R28 R1W <b>4WD Front Tire - 11.2R20 (8223404)</b> <b>2WD Front Tire - 7.5-16 (8125801)</b> <b>Not compatible with front loader</b> <b>PowerStar 75 Only</b>		\$2,722.00
		8355404	16.9R30 R1W <b>4WD Front Tire - 11.2R24 (8232404)</b> <b>2WD Front Tire - 9.5L15 4 Rib (8126601) or 7.5-16 (8125801)</b>		\$3,324.00
Specialty Tires					
		8906401	440/80 R30 TRI 2 <b>Nokian municipality tires</b>		\$2,112.00
		8391904	19.5L-24 R4 Rear Tire <b>4WD Front Tire - 12.5/80-18 (8290904)</b>		\$3,379.00
Rear Shipping Wheels					
		8399801	Shipping Wheels Rear Tire <b>Non-Returnable Shipping Wheel</b>		\$746.00

**HYDRAULICS**
**MID-MOUNT**

## SD\_T8280 MID-MOUNT VALVES

		762164	Less MMV New <b>Less mid mounts new trim</b>		(\$1,969.00)
		762166	2MMV w/Joystick New Trim <b>2 function mid-mount valve and joystick.</b>		No Charge
		762167	2MMV+DIV w/Joystick New Trim <b>2 function mid-mount valve and joystick with 3rd function diverter.</b> <b>Must be order with Loader.</b> <b>3rd Function Implements/Attachments are NOT AVAILABLE as</b> <b>Factory Installed.</b>		\$985.00



**POWERSTAR 75  
US PRICE LIST**
**LOADER**

## LOADER

## SD\_T8110 LOADER BRACKETS

		743593	Less Front Loader <b>Less front loader</b>			(\$8,039.00)
Standard Duty Loader						
		336914	Non Self Leveling Ldr +SSQA <b>710LU</b> <b>Non Self Leveling with Skid Steer Attachment</b>			No Charge
		336732	Non Self Leveling Ldr +Euro <b>710LU</b> <b>Non Self Leveling with Euro Style Attachment</b>			No Charge
		336734	Mech Self Leveling Ldr +SSQA <b>715LU</b> <b>Mechanical Self Leveling with Skid Steer Style Attachment</b>			\$1,471.00
		336736	Mech Self Leveling Ldr +Euro <b>655TL/715LU</b> <b>Mechanical Self Leveling with Euro Style Attachment</b>			\$1,471.00

## SD\_T8140 BUCKET

		XT8140X	Less Bucket_ <b>Less bucket</b>			(\$1,250.00)
		336750	84" Bucket <b>84" Bucket</b>			No Charge

**3-POINT HITCH**

## REAR 3 POINT HITCH

## SD\_T8200 HITCH

		743595	Lift-O-Matic Plus <b>Lift-O-Matic offers fingertip fast raise and lower of implements to a pre-set position</b>			No Charge
--	--	--------	--	--	--	-----------

**WEIGHTS**

## FRONT

## SD\_T2150 FRONT BALLAST

		390215	Less Front Carrier and Weights			No Charge
		333215	Front Carrier + (6) 88 lb Wght <b>Total weight - 661 lbs (300 kg)</b>			\$1,108.00

**POWERSTAR 75  
US PRICE LIST****REAR****SD\_T4961 REAR BALLAST**

		XT4961X	Less Rear Ballast <b>Standard less rear ballast</b>			No Charge
		330470	4 x 110 lb Rear Wheel Weights <b>110 lbs./50 kg each - for 28 inch or 30 inch rear tires</b>			\$848.00

**OPERATOR'S MANUALS****SD\_T9840 COUNTRY CONFIGURATION**

		334255	USA English Configuration			No Charge
		334256	Canada (FR) Configuration			No Charge
		334257	USA Spanish Configuration			No Charge

Parts Supplied Accessories for PowerStar 75		PowerStar 75 CAB
	<b>CAB</b>	
710642720	REAR WIPER & WASHER Rear Wiper and Washer Motor	X
718841250	ARM REST (for VINYL or FABRIC SEAT) Armrests for Driving Seat	X
718121253	PASSENGER SEAT- BELT Instructor Seat	X
710762252	BEACON (CAB - NAFTA)	X
719216250	ENGINE WATER HEATER	X
718122950	BACK UP ALARM (CAB only)	X
731186470	FUEL COOLING KIT	X
	<b>LOADER / ATTACHMENTS</b>	
719429250	BOLT CUTTING EDGE for 72" BUCKET 72-inch Bolt on Cutting Edge	X
719430250	BOLT CUTTING EDGE for 82" BUCKET 82-inch Bolt on Cutting Edge	X
710167250	FRONT FENDER 310 mm	X
710168250	FRONT FENDER 400 mm Front Mudguards for 4WD Tractors without front brakes	X
	<b>REMOTES</b>	
719108250	2nd REMOTE - 2 COUPLER DE LUXE Lever-Operated Second Auxiliary Control Valve	X
719195250	3rd REMOTE - 2 COUPLER DE LUXE Lever-Operated Third Auxiliary Control Valve	X
719405250	FLOW CONTROL for MDC (for 2 REMOTES) Flow Control Valve	X
731391720	DIVERTER VALVE FOR FRONT LOADER	X
	<b>WEIGHTS</b>	
710471250	4 REAR RINGS 50 KG	X
710465250	6 REAR RINGS 32 KG ( for 24" tyres)	X
710225250	CARRIER	X
719242250	4 WEIGHTS 40 KG	X
710226250	6 WEIGHTS 40 KG	X
718900070	MONOLITIC BALLAST 400 KG	X

		PowerStar 75
REAR MOUNT FINISH MOWERS	310GM	
	320GM	
	330GM	X
BACKHOES	925GBH	
	935GBH	
TILLERS	105A 60"	
	105A 72"	X
ROTARY CUTTERS	717GC	X
	737GC	X
	738GC	X
	757GC	X
	758GC	X
DISK HARROW	EZ78DC	X
LANDSCAPE RAKES	EZ72LR	X
BOX BLADES	EZ72BM	X
	EZ84BM	X
REAR BLADES	EZ60SM	
	EZ72SM	X
	EZ84SM	X
	84SH	X
	96SH	X
LOADERS	550LU	
	555LU	
	611TL	
	616TL	
	621TL	
	626TL	
	710LU	X
DISC MOWERS	715LU	X
	HM234	X
	HM235	X
	HM236	X
	DURADISC 107	X
	DURADISC 108	X
RAKES & TEDDERS	PRO TED 3417	X
	PRO TED 3625	X
	PRO ROTOR 3114	X
	PRO ROTOR 3223	X
	PRO ROTOR 3226	X
	PRO CART 819	X
	PRO CART 1022	X
	PRO CART 1225	X
BALERS	RF440 Utility	X
	RF450 Utility	
	ROLL-BELT 450 UTILITY PLUS	X
MANURE	145	X
	155	X

**POWERSTAR 100-120 PS CAB  
US PRICE LIST****Standard Equipment****NEW FEATURES:**

- FPT F36 4 Cyl Engine
- Electronic Power Shuttle
- Shuttle Aggressiveness Control
- Brake to Clutch
- Creeper Ready
- Class 1.5 HD Wide Front Axle
- Digital Instrument Cluster
- Modern Styling
- CNH Medium Duty Loader
- Under Hood Muffler
- U Shaped Exhaust
- Bigger Fuel Tank 34.3-gal
- Increased Wheelbase 2.35 m
- Increased GVW 7.0 Tons
- Increased Max Rear Tires R38

**MODELS:****PowerStar 100**

- 101 Rated Engine hp @ 2,300
- 450 Max Torque Nm @ 1,300 rpm
- 85 PTO hp @ 2,300 rpm

**PowerStar 110**

- 110 Rated Engine hp @ 2,300 rpm
- 490 Max Torque Nm @ 1,300 rpm
- 93 PTO hp @ 2,300 rpm

**PowerStar 120**

- 117 Rated Engine hp @ 2,300 rpm
- 506 Max Torque Nm @ 1,300 rpm
- 100 PTO hp @ 2,300 rpm

**ENGINE:**

- FPT F36 Family
- 4 Cylinders with Longer Stroke
- Turbocharged Intercooler Aspiration
- 219 cu in (3.6 L) Displacement
- Stage V Emissions Compliant: Compact HI-eSCR 2 Technology
- Electronic Injection Bosch
- High-pressure Common Rail System
- Electric Engine Shutoff
- Dust Ejector
- Viscous Fan
- Hand and Foot Throttle Controls
- Grid Heater Starting Aid
- Dual Element Air Filter
- Under Hood Muffler
- U Shaped Exhaust
- 34.3-gal Fuel Tank with Guard
- 3.4-gal DEF Tank

**TRANSMISSION:**

- LH Side Steering Column Mounted Electronic Power Shuttle
- 12 Forward and 12 Reverse Speeds (4) Synchronized Gears (3) Non-Synchronized Ranges
- Forward Reverse Electronic Power Shuttle Clutch Less
- Shuttle Aggressiveness Control
- Low - Medium - High
- Brake to Clutch
- Low-Medium-High
- Creeper Ready
- FWD -
- Max Travel Speed 25 Mph (40 Kph)
- Min Travel Speeds .54 Mph (0.88 Kph)
- Speed Varies with Tire Selection

**STEERING/BRAKES:**

- Hydrostatic Power Steering
- Brakes
  - Wet Disk Brakes
  - Hydraulically Assisted

**POWERSTAR 100-120 PS CAB  
US PRICE LIST****Standard Equipment****AXLES:****FRONT -**

- 4WD Class 1.5 HD Wide
- Limited Slip
- Electrohydraulic FWD Engagement
- Improved Steering Response

**Steering Circuit w 2 Hydraulic Cylinders**

- Adjustable Tread Width from 56.9 in. to 84.8 in.
- Front HPL / PTO Ready

**REAR -**

- Flange Type
- Electrohydraulic Diff Lock
- Adjustable Tread Width from 56.1 in. to 84.2 in.

**3-POINT LINKAGE:**

- Category II
  - Mechanical Draft Control
  - Right Hand Console Mounted
- Position/Reaction Levers
- 4,845 Pounds Max Lift Capacity
  - 4,123 Pounds Lift Capacity @ 24"
  - Flexible Lower Link Ends
  - Lift-O-Matic™ Plus with Max Height
- Limiter Adjustment
- Telescopic Stabilizers
  - External HPL Control

**HYDRAULIC SYSTEM:**

- Open Center Circuit System
- Dual Gear Pumps
- Implement Pump 21.7 gpm (82.1 L)
  - Steering Pump 9.7 gpm (37.0 L)
  - Total Flow 31.4 gpm (119.1 L)
  - Rear Remote Valves
- 2 Remotes - 4 Couplers

**PTO:**

- Fully Independent
- Wet clutch
- Electro-Hydraulic Engagement
- 2 Speeds PTO 540/1,000 rpm
- PTO Shaft 1-3/8 in. 6 splines for 540 RPM
- Additional PTO Shaft 21 splines for 1,000 RPM
- Fixed PTO Shaft Guard
- Automatic Soft Start
- Automatic Clutch Brake

**ELECTRICAL:**

- (1) 800 cca Heavy-Duty Battery - Cab
- 120 Amp Alternator
- 7-Pin Outlet for Trailer/Implement Lighting And Signals
- 3-Pin Power Outlet (30 Amp)
- Single Pin (8 Amp) Accessory Power Outlet
- 12V Power Socket
- 2x USB Sockets
- Cab Tractors Include an Additional 12V Power Socket
- ISOBUS Class II Socket
- Horn

**INSTRUMENTATION:**

- Digital Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, PTO speed, head light high beam, low fuel and parking brake, travel speed, fuel level, engine temperature, transmission temperature, tachometer, hour meter, battery voltage, DEF level, distance traveled, worked area, engine power, engine load, fuel consumption, and brake to clutch adjustments.
- Gauge for additional tachometer

**POWERSTAR 100-120 PS CAB  
US PRICE LIST****Standard Equipment****LIGHTING:****CAB****FRONT-**

- (2) LED Headlights
- (2) LED Signature Lights
- (2) LED Cab Mounted Worklights
- (2) LED Hood Mounted Worklights

**REAR-**

- (2) LED Cab Mounted Worklights
- Turn Signals
- Flashers
- Rear Lights

**OPERATOR PROTECTIVE STRUCTURE:****CAB MODELS**

- ROPS Protected, Flat Deck Platform with Heat and Air Conditioning, Tinted Windshield, Retractable Sunscreen, Front Wiper and Washer, Two Doors with Locks, Two External Mirrors, Openable Side Windows, Hinged Rear Window (Opens Completely)
- Steering Wheel - Adjustable Tilt - Telescopic
- Operator Seat - Cloth Covered with Air Suspension and 15 Degrees of Swivel, Operator's Presence Sensor, Retractable Seat Belt and Arm Rests
- Retractable Instructor Seat
- Suspended Pedals
- Radio, Speakers and Antenna
- Hi-vis screen
- Digital Instrumentation Cluster integrated in steering column
- Rear Wiper & Washer
- Mobile Phone Net Holder
- Cup Holder

**TELEMATICS:**

Value telematics (CM1X) allows customers to manage their fleet and track their vehicle utilization, location, and remotely view key vehicle information in FieldOps Mobile / Web Portal.

- 5 Years subscription included
- Parameters: Engine Power, DEF Level, Travel Speed, Engine Hours, Engine Load, Engine Boos Pressure, Transmission Oil Pressure, Engine Coolant Temperature, Gear Selected, Front PTO Speed, Battery Voltage, Transmission Oil Pressure, Engine Fuel Rate, Intake Manifold Temperature, DEF Rate, Air Brake Pressure, DEF Temperature, Engine Speed, Rear PTO Speed, Transmission Status, Fuel Tank Size, Fuel Remaining

**MISCELLANEOUS:**

- Pivoting Engine Hood
- SMV Emblem
- Toolbox

**WARRANTY:**

- New Holland Standard Warranty Applies

**POWERSTAR 100-120 PS CAB  
US PRICE LIST****Standard Equipment****FACTORY INSTALLED LOADER:**

650LU NSL Front Loader

**STANDARD FEATURES:**

- Quick Attach Design: Skid-Steer or Euro Style Tool Carrier
- 4-Bar Bucket Linkage
- Bucket Level Indicator
- Parking Stand
- Grille Guard (Included with Front Mounting Brackets)
- Autolock
- Multicoupler

**SPECIFICATIONS:**

See Chart for Specifications

655LU MSL Front Loader

**Standard Features:**

- Quick Attach Design: Skid-Steer or Euro Style Tool Carrier
- 4-Bar Bucket Linkage
- Bucket Level Indicator
- Parking Stand
- Grille Guard (Included with Front Mounting Brackets)
- Autolock
- Multicoupler

**SPECIFICATIONS:**

See Chart for Specifications



**POWERSTAR 100-120 PS CAB  
US PRICE LIST**

## Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
POWERSTAR 100 PS CAB	Cab	11,685 LB		\$109,197.00
POWERSTAR 110 PS CAB	Cab	11,685 LB		\$114,007.00
POWERSTAR 120 PS CAB	Cab	11,685 LB		\$119,515.00

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### PACKAGES

#### SD\_T9980 PACKAGES

	X99801X	Custom Configuration <b>Custom Configuration, ala Carte</b>			No Charge
	X99811X	Deluxe Fast Pick Package <b>PowerStar 12x12 LOADER Package</b>  Package includes the following: 338125 2 Mid-Mount w/Mec Joystick 763828 L/CARRIER L/TOWHOOK 764175 12x12 ELE PS 40KPM 330470 4 x 110 lb Rear Wheel Weights 743594 540/1000 RPM PTO 336750 84' Bucket 334183 Deluxe Cab w/HiVis Panel 763805 Monitor Bracket 764798 8A SCT-CIGART 30A SC  Slectable options Loader Work lamps Hydraulic romotes Tires Telematic carrier Fenders  Note - each option will be selected and display pricing; package selection is for ease of selection			(\$5,292.00)

**POWERSTAR 100-120 PS CAB  
US PRICE LIST**

		X0588XX	Standard Fast Pick <b>PowerStar 12x12 LESS Loader package</b>  <b>Package includes the following:</b> <b>763828 L/CARRIER L/TOWHOOK</b> <b>764175 12x12 ELE PS 40KPM</b> <b>330470 4 x 110 lb Rear Wheel Weights</b> <b>743594 540/1000 RPM PTO</b> <b>334183 Deluxe Cab w/HiVis Panel</b> <b>763805 Monitor Bracket</b> <b>764798 8A SCT-CIGART 30A SC</b>  <b>Work lamps</b> <b>Hydraulic remotes</b> <b>Mid-Mount valve</b> <b>Tires</b> <b>Telematic carrier</b> <b>Fenders</b>  <b>Note - each option will be selected and display pricing; package selection is for ease of selection</b>			(\$5,292.00)
--	--	---------	--	--	--	--------------

**OPERATOR STRUCTURE**

SD\_T7612 BRACKET MONITOR

		763804	Less Monitor Bracket			No Charge
		763805	Monitor Bracket			\$110.00

**WORK LIGHTING**

SD\_T9130 WORK LAMPS

		763579	4 ROOF 2ROAD LED <b>2 front roof lights</b> <b>2 rear roof lights</b> <b>2 road lights, 1 mounted on each cab handrail</b>			No Charge
		763580	6 ROOF 2ROAD LED <b>2 front roof lights</b> <b>4 rear roof lights</b> <b>2 road lights, 1 mounted on each cab handrail</b>			\$893.00

**POWERSTAR 100-120 PS CAB  
US PRICE LIST**
**TRANSMISSION**

## TRANSMISSION

## SD\_T2810 TRANSMISSION

		764175	12x12 ELE PS 40KPM <b>ELECTRONIC POWER SHUTTLE - 12X12 - HYD PTO - REAR EL.HYD DIFF. LOCK - 40 KPH-BRAKE TO CLUTCH</b>			No Charge
		764176	20x20 ELE PS 40KPM <b>ELECTRONIC POWER SHUTTLE - 20X20 - HYD PTO - REAR EL.HYD DIFF. LOCK - 40 KPH - BRAKE TO CLUTCH - CREEPER</b>			\$837.00

**OPERATOR PLATFORM**

## SD\_T9200 OPERATOR STRUCTURE #1

		334183	Deluxe Cab w/HiVis Panel <b>Includes high visibility panel, instructor seat, rear wiper and washer, radio &amp; internal mirror</b>			No Charge
--	--	--------	--	--	--	-----------

**POWER TRAIN**

## AXLES

## SD\_T4010 FRONT AXLE

		763369	4WD EL.HYD.DIF 1.5HD <b>4WD EL.HYD. DIFF.LOCK LARGE 1.5 HD</b>			No Charge
--	--	--------	---	--	--	-----------

**TIRES**

## FRONT

## SD\_T4940 FRONT WHEELS AND TIRES

		8237601	340/85R24 w/Adjustable Rims <b>13.6R24 A8</b>			\$148.00
		8247601	280/85R28 ADJ RIM <b>11.2R28 (280/85R28)SRI 575 ADJUSTABLE RIMS</b>			(\$692.00)
		8820101	340/85R28 ADJ RIM <b>13.6 R28 (340/85R28)SRI 625 ADJUSTABLE RIMS</b>			\$181.00
		8836601	380/70R24 R1W			No Charge
		8870401	380/70R28 ADJ RIM <b>380/70R28 SRI 625 adjustable rims</b>			\$1,373.00
		8239404	14.9R24 R1W			(\$11.00)
		8846501	440/65R24 ADJ RIM			\$354.00

**POWERSTAR 100-120 PS CAB  
US PRICE LIST**

		8870101	440/65R28 ADJ RIM <b>440/65R28 SRI 625 adjustable rims</b>			\$738.00
--	--	---------	---	--	--	----------

**REAR**
**SD\_T4950 REAR WHEELS AND TIRES**

		8372404	13.6R38 R1W			(\$979.00)
		8364404	420(16.9)/85R34 <b>16.9R34 R1W</b>			(\$59.00)
		8310304	420/85R38 ADJ RIM <b>420/85R38 16.9 R38 SRI 800 adjustable rims</b>			\$798.00
		8365501	18.4-34 10PR			(\$438.00)
		8365404	18.4R34 R1W			\$782.00
		8964404	480/70R34 ADJ RIM			No Charge
		8310904	480/70R38 ADJ RIM <b>480/70R38 SRI 800 adjustable rims</b>			\$1,822.00
		8960404	540/65R34 ADJ RIM			\$419.00
		8320504	540/65R38 ADJ RIM <b>540/65R38 SRI 800 adjustable rims</b>			\$1,469.00

**HYDRAULICS**
**MID-MOUNT**
**SD\_T8280 MID-MOUNT VALVES**

		390124	Less Mid-Mount Valve/Joystick			No Charge
		338125	2 Mid-Mount w/Mec Joystick <b>2 Mid-Mount With Mechanical Joystick Less Couplers With Switch For External Loader</b>			\$1,965.00

**LOADER**
**LOADER BRACKETS**
**SD\_T8110 LOADER BRACKETS**

		743593	Less Front Loader			No Charge
--	--	--------	-------------------	--	--	-----------

**POWERSTAR 100-120 PS CAB  
US PRICE LIST**

		763859	<b>MED HVY LDR MSL EURO DIV</b> <b>MEDIUM HEAVY LOADER AUTOLOCK MULTICOUPLER</b> <b>GRILL GUARDS MSL EURO QA DIVERTER</b>  <b>Option includes:</b> <b>655LU MSL EURO loader</b> <b>third function with diverter</b> <b>84" bucket</b> <b>Mounting frame</b> <b>Grille guard</b>  <b>Requires option 338125 2 Mid-Mount w/Mec Joystick</b>			\$17,000.00
		763854	<b>MED HVY LOADER NSL SSL</b> <b>MEDIUM HEAVY LOADER AUTOLOCK MULTICOUPLER</b> <b>GRILL GUARDS NSL SSL QA</b>  <b>Option includes:</b> <b>650LU NSL SSL loader</b> <b>84" bucket</b> <b>Mounting frame</b> <b>Grille guard</b>  <b>Requires option 338125 2 Mid-Mount w/Mec Joystick</b>			\$14,490.00
		763855	<b>MED HVY LDR NSL SSL DIV</b> <b>MEDIUM HEAVY LOADER AUTOLOCK MULTICOUPLER</b> <b>GRILL GUARDS NSL SSL QA DIVERTER</b>  <b>Option includes:</b> <b>650LU NSL SSL loader</b> <b>third function with diverter</b> <b>84" bucket</b> <b>Mounting frame</b> <b>Grille guard</b>  <b>Requires option 338125 2 Mid-Mount w/Mec Joystick</b>			\$15,645.00
		763856	<b>MED HVY LDR NSL EURO DIV</b> <b>MEDIUM HEAVY LOADER AUTOLOCK MULTICOUPLER</b> <b>GRILL GUARDS NSL EURO QA DIVERTER</b>  <b>Option includes:</b> <b>650LU NSL EURO loader</b> <b>third function with diverter</b> <b>84" bucket</b> <b>Mounting frame</b> <b>Grille guard</b>  <b>Requires option 338125 2 Mid-Mount w/Mec Joystick</b>			\$15,425.00

**POWERSTAR 100-120 PS CAB  
US PRICE LIST**

		763857	<b>MED HVY LDR MSL SSL</b> <b>MEDIUM HEAVY LOADER AUTOLOCK MULTICOUPLER</b> <b>GRILL GUARDS MSL SSL QA</b>  <b>Option includes:</b> <b>655LU MSL SSL loader</b> <b>84" bucket</b> <b>Mounting frame</b> <b>Grille guard</b>  <b>Requires option 338125 2 Mid-Mount w/Mec Joystick</b>			\$16,065.00
		763858	<b>MED HVY LDR MSL SSL DIV</b> <b>MEDIUM HEAVY LOADER AUTOLOCK MULTICOUPLER</b> <b>GRILL GUARDS MSL SSL QA DIVERter</b>  <b>Option includes:</b> <b>655LU MSL SSL loader</b> <b>third function with diverter</b> <b>84" bucket</b> <b>Mounting frame</b> <b>Grille guard</b>  <b>Requires option 338125 2 Mid-Mount w/Mec Joystick</b>			\$17,220.00

**LOADER**

**SD\_T8140 BUCKET**

		XT8140X	Less Bucket			No Charge
		336750	<b>84" Bucket</b> <b>84" Bucket</b> <b>Price of bucket is included in loader options</b>			No Charge

**PTO**

**REAR PTO**

**SD\_T8010 PTO**

		743594	540/1000 RPM PTO			No Charge
--	--	--------	------------------	--	--	-----------

**HITCH**

**REAR 3 POINT HITCH**

**SD\_T8200 HITCH**

		764182	<b>MDC-LOM-FLEXEND</b> <b>MDC - LOM PLUS - REAR HPL - FLEX ENDS - EXTERNAL HPL</b> <b>CONTROL</b>			No Charge
--	--	--------	---	--	--	-----------

**POWERSTAR 100-120 PS CAB  
US PRICE LIST**

		764183	MDC-LOM-2 AUXLIFTRAM <b>MDC - LOM PLUS - REAR HPL - FLEX ENDS - EXTERNAL HPL CONTROL</b> <b>- 2 AUXILIARY LIFT RAM</b>			\$1,419.00
--	--	--------	--	--	--	------------

**CAB OR ROPS PLATFORM**

OTHER

SD\_T6730 PIN CONNECTOR

		763800	8A 30A SOCKETS <b>8A SOCKET CIGARETTE SOCKET BEACON READY 30A SOCKET 2 USB SOCKETS HORN NAR MKTS</b>			No Charge
		764798	8A SCT-CIGART 30A SC <b>8A SOCKET CIGARETTE SOCKET BEACON READY 40 A SOCKET 2 USB SOCKETS HORN ISOBUS SOCKET CLASS II</b>			\$656.00

**WEIGHTS**

FRONT

SD\_T2150 FRONT BALLAST

		763828	L/CARRIER L/TOWHOOK			No Charge
		763831	Carrier 6 WGH 40KG <b>Carrier 6 Weights 40 KG FTH</b>			\$1,521.00
		763832	Carrier 8 WGH 40KG <b>Carrier 8 Weights 40 KG FTH</b>			\$1,860.00

REAR

SD\_T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights <b>110 lbs./50 kg each</b> <b>Total weight - 440 lbs (200 kg)</b>			\$845.00
		763564	6 Wheel Ring Weights <b>110 lbs./50 kg each</b> <b>Total weight - 660 lbs (300 kg)</b>			\$1,268.00
		XT4961X	Less Rear Ballast <b>Standard less rear ballast</b>			No Charge

**MISCELLANEOUS**

FENDERS REAR

SD\_T8700 FENDERS

		743599	Rear Fenders (30-34) <b>Rear fenders w/o Extensions</b>			No Charge
--	--	--------	--	--	--	-----------

**POWERSTAR 100-120 PS CAB  
US PRICE LIST**

		744599	Rear Fenders w/Extensions <b>Rear fenders - flat extensions</b>			\$219.00
--	--	--------	--	--	--	----------

**FRONT FENDERS**

SD\_T8740 FRONT FENDERS

		390860	Less Front Fenders			No Charge
		763808	FENDERS FIX <b>Front Fenders - Fixed COMPATIBLE with front loader</b>			\$592.00
		744674	Dynamic Front Fenders <b>Front Fenders - Dynamic NOT COMPATIBLE with front loader</b>			\$946.00

**OPERATOR'S MANUALS**

SD\_T9840 COUNTRY CONFIGURATION

		763065	USA Spanish Fuel Cooler <b>402-702-North America Region Spanish-RH Drive Placements-7 Pin Trailer Socket-SMV Emblem-Spanish OM-NAR-Fuel Cooler</b>			No Charge
		763066	USA English Fuel Cooler <b>402-702--North America Region English-RH Drive Placements-7 Pin Trailer Socket-SMV Emblem-English OM-NAR-Fuel Cooler</b>			No Charge
		763067	USA French Fuel Cooler <b>402-702--North America Region French-RH Drive Placements-7 Pin Trailer Socket-SMV Emblem-French OM-NAR-Fuel Cooler</b>			No Charge

**ADDITIONAL EQUIPMENT**

SD\_T7632 PRECISION AND COMMUN

		763949	Modem 4G-Verizon NA <b>NOT FOR CANADIAN MARKETS PCM 4G USA 4G P&amp;CM controller for USA Market Verizon SIM This device provides optimal coverage in a large majority of the USA, however, for areas with poor or no Verizon cellular coverage order 763950</b>			No Charge
		763950	Modem 4G-Vodafone NA <b>PCM 4G Canada 4G P&amp;CM controller for Canadian or LIMITED USA Market AT&amp;T SIM This device is the only option for Canadian markets, and should also be ordered for USA markets that have poor or no Verizon cellular coverage</b>			No Charge



**POWERSTAR 100-120 PS CAB  
US PRICE LIST**

## SD\_T8270 REAR REMOTES

		743569	2 Remotes 4 Couplers <b>2 Remote 4 Couplers</b>			No Charge
		763307	3 Remotes 6 Couplers <b>3 Remote 6 Couplers</b>			\$1,216.00
		743571	3 Remotes 1 Div 4 Couplers <b>4 total rear hydraulic spools (8 couplers)</b> <b>In the cab are 3 hydraulic levers</b> <b>1 hydraulic lever has a button that when held diverts oil to the fourth remote</b>			\$2,606.00



**POWERSTAR 90-120 PS ROPS  
US PRICE LIST****Standard Equipment****KEY SELLING POINTS:**

- CommandArc™ ergonomically places most frequently used controls to operator's right
- Hydraulic shuttle lever
- Tier 4B EPA emissions compliant
- Factory Installed Loader Available

**ENGINE: PowerStar 90**

- Engine MFG FPT F5C
- Emissions Level Tier 4B
- Gross Engine Power 86 hp
- PTO horsepower @ 2300rpm 73 hp
- Displacement 207 cu. In. (3.4 L)
- 4 Cyl Turbocharged

**ENGINE: PowerStar 100**

- Engine MFG FPT F5C
- Emissions Level Tier 4B
- Gross Engine Power 98 hp
- PTO horsepower @ 2300rpm 85 hp
- Displacement 207 cu. In. (3.4 L)
- 4 Cyl Turbocharged

**ENGINE: PowerStar 110**

- Engine MFG FPT F5C
- Emissions Level Tier 4B
- Gross Engine Power 107 hp
- PTO horsepower @ 2300rpm 93 hp
- Displacement 207 cu. In. (3.4 L)
- 4 Cyl Turbocharged

**ENGINE: PowerStar 120**

- Engine MFG FPT F5C
- Emissions Level Tier 4B
- Gross Engine Power 117 hp
- PTO horsepower @ 2300rpm 100 hp
- Displacement 207 cu. In. (3.4 L)
- 4 Cyl Turbocharged

**ENGINE: All Models**

- Fuel System
  - Bosch Fuel Injection Pump
  - High-pressure Common Rail System
- Dual Element Air Filter
- Grid Heater Starting Aid
- Electric Engine Shutoff
- Constant Engine RPM
- Vertical Exhaust

**EMISSIONS SYSTEM**

- Tier 4B ECOBlue™ Compact HI-eSCR + Light CEGR

**FUEL / DEF CAPACITIES**

- Diesel Fuel 30.3-gallon (114.7L)
- Protection Shield
- DEF 2.8-gallon (10.6 L)

**TRANSMISSION**

- LH Side Steering Column Mounted Power Shuttle
- 12 Forward / 12 Reverse Speeds
- (4) Synchronized Gears
- (3) Non-synchronized Gear
- Forward Reverse Synchronized Shuttle
- FWD - 19 mph (30 kph)
  - Speed varies with tire selection

**REAR AXLES****PowerStar 90, 100 & 110:**

- Flange Type

**PowerStar 120:**

- Heavy Duty Flange Type

Rear Differential Lock: Mech. Engaged

**POWERSTAR 90-120 PS ROPS  
US PRICE LIST****Standard Equipment****FRONT AXLES**  
-----**2WD FRONT AXLE (19 mph)**

- Inverted U-section type

**4WD FRONT AXLE****PowerStar 90, 100 & 110:**

- Limited Slip
- Electrohydraulic FWD Engagement

**PowerStar 120:**

- Limited Slip
- Heavy Duty Electrohydraulic FWD Engagement

**STEERING/BRAKES**  
-----

- Hydrostatic Power Steering
- Brakes
  - Wet disk brakes
  - Hydraulically assisted
- Parking Brake

**HYDRAULIC SYSTEM**  
-----

- Open Center System
- Dual Gear Pumps
  - Implement Pump: 16.9 gpm (63.9 L)
  - Steering Pump: 9.7 gpm (37.0 L)
  - Total Flow: 26.6 gpm (100.8 L)
- (2) Open Center Remote Valves with detent

**PTO**  
-----**PowerStar 90, 100 & 110:**

- Fully Independent
- Flip-up PTO Shaft Guard
- 540 rpm Hydraulic PTO (1-3/8 in. 6 splines)

**PowerStar 120:**

- Fully Independent
- Flip-up PTO Shaft Guard
- 540/1000 rpm Hydraulic PTO (1-3/8 in. 6 splines)
- Electronic engagement
- Wet Clutch

**3-POINT LIFT SYSTEM**  
-----

- Right hand console mounted lever control
- Mechanical Draft Control
- 5,620 lbs. Lift Capacity
- Category II Ends
- Telescopic Stabilizers
- Flexible Lower Link Ends

**INSTRUMENTATION**  
-----**Analog Instrumentation with warning**

- Lights for
  - Air Cleaner Service
  - Alternator
  - Oil Pressure
  - Fuel Sediment/Water Sensor
  - PTO Engagement
  - Head Light High Beam
  - Low Fuel
  - Parking Brake
- Digital Speed Readout
- Gauges for
  - Fuel Level
  - Engine Temperature
  - Tachometer
  - Hour Meter

**POWERSTAR 90-120 PS ROPS  
US PRICE LIST****Standard Equipment****ELECTRICAL**  
-----

- (1) 800 cca Heavy-duty Battery - ROPS
- Alternator: 120 amp
- 7-pin Outlet for trailer/implement lighting and signals
- 3-pin Power Outlet (30 amp)
- Single pin (8 amp) Accessory Power outlet
- 12V Power Socket

**LIGHTING**  
-----**Front:**

- (2) Halogen Headlights

**Rear:**

- (1) ROPS mounted work light
- Turn Signals/Flashers/Rear Lights

**OPERATOR PROTECTIVE STRUCTURE:  
ROPS MODELS**  
-----

- 2-Post Foldable ROPS with ISO-mounted flat deck platform
- Steering Wheel - adjustable tilt
- Hand and Foot Throttle Controls
- Vinyl Seat
  - Mechanical Suspension
  - Operator's Presence Sensor
  - Retractable Seat Belt
  - Arm Rests
- Suspended pedals
- Locking brake pedals

**MISCELLANEOUS**  
-----

- Pivoting Engine Hood
- SMV Emblem
- Toolbox

**WARRANTY**  
-----

- New Holland Standard Warranty Applies

**LOADER:****665TL/720LU NON SELF-LEVELING**  
-----

- Maximum Lift Height @ pivot pin: 126"
- Dump Clearance: 93.6"
- Digging Depth: 8.2"
- Lift Capacity
  - Max Height @ 800mm: 2,478 LBS
  - 59" high @ 800mm: 3,080 LBS
- Breakout Force @ 800mm: 3,739 LBS
- Reach @ Max Lift Height: 39.5"
- Reach @ Ground Level: 90.7"
- Bucket Rollback Angle: 45 degrees
- Bucket Dump Angle: 60 degrees
- Skid Steer or Euro Style Loader bucket attach

**665TL/725LU SELF-LEVELING**  
-----

- Maximum Lift Height @ pivot pin: 125"
- Dump Clearance: 93"
- Digging Depth: 8"
- Lift Capacity
  - Max Height @ 800mm: 3,179 LBS
  - 59" high @ 800mm: 4,665 LBS
- Breakout Force @ 800mm: 3,860 LBS
- Reach @ Max Lift Height: 39.4"
- Reach @ Ground Level: 90.5"
- Bucket Rollback Angle: 40 degrees
- Bucket Dump Angle: 60 degrees
- Skid Steer or Euro style Loader bucket attach

**POWERSTAR 90-120 PS ROPS  
US PRICE LIST**

## Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
POWERSTAR 90	Rops	8,157 LB		\$85,088.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,424.00				
18.4-30 12PR R1 FLAN (8363801) \$3,452.00				
POWERSTAR 100	Rops	8,157 LB		\$88,341.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,424.00				
18.4-30 12PR R1 FLAN (8363801) \$3,452.00				
POWERSTAR 110	Rops	8,157 LB		\$91,877.00
Includes the following Equipment				
12.4-24 8PR (8235601) \$1,424.00				
18.4-30 12PR R1 FLAN (8363801) \$3,452.00				
POWERSTAR 120	Rops	8,157 LB		\$97,119.00
Includes the following Equipment				
4WD+EH Engage+Limited Slip (744581) \$368.00				
Heavy Duty Rear Axle (333411) \$878.00				
12.4-24 8PR (8235601) \$1,424.00				
18.4-30 12PR R1 FLAN (8363801) \$3,452.00				
540/1000 RPM PTO (743594) \$742.00				

**POWERSTAR 90-120 PS ROPS  
US PRICE LIST**

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### TRANSMISSION

#### SD\_T2810 TRANSMISSION

		330276	12x12 Power Shuttle <b>Hydraulic PTO</b>			No Charge
		334176	12x12 Power Shuttle w/Creeper <b>20x20 Power Shuttle with Creeper (12x12 + 8x8 creeper) Hydraulic PTO</b>			\$837.00

### PACKAGE SELECTION

#### SD\_T9980 PACKAGES

		X99801X	Custom Configuration			No Charge
--	--	---------	----------------------	--	--	-----------

### OPERATOR PLATFORM

#### SD\_T9200 OPERATOR STRUCTURE #1

ROPS						
		392315	Platform w/Foldable ROPS <b>Includes tilt column</b>			No Charge
		334190	Deluxe Platform w/FOPS <b>Includes tilt column, FOPS canopy, noise reduction kit and 12V power outlet</b>			\$2,198.00

### POWER TRAIN

#### TRANSMISSION

#### SD\_T2800 SPEED

		759059	40KPH - Real all Tire <b>25 MPH (40 KPH) Transmission for 4WD</b>			\$348.00
--	--	--------	--	--	--	----------

**POWERSTAR 90-120 PS ROPS  
US PRICE LIST**

**AXLES**
**SD\_T4010 FRONT AXLE**

		336858	2WD Heavy Duty <b>Requires 20 MPH (30 KPH)</b> <b>Compatible with 715LU</b> <b>Requires rear wheel weights (330470) only when ordered with 715LU</b> <b>Not compatible with 720LU</b>			(\$1,462.00)
		744581	4WD+EH Engage+Limited Slip+HD <b>Heavy-Duty Limited Slip</b> <b>Base equipment on PowerStar 120</b> <b>Requires Heavy-Duty rear axle (333411)</b>			\$368.00

**SD\_T4810 REAR AXLE**

		333411	Heavy Duty Rear Axle <b>Heavy-Duty Rear Axle</b> <b>Base Equipment on PowerStar 120</b> <b>Required for 34 &amp; 38 inch rear tires</b> <b>Not compatible with Standard-Duty 4WD front axles (743559 or 744580)</b> <b>Not compatible with 30 inch or smaller rear tires on PowerStar 90, 100 or 110</b>			\$878.00
--	--	--------	---	--	--	----------

**TIRES**
**FRONT**
**SD\_T4940 FRONT WHEELS AND TIRES**

<b>2WD Front Tires</b>						
		8126601	9.5L15 4 RIB 8 PLY			\$876.00
		8125801	7.50-16 8 PLY HD <b>7.50-16 8 PLY HD Axle</b>			\$669.00
		8125901	10.00-16 8 PLY HD <b>10.00-16 8 PLY HD Axle</b>			\$1,248.00
<b>4WD Bias Front Tires</b>						
		8235601	12.4-24 8PR <b>12.4-24 8PR</b>			\$1,424.00
		8236501	13.6-24 8PR R1 FLANG <b>13.6-24 8PR R1 Flange</b>			\$1,799.00
		8240604	14.9-24 8PR R1 <b>14.9-24 8PR R1</b>			\$2,216.00
<b>4WD Radial Tires</b>						
		8235404	12.4R24 R1W <b>Requires 18.4R30 R1W rear wheels and tires</b>			\$1,964.00



**POWERSTAR 90-120 PS ROPS  
US PRICE LIST**

4WD Radial Front Tires					
		8236404	13.6R24 R1W <b>Requires 16.9R34 R1W or 13.6R38 R1W rear wheels and tires</b>		\$2,401.00
		8239404	14.9R24 R1W <b>Requires 18.4R34 R1W rear wheels and tires</b>		\$2,953.00
4WD Specialty Front Tires					
		8290904	12.5/80-18 R4 Front Tire <b>'Beefy Baby' - Requires either 16.9-24 R4 or 19.5L-24 R4</b>		\$2,345.00
		8247404	11.2R28 R1W <b>Requires 13.6R38 R1W rear wheels and tires</b>		\$2,029.00
		8873402	360/80R20 TRI 2 HD <b>Municipal tread</b>		\$2,672.00

**REAR**

**SD\_T4950 REAR WHEELS AND TIRES**

Bias Rear Tires					
		8363801	18.4-30 12PR R1 FLAN <b>4WD Front Tire - 12.4-24 (8235601)</b> <b>2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)</b>		\$3,452.00
		8364604	16.9-34 8PR R1 <b>4WD Front Tire - 13.6-24 (8236501)</b> <b>2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)</b>		\$2,567.00
		8365501	18.4-34 10PR <b>4WD Front Tire - 14.9-24 (8240604)</b> <b>2WD Front Tire - 10.00-16 (8125901)</b>		\$3,928.00
Radial Rear Tires					
		8357404	18.4R30 R1W <b>4WD Front Tire - 12.4R24 (8235404)</b> <b>2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)</b>		\$4,755.00
		8302804	16.9R34 R1W <b>4WD Front Tire - 13.6R24 (8236404)</b> <b>2WD Front Tire - 7.50-16 (8125801) or 10.00-16 (8125901)</b>		\$3,422.00
		8365404	18.4R34 R1W <b>4WD Front Tire - 14.9R24 (8239404)</b> <b>2WD Front Tire - 10.00-16 (8125901)</b>		\$5,147.00
Specialty Rear Tires					
		8391904	19.5L-24 R4 Rear Tire <b>4WD Front Tire - 12.5/80-18 (8290904)</b>		\$3,630.00
		8372404	13.6R38 R1W <b>4WD Front Tire - 11.2R28 (8247404)</b> <b>2WD Front Tire - 7.50-16 (8125801)</b>		\$3,194.00
		8906401	440/80 R30 TRI 2 <b>Municipal tread</b> <b>4WD Front Tire - 360/80R20 (8873402)</b>		\$4,980.00

**POWERSTAR 90-120 PS ROPS  
US PRICE LIST**

**HYDRAULICS**

## MID-MOUNT

## SD\_T8280 MID-MOUNT VALVES

		762166	2MMV w/Joystick New Trim <b>2 function mid-mount valve and joystick</b>			\$1,965.00
		762167	2MMV+DIV w/Joystick New Trim <b>2 function mid-mount valve and joystick with 3rd function diverter</b> Requires a Loader Bucket with Grapple NOT AVAILABLE as Factory Installed			\$2,947.00

**LOADER**

## LOADER

## SD\_T8110 LOADER BRACKETS

## Standard Duty Loader

		336914	Non Self Leveling Ldr +SSQA <b>710LU</b> Non Self Leveling with Skid Steer Attachment NOT compatible with 38' rear tires			\$8,020.00
		336732	Non Self Leveling Ldr +Euro <b>710LU</b> Non Self Leveling with Euro Style Attachment Not compatible with 38' rear tires			\$8,020.00
		336734	Mech Self Leveling Ldr +SSQA <b>715LU</b> Mechanical Self Leveling with Skid Steer Style Attachment Not compatible with 38' rear tires			\$9,488.00
		336736	Mech Self Leveling Ldr +Euro <b>715LU</b> Mechanical Self Leveling with Euro Style Attachment Not compatible with 38' rear tires			\$9,488.00

## Heavy Duty Loader

		336740	HD Non Self Leveling Ldr +SSQA <b>720LU</b> Non Self Leveling with Skid Steer Style Attachment			\$9,297.00
		336742	HD Non Self Leveling Ldr +Euro <b>720LU</b> Non Self Leveling with Euro Style Attachment			\$9,297.00
		336744	HD Self Leveling Ldr +SSQA <b>725LU</b> Mechanical Self Leveling with Skid Steer Style Attachment			\$10,769.00

**POWERSTAR 90-120 PS ROPS  
US PRICE LIST**

		336746	HD Self Leveling Ldr +Euro <b>725LU</b> <b>Mechanical Self Leveling with Euro Style Attachment</b>			\$10,769.00
--	--	--------	--	--	--	-------------

## SD\_T8140 BUCKET

		336750	84" Bucket			\$1,246.00
--	--	--------	------------	--	--	------------

**PTO**

## REAR PTO

## SD\_T8010 PTO

		743594	540/1000 RPM PTO			\$742.00
--	--	--------	------------------	--	--	----------

**HITCH**

## REAR 3 POINT HITCH

## SD\_T8130 3 POINT HITCH CONTROL

		332035	3-pt External Control (Mech)			\$344.00
--	--	--------	------------------------------	--	--	----------

## SD\_T8200 HITCH

		743595	Lift-O-Matic Plus <b>Lift-O-Matic Plus</b>			\$349.00
--	--	--------	---	--	--	----------

**WEIGHTS**

## FRONT

## SD\_T2150 FRONT BALLAST

		333215	Front Carrier + (6) 88 lb Wght <b>Total weight - 661 lbs (300 kg)</b>			\$1,084.00
		335215	8 Weights 40kg - CA <b>Total weight - 837 lbs (380 kg)</b>			\$1,371.00

## REAR

## SD\_T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights <b>Total weight - 440 lbs (200 kg)</b> <b>NOT compatible with 24' rear tires option</b> <b>Required with 2WD HD front axle</b>			\$845.00
--	--	--------	---	--	--	----------

**POWERSTAR 90-120 PS ROPS  
US PRICE LIST****OPERATOR'S MANUALS**

## SD\_T9840 COUNTRY CONFIGURATION

		763065	USA Spanish Fuel Cooler <b>402-702-North America Region Spanish-RH Drive Placements-7 Pin Trailer Socket-SMV Emblem-Spanish OM-NAR-Fuel Cooler</b>			No Charge
		763066	USA English Fuel Cooler <b>402-702--North America Region English-RH Drive Placements-7 Pin Trailer Socket-SMV Emblem-English OM-NAR-Fuel Cooler</b>			No Charge
		763067	USA French Fuel Cooler <b>402-702--North America Region French-RH Drive Placements-7 Pin Trailer Socket-SMV Emblem-French OM-NAR-Fuel Cooler</b>			No Charge

**POWERSTAR 90 - 120 DUAL COMMAND CAB  
US PRICE LIST****Standard Equipment****NEW FEATURES:**

- FPT F36 4 Cyl Engine
- Electronic Power Shuttle
- Shuttle Aggressiveness Control
- Brake to Clutch | Dynamic Start Stop
- New modern styling
- Class 1.5 HD wide front axle
- CNH Medium Duty Loader
- Color Digital Dashboard
- U shape exhaust
- Advanced joystick
- AUTO PTO
- AUTO Diff. Lock.

**MODELS:****PowerStar 90 Dual Command**

- 90 Gross Engine hp
- PTO hp: OECD Test not yet available

**PowerStar 100 Dual Command**

- 101 Gross Engine hp
- PTO hp: OECD Test not yet available

**PowerStar 110 Dual Command**

- 110 Gross Engine hp
- PTO hp: OECD Test not yet available

**PowerStar 120 Dual Command**

- 117 Gross Engine hp
- PTO hp: OECD Test not yet available

**ENGINE:**

- 219 cu in (3.6 L) Displacement
- 4 Cyl Turbocharged Engine
- Stage V Emissions Compliant:  
(SCR + CEGR)
- Electronic Injection Bosch
- High-pressure Common Rail System
- Electric Engine Shutoff
- Engine RPM Memory
- Hand and Foot Throttle Controls
- Grid Heater Starting Aid
- Dual Element Air Filter
- Under Hood Muffler
- U Shaped Exhaust
- 34.3 gal Fuel Tank with Guard
- 3.4 gal DEF Tank

**TRANSMISSION:**

- LH side steering column mounted  
Power Shuttle
- 24 Forward and 24 Reverse Speeds  
(4) Synchronized Gears w/ HiLo  
(3) Non-synchronized Ranges
- Forward Reverse Synchronized Wet-  
Clutch Electronic Power Shuttle
- FWD - 24 mph (40 kph)  
Speed varies with tire selection
- Park Lock
- Brake to Clutch
- PowerClutch button on gear lever  
to allow for gear changes without  
use of the foot clutch

**STEERING/BRAKES:**

- Hydrostatic Power Steering
- Brakes  
Wet disk brakes Hydraulically assisted

**POWERSTAR 90 - 120 DUAL COMMAND CAB  
US PRICE LIST****Standard Equipment****AXLES:****FRONT -**

- 4WD Class 1.5 HD
- Electrohydraulic Differential Lock
- Electrohydraulic FWD Engagement
- Adjustable Tread Width from 56.9 in. to 84.8 in.

**REAR -**

- Flange Type
- Adjustable Tread Width from 56.1 in. to 84.2 in.

**HYDRAULIC SYSTEM:**

- Open Center System
- Dual Gear Pumps
- Implement Pump: 21.7 gpm (82.1 L)
- Steering Pump: 9.7 gpm (37.0 L)
- Total Flow: 31.4 gpm (119.1 L)
- (2) Open Center Remote Valves with detent

**REAR DIFFERENTIAL LOCK:**

- Electro-hydraulic engagement

**PTO:**

- Fully Independent
- Flip-up PTO Shaft Guard
- 540/1000 rpm
- Electronic engagement
- Wet clutch
- 1-3/8 in. 6 splines + 21 splines for 1000 speed
- Fender mounted control (cab only)

**3-POINT LIFT SYSTEM:**

- Right hand console mounted lever control
- Electronic Draft Control
- 4.7T Max Lift Capacity
- Category II Ends
- Telescopic Stabilizers
- Flexible Lower Link Ends
- Fender mounted controls (cab only)

**ELECTRICAL:**

- (1) 800 cca Heavy-Duty Battery
- 120 amp Alternator
- 7-pin Outlet for trailer/implement Lighting and signals
- 3-pin Power Outlet (30 amp)
- Single Pin (8 amp) Accessory Power outlet
- 12V power socket
- Cab tractors include an additional 12V power socket
- 2x USB sockets

**INSTRUMENTATION:**

- Color, Digital Instrumentation with additional warning lights for lights and critical alerts.
- Gauges for Engine RPM

**LIGHTING:****CAB****Front:**

- (2) LED Headlights
- (2) cab mounted worklights
- (2) hood mounted worklights

**Rear:**

- (2) cab mounted worklights
- Turn Signals
- Flashers
- Rear Lights

**POWERSTAR 90 - 120 DUAL COMMAND CAB  
US PRICE LIST****Standard Equipment****OPERATOR PROTECTIVE STRUCTURE:****CAB MODELS**

•ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen, front wiper and washer, two doors with locks, two external mirrors, openable side windows, hinged rear window (opens completely)

- Steering Wheel - adjustable tilt and telescopic

- Seat - Cloth covered with air suspension and 15 degrees of swivel, operator's presence sensor, retractable seat belt and tiltable arm rests

- Suspended pedals

- Radio, speakers, and antenna

**TELEMATICS:**

Value telematics (CM1X) allows customers to manage their fleet and track their vehicle utilization, location, and remotely view key vehicle information through FieldOps Mobile / Web

- 5 Years subscription included

- Parameters: Engine Power, DEF Level, Travel Speed, Engine Hours, Engine Load, Engine Boost Pressure, Transmission Oil Pressure, Engine Coolant Temperature, Gear Selected, Front PTO Speed, Battery Voltage, Transmission Oil Pressure, Engine Fuel Rate, Intake Manifold Temperature, DEF Rate, Air Brake Pressure, DEF Temperature, Engine Speed, Rear PTO Speed, Transmission Status, Fuel Tank Size, Fuel Remaining

**MISCELLANEOUS:**

- Pivoting Engine Hood
- SMV Emblem
- Toolbox

**WARRANTY:**

New Holland Standard Warranty Applies

**FACTORY INSTALLED LOADER**

650LU NSL Front Loader

**STANDARD FEATURES:**

- Quick attach design:
  - Skid-Steer or Euro Style Tool Carrier
- 4-Bar bucket linkage
- Parking stand
- Grille guard (included with front mounting brackets)

**SPECIFICATIONS:**

See Chart for specifications

655 LU MSL Front Loader

**STANDARD FEATURES:**

- Quick attach design:
  - Skid-Steer or Euro Style Tool Carrier
- 4-Bar bucket linkage
- Bucket level indicator
- Parking stand
- Grille guard (included with front mounting brackets)

**SPECIFICATIONS:**

See Chart for specifications

**POWERSTAR 90 - 120 DUAL COMMAND CAB  
US PRICE LIST****Models**

<b>COMMERCIAL MODEL</b>	<b>VERSION</b>	<b>Weight</b>	<b>Factory Data</b>	<b>List Price</b>
POWERSTAR 90 DUALCOMMAND	Cab	8,158 LB		\$116,575.00
POWERSTAR 100 DUALCOMMAN	Cab	8,158 LB		\$120,397.00
POWERSTAR 110 DUALCOMMAN	Cab	8,158 LB		\$125,207.00
POWERSTAR 120 DUALCOMMAN	Cab	8,158 LB		\$130,715.00



**POWERSTAR 90 - 120 DUAL COMMAND CAB  
US PRICE LIST**

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### PACKAGES

#### SD\_T9980 PACKAGES

	X99801X	Custom Configuration <b>No Package selected; Custom build premium pricing.</b>			No Charge
	X0591XX	Deluxe Cab Fast Pick <b>LOADER PACKAGE</b>  Package includes the following: 763835: 8A SCT CIGART GPS RD 330470 4 x 110 lb Rear Wheel Weights 763828 L/CARRIER L/TOWHOOK 763519 24x24 ELE PS 40KPH 330470 4 x 110 lb Rear Wheel Weights 743594 540/1000 RPM PTO 763553 Deluxe Cab w/HiVis Panel A/C Cab Suspension			(\$5,292.00)
	X0588XX	Standard Fast Pick <b>LESS LOADER package</b>  Package includes the following: 743593 Less Front Loader 390124 Less Mid-Mount Valve/Joystick 763519 24x24 ELE PS 40KPH XT4961X Less Rear Ballast 743594 540/1000 RPM PTO XT8140X Less Bucket 763553 Deluxe Cab w/HiVis Panel A/C Cab Suspension  Slectable options Work lamps Hydraulic romotes Tires Telematic carrier Front ballast Fenders  Note - each option will be selected and display pricing; package selection is for ease of selection			(\$5,292.00)

**POWERSTAR 90 - 120 DUAL COMMAND CAB  
US PRICE LIST**
**OPERATOR STRUCTURE**
**MIRRORS**

## SD\_T9360 RR MIRRORS

		392428	2 Fixed Wide Angle Mirrors			No Charge
		335130	2 RR Mrrs W/Mech Adj <b>2 external telescopic rear wide angle mirrors with mechanical adjustment</b>			\$219.00

**WORK LIGHTING**

## SD\_T9130 WORK LAMPS

		763579	4 ROOF 2ROAD LED <b>2 front roof lights 2 rear roof lights 2 road lights, 1 mounted on each cab handrail</b>			No Charge
		763580	6 ROOF 2ROAD LED <b>2 front roof lights 4 rear roof lights 2 road lights, 1 mounted on each cab handrail</b>			\$893.00

**TRANSMISSION**

## SD\_T2810 TRANSMISSION

		763519	24X24 <b>HI LO POWER SHUTTLE POWER CLUTCH 24X24 HYD PTO ECO SPEED BRAKE TO CLUTCH</b>			No Charge
--	--	--------	--	--	--	-----------

## SD\_T2820 PARK LOCK

		759176	Hand Brake <b>Hand operated parking brake lever Standard Equipment</b>			No Charge
--	--	--------	---	--	--	-----------

**ENGINE CHOICE**

## SD\_T1010 ENGINE OPTIONS

		763517	FAN REV <b>Reversible fan</b>			\$3,402.00
--	--	--------	----------------------------------	--	--	------------

**POWERSTAR 90 - 120 DUAL COMMAND CAB  
US PRICE LIST**

**OPERATOR PLATFORM**

SD\_T9200 OPERATOR STRUCTURE #1

		763553	DLX C HIVIS A/C SUSP			No Charge
--	--	--------	----------------------	--	--	-----------

**TIRES**

**FRONT**

SD\_T4940 FRONT WHEELS AND TIRES

		8836501	380/70R24 R1W FIXED			(\$69.00)
		8820101	340/85R28 ADJ RIM <b>340/85R28 13.6 R28 SRI 625 adjustable rims</b>			\$181.00
		8836401	380/70R24 A8 <b>340/85R28 13.6 R28 SRI 625 adjustable rims</b>			No Charge
		8236401	340/85(13.6)R24 R1W Adj Rims <b>13.6R24 A8</b>			\$138.00
		8870401	380/70R28 ADJ RIM <b>380/70R28 SRI 625 adjustable rims</b>			\$1,363.00
		8870101	440/65R28 ADJ RIM <b>440/65R28 SRI 625 adjustable rims</b>			\$738.00
		8299801	Shipping Wheels Front Tire			(\$2,632.00)

**REAR**

SD\_T4950 REAR WHEELS AND TIRES

		8372404	13.6R38 R1W <b>13.6R38 A8</b>			(\$979.00)
		8364404	420(16.9)/85R34 <b>16.9R34 R1W</b>			(\$59.00)
		8310304	420/85R38 ADJ RIM <b>420/85R38 16.9 R38 SRI 800 adjustable rims</b>			\$798.00
		8964504	480/70R34 FIX RIM <b>480/70R34 SRI 750 fixed rims</b>			(\$188.00)
		8310904	480/70R38 ADJ RIM <b>480/70R38 SRI 800 adjustable rims</b>			\$1,822.00
		8964404	480/70R34 ADJ RIM <b>480/70R34 SRI 750 adjustable rims</b>			No Charge
		8960304	540/65R34 FIX RIM <b>540/65R34 SRI 750 fixed rims</b>			\$232.00
		8960404	540/65R34 ADJ RIM <b>540/65R34 SRI 750 adjustable rims</b>			\$419.00
		8320504	540/65R38 ADJ RIM <b>540/65R38 SRI 800 adjustable rims</b>			\$1,469.00

**POWERSTAR 90 - 120 DUAL COMMAND CAB  
US PRICE LIST**

**HYDRAULICS**

## MID-MOUNT

## SD\_T8280 MID-MOUNT VALVES

		390124	Less Mid-Mount Valve/Joystick			No Charge
		763538	MID JOY ADVANCE 2 mid mounts joystick advanced functions			\$2,048.00

**LOADER**

## LOADER BRACKETS

## SD\_T8110 LOADER BRACKETS

		743593	Less Front Loader <b>Less front loader</b>			No Charge
		763854	MED HVY LOADER NSL SSL <b>MEDIUM HEAVY LOADER AUTOLOCK MULTICOUPLER GRILL GUARDS NSL SSL QA</b>  Option includes: 650LU NSL SSL loader 84" bucket Mounting frame Grille guard  Requires option 763538 MID JOY ADVANCE			\$14,490.00
		763857	MED HVY LDR MSL SSL <b>Medium heavy loader autolock multicoupler grill guards MSL SSL QA</b>  Option includes: 655LU MSL SSL loader 84" bucket Mounting frame Grille guard  Requires option 763538 MID JOY ADVANCE			\$16,065.00

**POWERSTAR 90 - 120 DUAL COMMAND CAB  
US PRICE LIST**

		763855	<b>MED HVY LDR NSL SSL DIV</b> <b>Medium heavy loader autolock multicoupler grill guards</b> <b>NSL SSL QA DIVERTER</b>  <b>Option includes:</b> <b>650LU NSL SSL loader</b> <b>Third function with diverter</b> <b>84" bucket</b> <b>Mounting frame</b> <b>Grille guard</b>  <b>Requires option 763538 MID JOY ADVANCE</b>			\$15,645.00
		763856	<b>MED HVY LDR NSL EURO DIV</b> <b>Medium heavy loader autolock multicoupler grill guards</b> <b>NSL EURO QA DIVERTER</b> <b>Option includes:</b> <b>650LU NSL Euro loader</b> <b>Third function with diverter</b> <b>84" bucket</b> <b>Mounting frame</b> <b>Grille guard</b>  <b>Requires option 763538 MID JOY ADVANCE</b>			\$15,425.00
		763858	<b>MED HVY LDR MSL SSL DIV</b> <b>Medium heavy loader autolock multicoupler grill guards</b> <b>MSL SSL QA DIVERTER</b>  <b>Option includes:</b> <b>655LU MSL SSL loader</b> <b>Third function with diverter</b> <b>84" bucket</b> <b>Mounting frame</b> <b>Grille guard</b>  <b>Requires option 763538 MID JOY ADVANCE</b>			\$17,220.00
		763859	<b>MED HVY LDR MSL EURO DIV</b> <b>Medium heavy loader autolock multicoupler grill guards</b> <b>MSL EURO QA DIVERTER</b>  <b>Option includes:</b> <b>655LU MSL EURO loader</b> <b>Third function with diverter</b> <b>84" bucket</b> <b>Mounting frame</b> <b>Grille guard</b>  <b>Requires option 763538 MID JOY ADVANCE</b>			\$17,000.00

**POWERSTAR 90 - 120 DUAL COMMAND CAB  
US PRICE LIST**
**LOADER**

## SD\_T8140 BUCKET

		XT8140X	Less Bucket_ <b>Less bucket</b>			No Charge
		336750	84" Bucket <b>84" bucket</b> Price of bucket is included in loader options			No Charge

**HITCH**
**REAR 3 POINT HITCH**

## SD\_T8130 3 POINT HITCH CONTROL

		334278	PTO Switch External			No Charge
--	--	--------	---------------------	--	--	-----------

## SD\_T8200 HITCH

		758932	EDC HPL + 2 Aux <b>EDC - REAR HPL - 2 AUX LIFT RAM</b>			No Charge
--	--	--------	---	--	--	-----------

**CAB OR ROPS PLATFORM**
**OTHER**

## SD\_T6730 PIN CONNECTOR

		763800	8A 30A SOCKETS <b>8A socket, cigarette socket, beacon readt 30A socket, 2 USB sockets, and horn</b>			No Charge
		763802	8A 40A ISOBUS TIM <b>8A socket, cigarette socket, beacon ready 40A socket, 2 USB sockets, horn, and ISOBUS Class II socket</b>			\$298.00
		763835	8A SCT CIGART GPS RD			\$656.00

**WEIGHTS**
**FRONT**

## SD\_T2150 FRONT BALLAST

		763828	L/CARRIER L/TOWHOOK <b>Less carrier less front tow hook</b>			No Charge
		763831	Carrier 6 WGH 40KG <b>Carrier 6 Weights 40 KG 1 Weight FTH 80 KG 792 lbs./360 KG. total</b>			\$1,183.00
		763832	Carrier 8 WGH 40KG <b>Carrier 8 Weights 40 KG 1 Weight FTH 80 KG 882 lbs./400 KG. total</b>			\$1,860.00

**POWERSTAR 90 - 120 DUAL COMMAND CAB  
US PRICE LIST**

**REAR**

## SD\_T4961 REAR BALLAST

		XT4961X	Less Rear Ballast			No Charge
		330470	4 x 110 lb Rear Wheel Weights <b>110 lbs./50 kg each</b> <b>Total weight - 440 lbs (200 kg)</b>			\$845.00
		763564	6 Wheel Ring Weights <b>6 Rear Rings 110 lbs/50 KG each</b>			\$1,268.00

**AUTO GUIDANCE**

## SD\_T7612 BRACKET MONITOR

		763837	MONITOR SPRT MONITOR <b>Intelliview IV Plus display</b>			\$7,795.00
		763804	Less Monitor Bracket <b>Less Monitor Support</b>			No Charge
		763805	Monitor Bracket <b>Monitor Support</b>			\$110.00

**MISCELLANEOUS**
**FENDERS FRONT**

## SD\_T8740 FRONT FENDERS

		390860	Less Front Fenders <b>Less front fenders</b>			No Charge
		763808	FENDERS FIX <b>Front Fenders - Fixed</b>			\$592.00
		744674	Dynamic Front Fenders <b>Front fenders - Dynamic</b>			\$946.00

**FENDERS REAR**

## SD\_T8700 FENDERS

		743599	Rear Fenders (30-34)			No Charge
		744599	Rear Fenders w/Extensions <b>Rear fenders - flat extensions</b>			\$219.00

**POWERSTAR 90 - 120 DUAL COMMAND CAB  
US PRICE LIST**
**OPERATOR'S MANUALS**

## SD\_T9840 COUNTRY CONFIGURATION

		763065	USA Spanish Fuel Cooler <b>402-702-Nord America Region Spanish-RH Drive Placements-7 Pin Trailer</b> <b>Socket-Smv Emblem-Spanish Om-Nar-Fuel Cooler</b>			No Charge
		763066	USA English Fuel Cooler <b>402-702-Nord America Region English-RH Drive Placements-7 Pin Trailer Socket-Smv Emblem-English Om-Nar-Fuel Cooler</b>			No Charge
		763067	USA French Fuel Cooler <b>402-702-Nord America Region French-RH Drive Placements-7 Pin Trailer Socket-Smv Emblem- French Om-Nar-Fuel Cooler</b>			No Charge

**MISCELLANEOUS**

## OTHER OPTIONS

## SD\_T7632 PRECISION AND COMMUN

		763949	Modem 4G-Verizon NA <b>NOT FOR CANADIAN MARKETS</b>  <b>PCM 4G USA</b> <b>4G P&amp;CM controller for USA Market</b> <b>Verizon SIM</b> <b>This device provides optimal coverage in a large majority of the USA, however, for areas with poor or no Verizon cellular coverage order 763950</b>			No Charge
		763950	Modem 4G-Vodafone NA <b>PCM 4G Canada</b> <b>4G P&amp;CM controller for Canadian or LIMITED USA Market</b> <b>AT&amp;T SIM</b> <b>This device is the only option for Canadian markets, and should also be ordered for USA markets that have poor or no Verizon cellular coverage</b>			No Charge

## SD\_T8270 REAR REMOTES

		763532	2 REM 4 COUPL DELUXE			No Charge
		763533	3 REM 6 COUPL DELUXE <b>3 remotes 6 couplers oil collection</b>			\$1,216.00
		763534	3 REM 1 DIV DELUXE <b>4 total rear hydraulic spools (8 couplers)</b> <b>In the cab are 3 hydraulic levers</b> <b>1 lever has a button that when held diverts oil to the fourth remote</b>			\$2,606.00





### New Front Loader | Commercial Names

Tractors Series	Model	Leveling	Production Plant
PowerStar™ 100 – 110 - 120	650LU	NSL	Erenler
	655LU	MSL	

Notes:

- a. NSL: Non-Self Leveling.
- b. MSL: Mechanical Self Leveling.



### New Front Loader | Main Technical Specs

Dimensional Specifications	Measure
Max. Lift Height to Bucket Pivot Pin [inch]	149.7
Reach at Max. Lift Height [inch]	25.6 (45°)
Max. Dump Angle [deg]	60
Bucket Roll-Back Angle [deg]	45
Digging Depth [inch]	6.9
Distance Between Front Axle and Implement Pivot Point (at Ground Level) [inch]	56.3
Lift Capacity (800 mm Forward, Max Height) [lbs]	3,578 NSL 4,625 MSL
Arms Width [inch]	41.3
Loader Weight [lbs]	1,058 NLS 1,331 MSL

Notes:

- a. First seven parameters indicate values from kinematics evaluation.
- b. Measurements refer to tractor equipped with front tires 340/85R24.
- c. Digging depth measured with front tire R28.



Part Number	DIA Kit	Notes: For Model Year 2026 and after PowerStar Cab Models	POWERSTAR 100 - PS CAB	POWERSTAR 110 - PS CAB	POWERSTAR 120 - PS CAB
731568001	2 MID MOUNTS - HIGH FLOW RATE	Requires HYD PUMPS EXTRA - 82 LIT./MIN. and related factory fitted hydraulic circuit - Incompatible with 64 LIT./MIN. pump.	X	X	X
731636001	3rd REMOTE - 2 COUPLER - HIGH FLOW RATE	Requires 2 REMOTE - 4 COUPLERS - HYD PUMPS MEGA - 64 LIT./MIN. - Incompatible with 82 LIT./MIN. pump.	X	X	X
731637001	FLOW CONTROL (for 2 REMOTES)	Requires 2 REMOTE - 4 COUPLERS - HYD PUMPS MEGA - 64 LIT./MIN. - Incompatible with 82 LIT./MIN. pump.	X	X	X
731068803	1st AUXILIARY LIFT RAM	Incompatible with PUH (T8900)	X	X	X
731069803	2st AUXILIARY LIFT RAM	Incompatible with PUH (T8900)	X	X	X
731572001	FRONT FENDERS DYNAMIC - HIGH TIRES 410 mm: DIA_KIT_CLASS_1_5_410	Up to R28 front tires	X	X	X
731573001	FIX FRONT FENDERS FOR FRONT LOADER AUTOLOCK 410 mm: DIA_KIT_FIXED_410	Requires AUTOLOCK Front Loader Ready	X	X	X
731574001	FIX FRONT FENDERS FOR FRONT LOADER AUTOLOCK 470 mm: DIA_KIT_FIXED_470	Requires AUTOLOCK Front Loader Ready	X	X	X
731575001	MONITOR SUPPORT	For CAB only	X	X	X
710471050	4 REAR RINGS 50 KG	for REAR wheels	X	X	X
718471050	6 REAR RINGS 50 KG	for REAR wheels	X	X	X
731576001	CARRIER		X	X	X
719242250	4 WEIGHTS 40 KG	Requires CARRIER	X	X	X
710226250	6 WEIGHTS 40 KG	Requires CARRIER	X	X	X
710249700	8 WEIGHTS 40 KG	Requires CARRIER	X	X	X
718900070	MONOLITIC BALLAST 400 KG	For CARRIER and 3POINT HITCH (on supersteer for 3 POINT HITCH only)	X	X	X
710932720	FIX HITCH CAT D2	For ITALY. For Slider support	X	X	X
731577001	BEACON RH SIDE	For CAB (LH drive country or in addition to the single LH side beacon already existing)	X	X	X
731578001	BEACON LH SIDE	For CAB (RH drive countries only)	X	X	X
731579001	2 BEACONS RH and LH SIDE	For CAB	X	X	X
731580001	1 LED BEACON RH DRIVE	For CAB (RH drive countries only)	X	X	X
731581001	1 LED BEACON LH DRIVE	For CAB (LH drive country or in addition to the single LH side beacon already existing)	X	X	X
731582001	2 LED BEACON	For CAB	X	X	X
718082011	120V Engine Block Heater and Transmission Oil Heater	For NA Region	X	X	X
731413802	CARBON AIR FILTERS	For CAB only	X	X	X
731584001	ENGINE CONSTANT RPM MANAGEMENT (CRPM)	Also known as CRUISE CONTROL. Feature Unlock to be purchased via Vehicle Management System (VMS) Portal.	X	X	X
718122950	BACK UP ALARM for CAB	Not available on ROPS	X	X	X
731587001	REAR REMOTE VALVES OIL COLLECTION KIT		X	X	X
731588001	MOWER BRACKETS FOR FHPL		X	X	X
731590001	FRONT LOADER READY - AUTOLOCK - MULTICOUPLER - GRILL GUARDS - SOCKET AUX. FUNCTION (64 LIT)	Requires MID-MOUNT VALVES. Requires 64 LIT PUMP.	X	X	X
731591001	FRONT LOADER READY - AUTOLOCK - MULTICOUPLER - GRILL GUARDS - SOCKET AUX. FUNCTION (82 LIT)	Requires MID-MOUNT VALVES. Requires 64 LIT PUMP.	X	X	X
731592001	MEDIUM HEAVY LOADER - AUTOLOCK - MULTICOUPLER - GRILL GUARDS - NSL - SSL QA - NEW HOLLAND	NAFTA Market Only (REF ? 990321108013)	X	X	X
731594001	DIVERTER VALVE TO ADD 3RD FUNCTION ON FRONT LOADER AUTOLOCK	NAFTA Market Only	X	X	X
731596001	GRAPPLE ASSEMBLY KIT FOR FRONT LOADER BUCKET	NAFTA Market Only	X	X	X
731597001	SOFT RIDE CONTROL KIT FOR FRONT LOADER AUTOLOCK		X	X	X
731598001	FACEPLATE CONVERSION KIT FROM SSL QA TO EU QA FOR FRONT LOADER AUTOLOCK	NAFTA Market Only	X	X	X
91867276	BUCKET 84" FOR FRONT LOADER (SSL TOOL ATTACH)	NAFTA Market Only	X	X	X
47390747	CUTTING EDGE (BLADE) FOR 84" BUCKET		X	X	X
731417801	PTO HYDRAULIC KIT FOR HIGH INERTIA IMPLEMENTS	For Power shuttle models only. To avoid possible engine stall when operating the PTO in case of implements with High Inertia connected (e.g. large mowers or large sprayers)	X	X	X

PARTS DIVISION SUPPLIED ACCESSORIES FOR MY26 ROPS AND MY25 AND EARLIER POWERSTAR 90, 100, 110, 120 SERIES TRACTORS				
Part Number	Description	PowerStar 90, 100, 110, 120		Notes
	<b>HYDRAULICS</b>	<b>ROPS</b>	<b>CAB</b>	
719195720	Third rear remote valve with lever control	X	X	Tractor must have 2nd rear remote valve installed.
719405720	Flow control valve (for 1 or 2 remotes)	X	X	Tractor must have 2nd rear remote valve installed. Not compatible with 3 rear remote valves.
719124727	Two mid mount valves with joystick control - NEW TRIM	X	X	Includes trim kit
731068720	1st Auxiliary lift ram	X	X	
731069720	2nd Auxiliary lift ram	X	X	
	<b>WEIGHTS</b>			
710225720	Front End weight bracket			
710226250	6 Front Weights 88 lbs each (528 lbs total)	X	X	Requires front end weight bracket #710225720
710249700	8 Front Weights 88 lbs each (704 lbs total)	X	X	Requires front end weight bracket #710225720
710471250	4 Rear Wheel Weights 110 lbs each (440 lbs total)	X	X	For 28" and 30" rear wheels
710465250	6 Rear Wheel Weights 70 lbs each (420 lbs total)	X	X	For 24" wheels
718900070	Monolithic Ballast 880 lbs	X	X	
	<b>ELECTRICAL</b>			
710762251	Rotary Beacon Kit	X		Connects to 12V power socket
710762252	Rotary Beacon Kit		X	Connects to 12V power socket
719216250	Engine Block Heater Kit	X	X	
718122950	Back Up Alarm		X	
	<b>PLATFORM</b>			
718130080	Monitor Mounting Bracket		X	
718462250	White Canopy	X		FOPS Compliant
718463250	Blue Canopy	X		FOPS Compliant
	<b>LOADER</b>			
	DIA	X	X	See Loader Price and Data Pages
731391720	3rd Function Diverter Valve	X	X	
	<b>MISCELLANEOUS</b>			
718057720	Dynamic Front Fenders	X	X	Requires 4WD - 14.9-24, 14.9R24, 11.2-28, 11.2R28, 13.6-24, 13.6R24, 12.4-24 or 12.4R24 (NOT COMPATIBLE WITH 655TL Loader)
731186720	Fuel Cooling Kit	X	X	
719429250	Bolt-on Cutting Edge for 72" Bucket	X	X	
719430250	Bolt-on Cutting Edge for 84" Bucket	X	X	

PowerStar 90, 100, 110, 120 TIRE CHART							
Tire Type	Application	Rear Tires		Matching 4WD Front Tires		Matching 2WD Front Tires	
		Tire	Order Code	Tire	Order Code	Tire	Order Code
Bias	Agricultural - R1	18.4-30	8363801	12.4-24	8235601	7.50-16	8125801
						10.00-16	8125901
		16.9-34	8364604	13.6-24	8236501	7.50-16	8125801
						10.00-16	8125901
Radial	Agricultural - R1W	18.4-34	8365501	14.9-24	8240604	10.00-16	8125901
		18.4R30	8357404	12.4R24	8235404	7.50-16	8125801
						10.00-16	8125901
		16.9R34	8302804	13.6R24	8236404	7.50-16	8125801
Specialty	Narrow					10.00-16	8125901
		18.4R34	8365404	14.9R24	8239404	10.00-16	8125901
		13.6R38	8372404	11.2R28	8247404	7.5-16	8125801
		19.5L24	8391904	12.5/80-18	8290904	N/A	
	Industrial - R4	440/80R30	8906401	360/80R20	8873402	N/A	
	Municipal						

Part Number	DIA Kit	Notes: For Model Year 2026 and after PowerStar Dual Command Cab Models	POWERSTAR 90 - Dual Command CAB	POWERSTAR 100 - Dual Command CAB	POWERSTAR 110 - Dual Command CAB	POWERSTAR 120 - Dual Command CAB
731565001	3rd REMOTE - 2 COUPLER - HIGH FLOW RATE	Requires 2 REMOTE - 4 COUPLERS - HYD PUMPS EXTRA - 82 LIT./MIN. - Incompatible with 64 LIT./MIN. pump.	X	X	X	X
731566001	FLOW CONTROL (for 2 REMOTES)	Requires 2 REMOTES. Not fit able on 3 REMOTES variants. Incompatible with 64 LIT./MIN. pump.	X	X	X	X
731568001	2 MID MOUNTS - HIGH FLOW RATE	Requires HYD PUMPS EXTRA - 82 LIT./MIN. and related factory fitted hydraulic circuit - Incompatible with 64 LIT./MIN. pump.	X	X	X	X
731068803	1st AUXILIARY LIFT RAM		X	X	X	X
731069803	2st AUXILIARY LIFT RAM		X	X	X	X
710167700	FRONT FENDER 355 mm	Requires 4WD § 11.2R20 or 11.2 § 24 or 11.2R24 or 12Lx16 or 12.4R20 or 12.5/80-18 or 300/70R20 or 320/70R20 or 320/70R24. Incompatible with FRONT LOADER AUTOLOCK.	X	X	X	X
710168700	FRONT FENDER 410 mm	Requires 4WD 13.6-16.1 or 14.9LR20 or 360/70R20 or 360/80R20 or 380/70R20 or 380/75R20 or 400/55-22.5 or 405/70R20 or 440/65R20. Incompatible with FRONT LOADER AUTOLOCK.	X	X	X	X
731569001	FRONT FENDER DYNAMIC 355 mm	Requires 4WD 11.2R20 or 11.2 § 24 or 11.2R24 or 12Lx16 or 12.4R20 or 12.5/80-18 or 300/70R20 or 320/70R20 or 320/70R24. Incompatible with FRONT LOADER AUTOLOCK.	X	X	X	X
731570001	FRONT FENDER DYNAMIC 410 mm	Requires 4WD 13.6-16.1 or 14.9LR20 or 360/70R20 or 360/80R20 or 380/70R20 or 380/75R20 or 400/55-22.5 or 405/70R20 or 440/65R20. Incompatible with FRONT LOADER AUTOLOCK.	X	X	X	X
731572001	FRONT FENDERS DYNAMIC - HIGH TIRES 410 mm	Up to R28 front tires. Incompatible with FRONT LOADER AUTOLOCK.	X	X	X	X
731573001	FIX FRONT FENDERS FOR FRONT LOADER AUTOLOCK 410 mm	Requires AUTOLOCK Front Loader Ready	X	X	X	X
731574001	FIX FRONT FENDERS FOR FRONT LOADER AUTOLOCK 470 mm	Requires AUTOLOCK Front Loader Ready	X	X	X	X
718121720	PASSENGER SEAT- BELT	For CAB only	X	X	X	X
731575001	MONITOR SUPPORT	For CAB only	X	X	X	X
710471050	4 REAR RINGS 50 KG	for REAR wheels	X	X	X	X
710465250	6 REAR RINGS 32 KG ( for 24" tires)	for REAR wheels	X	X	X	X
718471050	6 REAR RINGS 50 KG	for REAR wheels	X	X	X	X
731576001	CARRIER		X	X	X	X
719242250	4 WEIGHTS 40 KG	Requires CARRIER	X	X	X	X
710226250	6 WEIGHTS 40 KG	Requires CARRIER	X	X	X	X
710249700	8 WEIGHTS 40 KG	Requires CARRIER	X	X	X	X
718900070	MONOLITIC BALLAST 400 KG	For CARRIER and 3POINT HITCH (on supersteer for 3 POINT HITCH only)	X	X	X	X
710932720	FIX HITCH CAT D2	For ITALY. For Slider support.	X	X	X	X
731577001	BEACON RH SIDE	For CAB (LH drive country or in addition to the single LH side beacon already existing)	X	X	X	X
731578001	BEACON LH SIDE	For CAB (RH drive countries only)	X	X	X	X
731579001	2 BEACONS RH and LH SIDE	For CAB	X	X	X	X
731580001	1 LED BEACON RH DRIVE	For CAB (RH drive countries only)	X	X	X	X
731581001	1 LED BEACON LH DRIVE	For CAB (LH drive country or in addition to the single LH side beacon already existing)	X	X	X	X
731582001	2 LED BEACON	For CAB	X	X	X	X
718082011	120V Engine Block Heater and Transmission Oil Heater	For NA Region	X	X	X	X
731413802	CARBON AIR FILTERS	For CAB only	X	X	X	X
731584001	ENGINE CONSTANT RPM MANAGEMENT (CRPM)	Also known as CRUISE CONTROL. Feature Unlock to be purchased via Vehycle Management System (VMS) Portal.	X	X	X	X
718122950	BACK UP ALARM for CAB	Not available on ROPS	X	X	X	X
731587001	REAR REMOTE VALVES OIL COLLECTION KIT		X	X	X	X
731588001	MOWER BRACKETS FOR FHPL		X	X	X	X
731589001	CREEPER CONTROL		X	X	X	X
731590001	FRONT LOADER READY - AUTOLOCK - MULTICOUPLER - GRILL GUARDS - SOCKET AUX. FUNCTION (64 LIT)	Requires MID-MOUNT VALVES. Requires 64 LIT PUMP.	X	X	X	X
731591001	FRONT LOADER READY - AUTOLOCK - MULTICOUPLER - GRILL GUARDS - SOCKET AUX. FUNCTION (82 LIT)	Requires MID-MOUNT VALVES. Requires 64 LIT PUMP.	X	X	X	X
731592001	MEDIUM HEAVY LOADER - AUTOLOCK - MULTICOUPLER - GRILL GUARDS - NSL - SSL QA - NEW HOLLAND	NAFTA Market Only	X	X	X	X
731594001	DIVERTER VALVE TO ADD 3RD FUNCTION ON FRONT LOADER AUTOLOCK	NAFTA Market Only	X	X	X	X
731596001	GRAPPLE ASSEMBLY KIT FOR FRONT LOADER BUCKET	NAFTA Market Only	X	X	X	X
731597001	SOFT RIDE CONTROL KIT FOR FRONT LOADER AUTOLOCK		X	X	X	X
731598001	FACEPLATE CONVERSION KIT FROM SSL QA TO EU QA FOR FRONT LOADER AUTOLOCK	NAFTA Market Only	X	X	X	X
91867205	BUCKET 84" FOR FRONT LOADER (EU TOOL ATTACH)		X	X	X	X
91867276	BUCKET 84" FOR FRONT LOADER (SSL TOOL ATTACH)	NAFTA Market Only	X	X	X	X
47390747	CUTTING EDGE (BLADE) FOR 84" BUCKET		X	X	X	X