



## **T5™ SERIES TRACTORS TABLE OF CONTENTS**

T5 Dual Command - Deluxe Cab Fast Pick.....	1
T5 Dual Command - Deluxe Cab HiVis Fast Pick.....	9
T5 Dual Command - Cab Less Loader Fast Pick.....	17
T5 Dual Command - Deluxe ROPS Fast Pick.....	23
T5 Dual Command - West Coast Less Loader Fast Pick.....	29
T5 Dual Command - Less Fast Pick.....	35
T5 Electro Command - Standard Fast Pick .....	43
T5 Electro Command - Deluxe Fast Pick .....	49
T5 Electro Command - Less Fast Pick.....	55
T5 Dynamic Command.....	65
Models: 130HP & 140HP	
T5 Auto Command.....	77
Models: 130HP & 140HP	
T5 Series Parts Division Supplied Accessories.....	88



**T5 DUAL COMMAND - DELUXE CAB FAST PICK  
US PRICE LIST****Standard Equipment****T5 DUAL COMMAND**

X99801XX: DELUXE CAB FAST PICK

**KEY SELLING POINTS:**

- CommandArc ergonomically places most frequently used controls to operator's right
- Ten repositionable vents for heating and air conditioning
- Electro Hydraulic shuttle lever
- 24X24 Dual Command transmission
- Full-size instructor seat
- Tier4B/Stage V emissions compliant
- Factory Installed Loader available

**ENGINE: T5.90 DC**

- Engine MFG FPT F5
- Emissions Level Stage V
- Gross Engine Power 86 hp
- PTO horsepower @ 2300rpm 73 hp
- Displacement 207 cu. In. (3.6 L)
- 4 Cyl Turbocharged

**ENGINE: T5.100 DC**

- Engine MFG FPT F5
- Emissions Level Stage V
- Gross Engine Power 99 hp
- PTO horsepower @ 2300rpm 85 hp
- Displacement 207 cu. In. (3.6 L)
- 4 Cyl Turbocharged

**ENGINE: T5.110 DC**

- Engine MFG FPT F5
- Emissions Level Stage V
- Gross Engine Power 107 hp
- PTO horsepower @ 2300rpm 93 hp
- Displacement 207 cu. In. (3.6 L)
- 4 Cyl Turbocharged

**ENGINE: T5.120 DC**

- Engine MFG FPT F5
- Emissions Level Stage V
- Gross Engine Power 117 hp
- PTO horsepower @ 2300rpm 100 hp
- Displacement 207 cu. In. (3.6 L)
- 4 Cyl Turbocharged

**ENGINE: All Models**

- Fuel System
  - Electronic Bosch Fuel Injection Pump
  - High-pressure Common Rail System
- Electric Engine Shutoff
- Grid Heater Starting Aid
- Dual Element Air Filter
- Vertical Exhaust

**EMISSIONS SYSTEM**

- Tier4B/Stage V emissions compliant Compact DI-eSCR2
- Integrated Diesel Oxidation Catalyst (DOC)
- Maintenance free Diesel Particulate Filter (DPF)
- Selective Catalyst Reduction (SCR) into single compact layout

**FUEL / DEF CAPACITIES**

- Protection Shield
- Diesel Fuel 30.3-gallon (114.7L)
- DEF 2.8-gallon (10.6 L)

**T5 DUAL COMMAND - DELUXE CAB FAST PICK  
US PRICE LIST**

## Standard Equipment

### TRANSMISSION

- LH Side Steering Column Mounted Power Shuttle
- 24 Forward / 24 Reverse Speeds
- (4) Synchronized Gears with a HiLo in each gear
- Power clutch button on gear lever to allow for gear changes without the use of the foot clutch
- (3) Non-synchronized Gear
- Forward Reverse Synchronized Shuttle
- FWD - 25 mph (40 kph)
- Speed varies with tire selection

### AXLES

- #### 4WD HEAVY DUTY FRONT AXLE
- Electrohydraulic FWD Engagement
  - Adjustable Tread Width
  - Front Axle Support with access for Front Pump

### REAR AXLE

- Heavy Duty Flange Type
- Adjustable Tread Width

- #### Rear Differential Lock -
- Electronically Engaged

### HYDRAULIC SYSTEM

- Open Center System
- Dual Gear Pumps
  - Implement Pump: 16.9 gpm (63.9 L)
  - Steering Pump: 9.7 gpm (37.0 L)
  - Total Flow: 26.6 gpm (100.8 L)
- (2) Open Center Remote Valves with detent
- 2 Function Mid Mount Valve and Joystick

### PTO

- Fully Independent
- Hydraulic Engagement
- Flip-up PTO Shaft Guard
- 540/1000 rpm
- Wet Clutch

### STEERING/BRAKES

- Hydrostatic Power Steering
- Brakes
  - Wet disk brakes
  - Hydraulically assisted
- Parking Brake

### 3-POINT LIFT SYSTEM

- Right hand console mounted control
- Electronic Draft Control with Fender mounted controls
- 5,620 lbs. Lift Capacity
- Category II Ends
- Telescopic Stabilizers
- Flexible Lower Link Ends
- Mech 3-Point Hitch Ground Control

### ELECTRICAL

- (1) 800 cca Heavy-duty Battery
- Alternator: 120 amp
- 7-pin Outlet for trailer/implement lighting and signals
- 3-pin Power Outlet (30 amp)
- Single Pin (8 amp) Accessory Power outlet
- (2) 12V Power Sockets

**T5 DUAL COMMAND - DELUXE CAB FAST PICK  
US PRICE LIST**

## Standard Equipment

### INSTRUMENTATION

- Analog Instrumentation with warning lights for:
  - Air Cleaner Service
  - Alternator
  - Oil Pressure
  - Fuel Sediment/Water Sensor
  - PTO Engagement
  - Head Light High Beam
  - Low Fuel
  - Parking Brake
- Digital Speed Readout
- Gauges for:
  - Fuel Level
  - Engine Temperature
  - Tachometer
  - Hour Meter

### LIGHTING

- (2) Halogen Headlights
- (2) Front Mounted Work Lights
- (2) Rear Mounted Work Lights
- Turn Signals/Flashers/Rear Lights

### TIRES

- FRONT: 14.9R24 R1W
- REAR: 18.4R34 R1W

### OPERATOR PROTECTIVE STRUCTURE

- ROPS protected, flat deck platform:
  - Heat and Air Conditioning
  - Tinted windshield
  - Front & rear wiper / washer
  - Retractable Sun Screen
  - (2) Doors with Locks
  - (2) External Mirrors
  - (1) Internal Mirror
  - Openable Side Windows
  - Hinged Rear Window (fully opens)
- Steering Wheel - adjustable tilt
- Hand and Foot Throttle Controls
- Cloth Seat
  - Air Suspension
  - 10 Degrees of Swivel
  - Operator's Presence Sensor
  - Retractable Seat Belt
  - Arm Rests
- Instructor Seat
- Suspended pedals
- Radio, speakers, and antenna
- Monitor Mounting Bracket
- Horn

### MISCELLANEOUS

- Pivoting Engine Hood
- SMV Emblem
- Toolbox

### WARRANTY

- New Holland Standard Warranty Applies Applies

**T5 DUAL COMMAND - DELUXE CAB FAST PICK  
US PRICE LIST****Standard Equipment****LOADER:****720LU NON SELF-LEVELING**

-----  
-Maximum Lift Height @ pivot pin: 134"  
-Dump Clearance: 101.4"  
-Digging Depth: 7"  
-Lift Capacity  
- Max Height @ 800mm: 2,132 LBS  
- 59" high @ 800mm: 3,638 LBS  
-Breakout Force @ 800mm: 4,433 LBS  
-Reach @ Max Lift Height: 43"  
-Reach @ Ground Level: 91"  
-Bucket Rollback Angle: 44 degrees  
-Bucket Dump Angle: 60 degrees  
-Skid Steer or Euro style Loader  
  bucket attach

**725LU SELF-LEVELING**

-----  
-Maximum Lift Height @ pivot pin: 135"  
-Dump Clearance: 102.2'"  
-Digging Depth: 6.4"  
-Lift Capacity  
- Max Height @ 800mm: 3,428 LBS  
- 59" high @ 800mm: 5,549 LBS  
-Breakout Force @ 800mm: 5,661 LBS  
-Reach @ Max Lift Height: 43"  
-Reach @ Ground Level: 93"  
-Bucket Rollback Angle: 40 degrees  
-Bucket Dump Angle: 60 degrees  
-Skid Steer or Euro style Loader  
  bucket attach

Current Inventory Only

**T5 DUAL COMMAND - DELUXE CAB FAST PICK  
US PRICE LIST**

## Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 STG5 DC	Cab	9,392 LB		\$106,899.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,724.00				
18.4R34 R1W (8365404) \$4,830.00				
Std+30AH+Horn+ACS+Mon (334994) \$98.00				
3-pt External Control (Mec (332035) \$328.00				
T5.100 STG5 DC	Cab	9,392 LB		\$109,997.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,724.00				
18.4R34 R1W (8365404) \$4,830.00				
Std+30AH+Horn+ACS+Mon (334994) \$98.00				
3-pt External Control (Mec (332035) \$328.00				
T5.110 STG5 DC	Cab	9,392 LB		\$113,399.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,724.00				
18.4R34 R1W (8365404) \$4,830.00				
Std+30AH+Horn+ACS+Mon (334994) \$98.00				
3-pt External Control (Mec (332035) \$328.00				
T5.120 STG5 DC	Cab	19,401 LB		\$116,464.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,724.00				
18.4R34 R1W (8365404) \$4,830.00				
Std+30AH+Horn+ACS+Mon (334994) \$98.00				
3-pt External Control (Mec (332035) \$328.00				

**T5 DUAL COMMAND - DELUXE CAB FAST PICK  
US PRICE LIST**
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD T9980 PACKAGES

		X0591XX	Deluxe Cab Fast Pick <b>Deluxe Cab Fast Pick Includes:</b> 744588: Deluxe Cab 759176: Hand Brake 336750: 84" Bucket 390832: EDC HPL 390832 334994: STD+30+HRN+ACS+MON 330470: 4 x 110 lb Rear Wheel Weights  Requires one selection for each of the following: Mid mount valve and joystick: 2 Function mid mount valve and joystick OR 2 Function mid mount valve and joystick + 3rd function diverter Loader: 720LU NSL or 725LU MSL loader (select one)			(\$4,846.00)
--	--	---------	--	--	--	--------------

**HYDRAULICS**

## MID-MOUNT

## SD T8280 MID-MOUNT VALVES

		762168	2 MMV Includes +/- transmissions buttons plus button to operate 3rd function. 4th and 5th buttons not in use in NA  <b>Cab only</b>			\$1,871.00
		762169	2 MMV w/3 Function Diverter Includes +/- transmissions buttons plus button to operate 3rd function. 4th and 5th buttons not in use in NA  <b>Cab only</b>			\$2,807.00



**T5 DUAL COMMAND - DELUXE CAB FAST PICK  
US PRICE LIST**
**LOADER**
**LOADER**

## SD T8110 LOADER BRACKETS

		336740	HD Non Self Leveling Ldr +SSQA <b>720LU Non Self Leveling with Skid Steer Style Attachment</b>			\$8,854.00
		336742	HD Non Self Leveling Ldr +Euro <b>720LU Non Self Leveling with Euro Style Attachment</b>			\$8,854.00
		336744	HD Self Leveling Ldr +SSQA <b>725LU Mechanical Self Leveling with Skid Steer Style Attachment</b>			\$10,256.00
		336746	HD Self Leveling Ldr +Euro <b>725LU Mechanical Self Leveling with Euro Style Attachment</b>			\$10,256.00

**MISCELLANEOUS**
**FENDERS REAR**

## SD T8740 FRONT FENDERS

		744674	Dynamic Front Fenders <b>Front fenders - Dynamic</b>			\$901.00
--	--	--------	---	--	--	----------

**OPERATOR'S MANUALS**

## SD T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Configuration <b>French operator manual</b>			No Charge
		334257	USA Spanish Configuration <b>Spanish operator manual</b>			No Charge

Current Inventory Only

**T5 DUAL COMMAND - DELUXE CAB HIVIS FP  
US PRICE LIST**
**Standard Equipment**
**T5 DUAL COMMAND**

X0593XX: Deluxe Cab HiVis Fast Pick

**KEY SELLING POINTS:**

- 
- CommandArc# ergonomically places most frequently used controls to operator's right
- Ten repositionable vents for heating and air conditioning
- Electro Hydraulic shuttle lever
- 24X24 Dual Command# transmission
- Full-size instructor seat
- Tier4B/Stage V emissions compliant
- Factory Installed Loader available

**ENGINE: T5.90 DC**

- 
- Engine MFG FPT F5
- Emissions Level Stage V
- Gross Engine Power 86 hp
- PTO horsepower @ 2300rpm 73 hp
- Displacement 207 cu. In. (3.6 L)
- 4 Cyl Turbocharged

**ENGINE: T5.100 DC**

- 
- Engine MFG FPT F5
- Emissions Level Stage V
- Gross Engine Power 99 hp
- PTO horsepower @ 2300rpm 85 hp
- Displacement 207 cu. In. (3.6 L)
- 4 Cyl Turbocharged

**ENGINE: T5.110 DC**

- 
- Engine MFG FPT F5
- Emissions Level Stage V
- Gross Engine Power 107 hp
- PTO horsepower @ 2300rpm 93 hp
- Displacement 207 cu. In. (3.6 L)
- 4 Cyl Turbocharged

**ENGINE: T5.120 DC**

- 
- Engine MFG FPT F5
- Emissions Level Stage V
- Gross Engine Power 117 hp
- PTO horsepower @ 2300rpm 100 hp
- Displacement 207 cu. In. (3.6 L)
- 4 Cyl Turbocharged

**ENGINE: All Models**

- 
- Fuel System
  - Electronic Bosch Fuel Injection Pump
  - High-pressure Common Rail System
- Electric Engine Shutoff
- Grid Heater Starting Aid
- Dual Element Air Filter
- Vertical Exhaust

**EMISSIONS SYSTEM**

- 
- Tier4B/Stage V emissions compliant
- Compact HI-eSCR2
  - Integrated Diesel Oxidation Catalyst (DOC)
  - Maintenance free Diesel Particulate Filter (DPF)
  - Selective Catalyst Reduction (SCR) into single compact layout

**FUEL / DEF CAPACITIES**

- 
- Diesel Fuel 30.3-gallon (114.7L)
- Protection Shield
- DEF 2.8-gallon (10.6 L)

**T5 DUAL COMMAND - DELUXE CAB HIVIS FP  
US PRICE LIST**
**Standard Equipment**
**TRANSMISSION**

- LH Side Steering Column Mounted Power Shuttle
- 24 Forward / 24 Reverse Speeds
- (4) Synchronized Gears with a HiLo in each Gear
- Power clutch button on gear lever to allow for gear changes without the use of the foot clutch
- (3) Non-synchronized Gear
- Forward Reverse Synchronized Shuttle
- FWD - 25 mph (40 kph)
  - Speed varies with tire selection

**AXLES**

- 4WD HEAVY DUTY FRONT AXLE
- Electrohydraulic FWD Engagement
- Adjustable Tread Width
- Front Axle Support with access for Front Pump

**REAR AXLE**

- Heavy Duty Flange Type
- Adjustable Tread Width

**Rear Differential Lock -**

- Electronically Engaged

**HYDRAULIC SYSTEM**

- Open Center System
- Dual Gear Pumps
  - Implement Pump: 16.9 gpm (63.9 L)
  - Steering Pump: 9.7 gpm (37.0 L)
  - Total Flow: 26.6 gpm (100.8 L)
- (2) Open Center Remote Valves with detent
- 2 Function Mid Mount Valve and Joystick

**PTO**

- Fully Independent
- Hydraulic Engagement
- Flip-up PTO Shaft Guard
- 540/1000 rpm
- Wet Clutch

**STEERING/BRAKES**

- Hydrostatic Power Steering
- Brakes
  - Wet disk brakes
  - Hydraulically assisted
- Parking Brake

**3-POINT LIFT SYSTEM**

- Right hand console mounted control
- Electronic Draft Control with Fender mounted controls
- 7,620 lbs. Lift Capacity
- Category II Ends
- Telescopic Stabilizers
- Flexible Lower Link Ends
- Mech 3 Point Hitch Ground Control

**ELECTRICAL**

- (1) 800 cca Heavy-duty Battery
- Alternator: 120 amp
- 7-pin Outlet for trailer/implement lighting and signal
- 3-pin Power Outlet (30 amp)
- Single Pin (8 amp) Accessory Power outlet
- (2) # 12V Power Sockets

**T5 DUAL COMMAND - DELUXE CAB HIVIS FP  
US PRICE LIST**
**Standard Equipment**
**INSTRUMENTATION**

- 
- Analog Instrumentation with warning lights for:
  - Air Cleaner Service
  - Alternator
  - Oil Pressure
  - Fuel Sediment/Water Sensor
  - PTO Engagement
  - Head Light High Beam
  - Low Fuel
  - Parking Brake
- Digital Speed Readout
- Gauges for:
  - Fuel Level
  - Engine Temperature
  - Tachometer
  - Hour Meter

**LIGHTING**

- 
- (2) Halogen Headlights
- (2) Front Mounted Work Lights
- (2) Rear Mounted Work Lights
- Turn Signals/Flashers/Rear Lights

**TIRES**

- 
- FRONT: 14.9R24 R1W
- REAR: 18.4R34 R1W

**OPERATOR PROTECTIVE STRUCTURE**

- 
- ROPS protected, flat deck platform:
  - Heat and Air Conditioning
  - Tinted windshield
  - Front & rear wiper / washer
  - Retractable Sun Screen
  - (2) Doors with Locks
  - (2) External Mirrors
  - (1) Internal Mirror
  - Openable Side Windows
  - Hinged Rear Window (fully opens)
  - High Visibility Panel provides a better view of loader when at full height
- Steering Wheel - adjustable tilt
- Hand and Foot Throttle Controls
- Cloth Seat
  - Air Suspension
  - 10 Degrees of Swivel
  - Operator's Presence Sensor
  - Retractable Seat Belt
  - Arm Rests
- Instructor Seat
- Suspended pedals
- Radio, speakers, and antenna
- Monitor Mounting Bracket
- Horn

**MISCELLANEOUS**

- 
- Pivoting Engine Hood
- SMV Emblem
- Toolbox

**WARRANTY**

- 
- New Holland Standard Warranty Applies

**T5 DUAL COMMAND - DELUXE CAB HIVIS FP  
US PRICE LIST****Standard Equipment****LOADER:****720LU NON SELF-LEVELING**

-----  
-Maximum Lift Height @ pivot pin: 134''  
-Dump Clearance: 101.4"  
-Digging Depth: 7"  
-Lift Capacity  
  - Max Height @ 800mm: 2,632 LBS  
  - 59" high @ 800mm: 3,838 LBS  
-Breakout Force @ 800mm: 4,455 LBS  
-Reach @ Max Lift Height: 43"  
-Reach @ Ground Level: 91"  
-Bucket Rollback Angle: 44 degrees  
-Bucket Dump Angle: 60 degrees  
-Skid Steer or Euro style Loader  
  bucket attach

**725LU SELF-LEVELING**

-----  
-Maximum Lift Height @ pivot pin: 135''  
-Dump Clearance: 102.2''  
-Digging Depth: 6.4"  
-Lift Capacity  
  - Max Height @ 800mm: 3,428 LBS  
  - 59" high @ 800mm: 5,549 LBS  
-Breakout Force @ 800mm: 5,661 LBS  
-Reach @ Max Lift Height: 43"  
-Reach @ Ground Level: 93"  
-Bucket Rollback Angle: 40 degrees  
-Bucket Dump Angle: 60 degrees  
-Skid Steer or Euro style Loader  
  bucket attach

Current Inventory Only

**T5 DUAL COMMAND - DELUXE CAB HIVIS FP  
US PRICE LIST**

## Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 STG5 DC	Cab	9,392 LB		\$106,899.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,724.00				
18.4R34 R1W (8365404) \$4,830.00				
Std+30AH+Horn+ACS+Mon (334994) \$98.00				
3-pt External Control (Mec (332035) \$328.00				
T5.100 STG5 DC	Cab	9,392 LB		\$109,997.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,724.00				
18.4R34 R1W (8365404) \$4,830.00				
Std+30AH+Horn+ACS+Mon (334994) \$98.00				
3-pt External Control (Mec (332035) \$328.00				
T5.110 STG5 DC	Cab	9,392 LB		\$113,399.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,724.00				
18.4R34 R1W (8365404) \$4,830.00				
Std+30AH+Horn+ACS+Mon (334994) \$98.00				
3-pt External Control (Mec (332035) \$328.00				
T5.120 STG5 DC	Cab	19,401 LB		\$116,464.00
Includes the following Equipment				
14.9R24 R1W (8239404) \$2,724.00				
18.4R34 R1W (8365404) \$4,830.00				
Std+30AH+Horn+ACS+Mon (334994) \$98.00				
3-pt External Control (Mec (332035) \$328.00				

**T5 DUAL COMMAND - DELUXE CAB HIVIS FP  
US PRICE LIST**
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD T9980 PACKAGES

		X0593XX	Deluxe Cab HiVis Fast Pick <b>Deluxe Cab HiVis Fast Pick Includes:</b> 334183: Deluxe Cab w/ HiVis Panel 759176: Hand Brake 336750: 84" Bucket 390832: EDC HPL 390832 334994: STD+30+HRN+ACS+MON 330470: 4 x 110 lb Rear Wheel Weights  Requires one selection for each of the following: Mid mount valve and joystick: 2 Function mid mount valve and joystick OR 2 Function mid mount valve and joystick + 3rd function diverter Loader: 720LU NSL or 725LU MSL Loader (select one)			(\$4,846.00)
--	--	---------	---	--	--	--------------

**HYDRAULICS**
**MID-MOUNT**

## SD T8280 MID-MOUNT VALVES

		762168	2 MMV Includes +/- transmissions buttons plus button to operate 3rd function. 4th and 5th buttons not in use in NA  <b>Cab only</b>			\$1,871.00
		762169	2 MMV w/3 Function Diverter Includes +/- transmissions buttons plus button to operate 3rd function. 4th and 5th buttons not in use in NA  <b>Cab only</b>			\$2,807.00



**T5 DUAL COMMAND - DELUXE CAB HIVIS FP  
US PRICE LIST**
**LOADER**
**LOADER**

## SD T8110 LOADER BRACKETS

		336740	HD Non Self Leveling Ldr +SSQA <b>720LU Non Self Leveling with Skid Steer Style Attachment</b>			\$8,854.00
		336742	HD Non Self Leveling Ldr +Euro <b>720LU Non Self Leveling with Euro Style Attachment</b>			\$8,854.00
		336744	HD Self Leveling Ldr +SSQA <b>725LU Mechanical Self Leveling with Skid Steer Style Attachment</b>			\$10,256.00
		336746	HD Self Leveling Ldr +Euro <b>725LU Mechanical Self Leveling with Euro Style Attachment</b>			\$10,256.00

**MISCELLANEOUS**
**FENDERS REAR**

## SD T8740 FRONT FENDERS

		744674	Dynamic Front Fenders <b>Front fenders - Dynamic</b>			\$901.00
--	--	--------	---	--	--	----------

**OPERATOR'S MANUALS**

## SD T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Configuration <b>French operator manual</b>			No Charge
		334257	USA Spanish Configuration <b>Spanish operator manual</b>			No Charge

Current Inventory Only

**T5 DUAL COMMAND - CAB LESS LOADER FP  
US PRICE LIST**
**Standard Equipment**
**T5 DUAL COMMAND**

X0594XX: DELUXE Cab Less Loader

**KEY SELLING POINTS:**

- CommandArc# ergonomically places most frequently used controls to operator's right
- Ten repositionable vents for heating and air conditioning
- Electro Hydraulic shuttle lever
- 24X24 Dual Command# transmission
- Full-size instructor seat
- Tier4B/Stage V emissions compliant

**ENGINE: T5.90 DC**

- Engine MFG FPT F5
- Emissions Level Stage V
- Gross Engine Power 86 hp
- PTO horsepower @ 2300rpm 73 hp
- Displacement 207 cu. In. (3.6 L)
- 4 Cyl Turbocharged

**ENGINE: T5.100 DC**

- Engine MFG FPT F5
- Emissions Level Stage V
- Gross Engine Power 99 hp
- PTO horsepower @ 2300rpm 85 hp
- Displacement 207 cu. In. (3.6 L)
- 4 Cyl Turbocharged

**ENGINE: T5.110 DC**

- Engine MFG FPT F5
- Emissions Level Stage V
- Gross Engine Power 107 hp
- PTO horsepower @ 2300rpm 93 hp
- Displacement 207 cu. In. (3.6 L)
- 4 Cyl Turbocharged

**ENGINE: T5.120 DC**

- Engine MFG FPT F5
- Emissions Level Stage V
- Gross Engine Power 117 hp
- PTO horsepower @ 2300rpm 100 hp
- Displacement 207 cu. In. (3.6 L)
- 4 Cyl Turbocharged

**ENGINE: All Models**

- Fuel System
  - Electronic Bosch Fuel Injection Pump
  - High-pressure Common Rail System
- Electric Engine Shutoff
- Grid Heater Starting Aid
- Dual Element Air Filter
- Vertical Exhaust

**EMISSIONS SYSTEM**

- Tier4B/Stage V emissions compliant
- Compact HI-eSCR2
- Integrated Diesel Oxidation Catalyst (DOC)
- Maintenance free Diesel Particulate Filter (DPF)
- Selective Catalyst Reduction (SCR) into single compact layout

**FUEL / DEF CAPACITIES**

- Diesel Fuel 30.3-gallon (114.7L)
- Protection Shield
- DEF 2.8-gallon (10.6 L)

**T5 DUAL COMMAND - CAB LESS LOADER FP  
US PRICE LIST**
**Standard Equipment**
**TRANSMISSION**

- 
- LH Side Steering Column Mounted  
Power Shuttle
- 24 Forward / 24 Reverse Speeds
- (4) Synchronized Gears with a  
HiLo in each Gear
- Power clutch button on gear lever  
to allow for gear changes without  
the use of the foot clutch
- (3) Non-synchronized Gear
- Forward Reverse Synchronized Shuttle
- FWD - 25 mph (40 kph)
  - Speed varies with tire selection

**AXLES**

- 
- 4WD HEAVY DUTY FRONT AXLE
- Electrohydraulic FWD Engagement
- Adjustable Tread Width
- Front Axle Support with access for  
Front Pump

**REAR AXLE**

- Heavy Duty Flange Type
- Adjustable Tread Width

**Rear Differential Lock -**

- Electronically Engaged

**HYDRAULIC SYSTEM**

- 
- Open Center System
- Dual Gear Pumps
  - Implement Pump: 16.9 gpm (63.9 L)
  - Steering Pump: 9.7 gpm (37.0 L)
  - Total Flow: 26.6 gpm (100.8 L)
- (2) Open Center Remote Valves with  
detent
- 2 Function Mid Mount Valve and  
Joystick

**PTO**

- 
- Fully Independent
- Hydraulic Engagement
- Flip-up PTO Shaft Guard
- 540/1000 rpm
- Wet Clutch

**STEERING/BRAKES**

- 
- Hydrostatic Power Steering
- Brakes
  - Wet disk brakes
  - Hydraulically assisted
- Parking Brake

**3-POINT LIFT SYSTEM**

- 
- Right hand console mounted control
- Electronic Draft Control with  
Fender mounted controls
- 5,620 lbs. Lift Capacity
- Category II Ends
- Telescopic Stabilizers
- Flexible Lower Link Ends
- Mech 3-Point Hitch Ground Control

**ELECTRICAL**

- 
- (1) 800 cca Heavy-duty Battery
- Alternator: 120 amp
- 7-pin Outlet for trailer/implement  
lighting and signals
- 3-pin Power Outlet (30 amp)
- Single Pin (8 amp) Accessory Power  
outlet
- (2) # 12V Power Sockets

**T5 DUAL COMMAND - CAB LESS LOADER FP  
US PRICE LIST****Standard Equipment**

## INSTRUMENTATION

-----  
-Analog Instrumentation with warning  
lights for:  
-Air Cleaner Service  
-Alternator  
-Oil Pressure  
-Fuel Sediment/Water Sensor  
-PTO Engagement  
-Head Light High Beam  
-Low Fuel  
-Parking Brake  
-Digital Speed Readout  
-Gauges for:  
-Fuel Level  
-Engine Temperature  
-Tachometer  
-Hour Meter

## LIGHTING

-----  
-(2) Halogen Headlights  
-(2) Front Mounted Work Lights  
-(2) Rear Mounted Work Lights  
-Turn Signals/Flashers/Rear Lights

## TIRES

-----  
-FRONT: 14.9R24 R1W  
-REAR: 18.4R34 R1W

## OPERATOR PROTECTIVE STRUCTURE

-----  
-ROPS protected, flat deck platform:  
- Heat and Air Conditioning  
- Tinted windshield  
- Front & rear wiper / washer  
- Retractable Sun Screen  
- (2) Doors with Locks  
- (2) External Mirrors  
- (1) Internal Mirror  
- Openable Side Windows  
- Hinged Rear Window (fully opens)  
-Steering Wheel - adjustable tilt  
-Hand and Foot Throttle Controls  
-Cloth Seat  
- Air Suspension  
- 10 Degrees of Swivel  
- Operator's Presence Sensor  
- Retractable Seat Belt  
- Arm Rests  
-Instructor Seat  
-Suspended pedals  
-Radio, speakers, and antenna  
-Monitor Mounting Bracket  
-Horn

## MISCELLANEOUS

-----  
-Pivoting Engine Hood  
-SMV Emblem  
-Toolbox

## WARRANTY

-----  
-New Holland Standard Warranty  
Applies

**T5 DUAL COMMAND - CAB LESS LOADER FP  
US PRICE LIST**

## Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 STG5 DC	Cab	9,392 LB		\$106,899.00
Includes the following Equipment				
14.9R24 R1W (8239404)		\$2,724.00		
18.4R34 R1W (8365404)		\$4,830.00		
Std+30AH+Horn+ACS+Mon (334994)		\$98.00		
3-pt External Control (Mec (332035)		\$328.00		
T5.100 STG5 DC	Cab	9,392 LB		\$109,997.00
Includes the following Equipment				
14.9R24 R1W (8239404)		\$2,724.00		
18.4R34 R1W (8365404)		\$4,830.00		
Std+30AH+Horn+ACS+Mon (334994)		\$98.00		
3-pt External Control (Mec (332035)		\$328.00		
T5.110 STG5 DC	Cab	9,392 LB		\$113,399.00
Includes the following Equipment				
14.9R24 R1W (8239404)		\$2,724.00		
18.4R34 R1W (8365404)		\$4,830.00		
Std+30AH+Horn+ACS+Mon (334994)		\$98.00		
3-pt External Control (Mec (332035)		\$328.00		
T5.120 STG5 DC	Cab	19,401 LB		\$116,464.00
Includes the following Equipment				
14.9R24 R1W (8239404)		\$2,724.00		
18.4R34 R1W (8365404)		\$4,830.00		
Std+30AH+Horn+ACS+Mon (334994)		\$98.00		
3-pt External Control (Mec (332035)		\$328.00		

**T5 DUAL COMMAND - CAB LESS LOADER FP  
US PRICE LIST**
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGES

		X0594XX	Cab Less Loader <b>Cab Less Loader Fast Pick Includes:</b> <b>744588: Deluxe Cab</b> <b>759176: Hand Brake</b> <b>390124: Less Mid-Mount</b> <b>743593: Less Front Loader</b> <b>335215: 8 WEIGHTS 40 KG # CA</b>			(\$4,846.00)
--	--	---------	---	--	--	--------------

**MISCELLANEOUS**

## FENDERS REAR

## SD\_T8740 FRONT FENDERS

		744674	Dynamic Front Fenders <b>Front fenders - Dynamic</b>			\$901.00
--	--	--------	---	--	--	----------

**OPERATOR'S MANUALS**

## SD\_T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Configuration <b>French operator manual</b>			No Charge
		334257	USA Spanish Configuration <b>Spanish operator manual</b>			No Charge





**T5 DUAL COMMAND - DELUXE ROPS FAST PICK  
US PRICE LIST****Standard Equipment****T5 DUAL COMMAND**

X0589XX: Deluxe ROPS Fast Pick

**KEY SELLING POINTS:**

- 
- CommandArc™ ergonomically places most frequently used controls to operator's right
  - Electro Hydraulic shuttle lever
  - 24X24 Dual Command™ transmission
  - Full-size instructor seat
  - Tier 4B EPA emissions compliant
  - Factory Installed Loader available

**ENGINE: T5.90 DC**

- 
- |                           |                     |
|---------------------------|---------------------|
| -Engine MFG               | FPT F5G             |
| -Emissions Level          | Tier 4B             |
| -Gross Engine Power       | 86 hp               |
| -PTO horsepower @ 2300rpm | 73 hp               |
| -Displacement             | 207 cu. In. (3.4 L) |
| -4 Cyl Turbocharged       |                     |

**ENGINE: T5.100 DC**

- 
- |                           |                     |
|---------------------------|---------------------|
| -Engine MFG               | FPT F5G             |
| -Emissions Level          | Tier 4B             |
| -Gross Engine Power       | 99 hp               |
| -PTO horsepower @ 2300rpm | 85 hp               |
| -Displacement             | 207 cu. In. (3.4 L) |
| -4 Cyl Turbocharged       |                     |

**ENGINE: T5.110 DC**

- 
- |                           |                     |
|---------------------------|---------------------|
| -Engine MFG               | FPT F5G             |
| -Emissions Level          | Tier 4B             |
| -Gross Engine Power       | 107 hp              |
| -PTO horsepower @ 2300rpm | 93 hp               |
| -Displacement             | 207 cu. In. (3.4 L) |
| -4 Cyl Turbocharged       |                     |

**ENGINE: T5.120 DC**

- 
- |                           |                     |
|---------------------------|---------------------|
| -Engine MFG               | FPT F5G             |
| -Emissions Level          | Tier 4B             |
| -Gross Engine Power       | 117 hp              |
| -PTO horsepower @ 2300rpm | 100 hp              |
| -Displacement             | 207 cu. In. (3.4 L) |
| -4 Cyl Turbocharged       |                     |

**ENGINE: All Models**

- 
- Fuel System
    - Bosch Fuel Injection Pump
    - High-pressure Common Rail System
  - Electric Engine Shutoff
  - Grid Heater Starting Aid
  - Dual Element Air Filter
  - Vertical Exhaust

**EMISSIONS SYSTEM**

- 
- Compact HI-eSCR2

**FUEL / DEF CAPACITIES**

- 
- |                    |                      |
|--------------------|----------------------|
| -Diesel Fuel       | 30.3-gallon (114.7L) |
| -Protection Shield |                      |
| -DEF               | 2.8-gallon (10.6 L)  |

**TRANSMISSION**

- 
- LH Side Steering Column Mounted Power Shuttle
  - 24 Forward / 24 Reverse Speeds
  - (4) Synchronized Gears with a HiLo in each Gear
  - Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch
  - (3) Non-synchronized Gear
  - Forward Reverse Synchronized Shuttle
  - FWD - 25 mph (40 kph)
    - Speed varies with tire selection

**AXLES**

**T5 DUAL COMMAND - DELUXE ROPS FAST PICK  
US PRICE LIST**

## Standard Equipment

### ----- 4WD HEAVY DUTY FRONT AXLE

- Electrohydraulic FWD Engagement
- Adjustable Tread Width
- Front Axle Support with access for Front Pump

### REAR AXLE

- Heavy Duty Flange Type
- Adjustable Tread Width

### Rear Differential Lock -

- Mechanically Engaged

### HYDRAULIC SYSTEM

- 
- Open Center System
  - Dual Gear Pumps
    - Implement Pump: 16.9 gpm (63.9 L)
    - Steering Pump: 9.7 gpm (37.0 L)
    - Total Flow: 26.6 gpm (100.8 L)
  - (2) Open Center Remote Valves with detent

### PTO

- 
- Fully Independent
  - Hydraulic Engagement
  - Flip-up PTO Shaft Guard
  - 540/1000 rpm
  - Wet Clutch

### STEERING/BRAKES

- 
- Hydrostatic Power Steering
  - Brakes
    - Wet disk brakes
    - Hydraulically assisted
  - Parking Brake

### 3-POINT LIFT SYSTEM

- 
- Cab - Electronic Draft Control with Fender mounted controls
  - ROPS - Mechanical Draft Control with Lift-O-Matic Plus
  - 5,620 lbs. Lift Capacity
  - Category II Ends
  - Telescopic Stabilizers
  - Flexible Lower Link Ends
  - Mech 3-Point Hitch Ground Control

### INSTRUMENTATION

- 
- Analog Instrumentation with warning lights for:
    - Air Cleaner Service
    - Alternator
    - Oil Pressure
    - Fuel Sediment/Water Sensor
    - PTO Engagement
    - Head Light High Beam
    - Low Fuel
    - Parking Brake
  - Digital Speed Readout
  - Gauges for:
    - Fuel Level
    - Engine Temperature
    - Tachometer
    - Hour Meter

### ELECTRICAL

- 
- (1) 800 cca Heavy-duty Battery - Cab
  - Alternator: 120 amp
  - 7-pin Outlet for trailer/implement lighting and signals
  - 3-pin Power Outlet (30 amp)
  - Single Pin (8 amp) Accessory Power outlet
  - ROPS: (1) - 12V Power Socket

### LIGHTING

**T5 DUAL COMMAND - DELUXE ROPS FAST PICK  
US PRICE LIST**

## Standard Equipment

-----  
ROPS:

- (2) Halogen Headlights
- (1) Rear Mounted Work Light
- Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE  
-----

ROPS MODELS

- 2-Post Foldable ROPS with ISO-mounted flat deck platform
- Steering Wheel - adjustable tilt
- Hand and Foot Throttle Controls
- Vinyl Seat
  - Mechanical Suspension
  - Operator's Presence Sensor
  - Retractable Seat Belt
  - Arm Rests
- Suspended pedals
- Locking brake pedals

TIRES  
-----

- FRONT: 14.9R24 R1W
- REAR: 18.4R34 R1W

MISCELLANEOUS  
-----

- Pivoting Engine Hood
- SMV Emblem
- Toolbox

WARRANTY  
-----

- New Holland Standard Warranty Applies

LOADER:

720LU NON SELF-LEVELING  
-----

- Maximum Lift Height @ pivot pin: 134"
- Dump Clearance: 101.4"
- Digging Depth: 7"
- Lift Capacity
  - Max Height @ 800mm: 2,632 LBS
  - 59" high @ 800mm: 3,638 LBS
- Breakout Force @ 800mm: 4,455 LBS
- Reach @ Max Lift Height: 43"
- Reach @ Ground Level: 91"
- Bucket Rollback Angle: 44 degrees
- Bucket Dump Angle: 60 degrees
- Skid Steer or Euro style Loader bucket attach

725LU SELF-LEVELING  
-----

- Maximum Lift Height @ pivot pin: 135"
- Dump Clearance: 102.2"
- Digging Depth: 6.4"
- Lift Capacity
  - Max Height @ 800mm: 3,428 LBS
  - 59" high @ 800mm: 5,549 LBS
- Breakout Force @ 800mm: 5,661 LBS
- Reach @ Max Lift Height: 43"
- Reach @ Ground Level: 93"
- Bucket Rollback Angle: 40 degrees
- Bucket Dump Angle: 60 degrees
- Skid Steer or Euro style Loader bucket attach

**T5 DUAL COMMAND - DELUXE ROPS FAST PICK  
US PRICE LIST**

## Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 STG5 DC	Rops	9,392 LB		\$95,136.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,860.00			
18.4R34 R1W (8365404)	\$5,072.00			
T5.100 STG5 DC	Rops	9,100 LB		\$98,389.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,860.00			
18.4R34 R1W (8365404)	\$5,072.00			
T5.110 STG5 DC	Rops	9,100 LB		\$101,961.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,860.00			
18.4R34 R1W (8365404)	\$5,072.00			
T5.120 STG5 DC	Rops	9,392 LB		\$105,179.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,860.00			
18.4R34 R1W (8365404)	\$5,072.00			

**T5 DUAL COMMAND - DELUXE ROPS FAST PICK  
US PRICE LIST**
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGES

		X0589XX	Standard Fast Pick Package <b>Deluxe ROPS Fast Pick Includes:</b> <b>334190: Deluxe Platform w/FOPS</b> <b>759176: Hand Brake</b> <b>336750: 84" Bucket</b> <b>743595: Lift-O-Matic Plus</b> <b>330470: 4 x 110 lb Rear Wheel Weights</b>  <b>Requires one selection for each of the following:</b> <b>Mid mount valve and joystick:</b> 2 Function mid mount valve and joystick OR 2 Function mid mount valve and joystick + 3rd function diverter <b>Loader:</b> 720LU NSL or 725LU MSL loader (select one)			(\$5,088.00)
--	--	---------	--	--	--	--------------

**HYDRAULICS**

## MID-MOUNT

## SD\_T8280 MID-MOUNT VALVES

		762166	2MMV w/Joystick New Trim <b>3rd live not available on T5 DC models</b>  <b>ROPS only</b>			\$1,965.00
		762167	2MMV+DIV w/Joystick New Trim <b>With Diverter valve</b> <b>ROPS only</b>			\$2,947.00

**LOADER**

## LOADER

## SD\_T8110 LOADER BRACKETS

		336740	HD Non Self Leveling Ldr +SSQA <b>720LU Non Self Leveling with Skid Steer Style Attachment</b>			\$9,297.00
		336742	HD Non Self Leveling Ldr +Euro <b>720LU Non Self Leveling with Euro Style Attachment</b>			\$9,297.00

**T5 DUAL COMMAND - DELUXE ROPS FAST PICK  
US PRICE LIST**

		336744	HD Self Leveling Ldr +SSQA <b>725LU Mechanical Self Leveling with Skid Steer Style Attachment</b>			\$10,769.00
		336746	HD Self Leveling Ldr +Euro <b>725LU Mechanical Self Leveling with Euro Style Attachment</b>			\$10,769.00

**HITCH**
**REAR 3 POINT HITCH**

## SD\_T8130 3 POINT HITCH CONTROL

		332035	3-pt External Control (Mech) <b>Rear HPL ground control lever</b>			\$344.00
--	--	--------	--	--	--	----------

**MISCELLANEOUS**
**FENDERS FRONT**

## SD\_T8700 FENDERS

		744599	Rear Fenders w/Extensions <b>Rear fenders - flat extensions</b>			\$219.00
--	--	--------	--	--	--	----------

**FENDERS REAR**

## SD\_T8740 FRONT FENDERS

		744674	Dynamic Front Fenders <b>Front fenders - Dynamic</b>			\$946.00
--	--	--------	---	--	--	----------

**OPERATOR'S MANUALS**

## SD\_T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Configuration <b>French operator manual</b>			No Charge
		334257	USA Spanish Configuration <b>Spanish operator manual</b>			No Charge

**T5 DUAL COMMAND - WEST COAST LESS LOADER  
US PRICE LIST**

## Standard Equipment

**T5 DUAL COMMAND**

X0596XX: West Coast Less Loader

**KEY SELLING POINTS:**

- 
- CommandArc™ ergonomically places  
most frequently used controls to  
operator's right
- Electro Hydraulic shuttle lever
- 24X24 Dual Command™ transmission
- Full-size instructor seat
- Tier 4B EPA emissions compliant
- Factory Installed Loader available

**ENGINE: T5.90 DC**

- 
- Engine MFG                      FPT F5G
- Emissions Level                Tier 4B
- Gross Engine Power          86 hp
- PTO horsepower @ 2300rpm 73 hp
- Displacement                207 cu. In. (3.4 L)
- 4 Cyl Turbocharged

**ENGINE: T5.100 DC**

- 
- Engine MFG                      FPT F5G
- Emissions Level                Tier 4B
- Gross Engine Power          99 hp
- PTO horsepower @ 2300rpm 85 hp
- Displacement                207 cu. In. (3.4 L)
- 4 Cyl Turbocharged

**ENGINE: T5.110 DC**

- 
- Engine MFG                      FPT F5G
- Emissions Level                Tier 4B
- Gross Engine Power          107 hp
- PTO horsepower @ 2300rpm 93 hp
- Displacement                207 cu. In. (3.4 L)
- 4 Cyl Turbocharged

**ENGINE: T5.120 DC**

- 
- Engine MFG                      FPT F5G
- Emissions Level                Tier 4B
- Gross Engine Power          117 hp
- PTO horsepower @ 2300rpm 100 hp
- Displacement                207 cu. In. (3.4 L)
- 4 Cyl Turbocharged

**ENGINE: All Modles**

- 
- Fuel System
  - Bosch Fuel Injection Pump
  - High-pressure Common Rail System
- Electric Engine Shutoff
- Grid Heater Starting Aid
- Dual Element Air Filter
- Vertical Exhaust

**EMISSIONS SYSTEM**

- 
- Compact HI-eSCR2

**FUEL / DEF CAPACITIES**

- 
- Diesel Fuel                    30.3-gallon (114.7L)
- Protection Shield
- DEF                              2.8-gallon (10.6 L)

**TRANSMISSION**

- 
- LH Side Steering Column Mounted  
Power Shuttle
- 24 Forward / 24 Reverse Speeds
- (4) Synchronized Gears with a  
HiLo in each Gear
- Power clutch button on Gear lever  
to allow for gear changes without  
the use of the foot clutch
- (3) Non-synchronized Gear
- Forward Reverse Synchronized Shuttle
- FWD - 25 mph (40 kph)
  - Speed varies with tire selection

**AXLES**

**T5 DUAL COMMAND - WEST COAST LESS LOADER  
US PRICE LIST****Standard Equipment**-----  
4WD HEAVY DUTY FRONT AXLE

- Electrohydraulic FWD Engagement
- Adjustable Tread Width
- Front Axle Support with access for Front Pump

## REAR AXLE

- Heavy Duty Flange Type
- Adjustable Tread Width

## Rear Differential Lock -

- Mechanically Engaged

## HYDRAULIC SYSTEM

-----  
-Open Center System

## -Dual Gear Pumps

- Implement Pump: 16.9 gpm (63.9 L)

- Steering Pump: 9.7 gpm (37.0 L)

- Total Flow: 26.6 gpm (100.8 L)

- (2) Open Center Remote Valves with detent

## PTO

-----  
-Fully Independent

## -Hydraulic Engagement

## -Flip-up PTO Shaft Guard

## -540/1000 rpm

## -Wet Clutch

## STEERING/BRAKES

-----  
-Hydrostatic Power Steering

## - Brakes

- Wet disk brakes

- Hydraulically assisted

## -Parking Brake

## 3-POINT LIFT SYSTEM

-----  
-ROPS - Mechanical Draft Control with Lift-O-Matic Plus

## -5,620 lbs. Lift Capacity

## -Category II Ends

## -Telescopic Stabilizers

## -Flexible Lower Link Ends

## -Mech 3-Point Hitch Ground Control

## INSTRUMENTATION

-----  
-Analog Instrumentation with warning lights for:

- Air Cleaner Service

- Alternator

- Oil Pressure

- Fuel Sediment/Water Sensor

- PTO Engagement

- Head Light High Beam

- Low Fuel

- Parking Brake

## -Digital Speed Readout

## -Gauges for:

- Fuel Level

- Engine Temperature

- Tachometer

- Hour Meter

## ELECTRICAL

-----  
-(1) 800 cca Heavy-duty Battery

## -Alternator: 120 amp

## -7-pin Outlet for trailer/implement lighting and signals

## -3-pin Power Outlet (30 amp)

## -Single Pin (8 amp) Accessory Power outlet

## -ROPS: (1) - 12V Power Socket

## LIGHTING



**T5 DUAL COMMAND - WEST COAST LESS LOADER  
US PRICE LIST****Standard Equipment**

-----  
ROPS:  
-(2) Halogen Headlights  
-(1) Rear Mounted Work Light  
-Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE  
-----

ROPS MODELS  
-2-Post Foldable ROPS with ISO-  
    mounted flat deck platform  
-Steering Wheel - adjustable tilt  
-Hand and Foot Throttle Controls  
-Vinyl Seat  
    - Mechanical Suspension  
    - Operator's Presence Sensor  
    - Retractable Seat Belt  
    - Arm Rests

-Suspended pedals  
-Locking brake pedals

TIRES  
-----

-FRONT: 14.9R24 R1W  
-REAR: 18.4R34 R1W

MISCELLANEOUS  
-----

-Pivoting Engine Hood  
-SMV Emblem  
-Toolbox

WARRANTY  
-----

-New Holland Standard Warranty  
    Applies

**T5 DUAL COMMAND - WEST COAST LESS LOADER  
US PRICE LIST**

## Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 STG5 DC	Rops	9,392 LB		\$95,136.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,860.00			
18.4R34 R1W (8365404)	\$5,072.00			
T5.100 STG5 DC	Rops	9,100 LB		\$98,389.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,860.00			
18.4R34 R1W (8365404)	\$5,072.00			
T5.110 STG5 DC	Rops	9,100 LB		\$101,961.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,860.00			
18.4R34 R1W (8365404)	\$5,072.00			
T5.120 STG5 DC	Rops	9,392 LB		\$105,179.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,860.00			
18.4R34 R1W (8365404)	\$5,072.00			

**T5 DUAL COMMAND - WEST COAST LESS LOADER  
US PRICE LIST**

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

### FAST PICK CONFIGURATION

#### SD\_T9980 PACKAGES

		X0596XX	Cab EZ Pick Package <b>West Coast Less Loader Fast Pick Includes:</b> <b>392315: Platform w/Foldable ROPS</b> <b>759176: Hand Brake</b> <b>390124: Less Mid-Mount</b> <b>743593: Less Front Loader</b> <b>XT8140X: Less Bucket</b> <b>332035: Mech 3 Pt Hitch Ground Control</b> <b>335215: 8 WEIGHTS 40 KG - CA</b>			(\$5,088.00)
--	--	---------	--	--	--	--------------

### HITCH

#### REAR 3 POINT HITCH

#### SD\_T8200 HITCH

		758931	MDC Rear HPL LOM Plus 2 Aux <b>2 auxiliary lift rams for ROPS</b> <b>8,000 lbs lift capacity</b>			\$1,419.00
--	--	--------	--	--	--	------------

### OPERATOR'S MANUALS

#### SD\_T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Configuration <b>French operator manual</b>			No Charge
		334257	USA Spanish Configuration <b>Spanish operator manual</b>			No Charge



**T5 DUAL COMMAND - LESS FAST PICK  
US PRICE LIST****Standard Equipment****T5 DUAL COMMAND**

X99801X: Custom Configuration

**KEY SELLING POINTS:**

- 
- CommandArc™ ergonomically places most frequently used controls to operator's right
  - Electro Hydraulic shuttle lever
  - 24X24 Dual Command™ transmission
  - Full-size instructor seat
  - Tier 4B EPA emissions compliant
  - Factory Installed Loader available

**ENGINE: T5.90 DC**

- 
- |                           |                     |
|---------------------------|---------------------|
| -Engine MFG               | FPT F5G             |
| -Emissions Level          | Tier 4B             |
| -Gross Engine Power       | 86 hp               |
| -PTO horsepower @ 2300rpm | 73 hp               |
| -Displacement             | 207 cu. In. (3.4 L) |
| -4 Cyl Turbocharged       |                     |

**ENGINE: T5.100 DC**

- 
- |                           |                     |
|---------------------------|---------------------|
| -Engine MFG               | FPT F5G             |
| -Emissions Level          | Tier 4B             |
| -Gross Engine Power       | 99 hp               |
| -PTO horsepower @ 2300rpm | 85 hp               |
| -Displacement             | 207 cu. In. (3.4 L) |
| -4 Cyl Turbocharged       |                     |

**ENGINE: T5.110 DC**

- 
- |                           |                     |
|---------------------------|---------------------|
| -Engine MFG               | FPT F5G             |
| -Emissions Level          | Tier 4B             |
| -Gross Engine Power       | 107 hp              |
| -PTO horsepower @ 2300rpm | 93 hp               |
| -Displacement             | 207 cu. In. (3.4 L) |
| -4 Cyl Turbocharged       |                     |

**ENGINE: T5.120 DC**

- 
- |                           |                     |
|---------------------------|---------------------|
| -Engine MFG               | FPT F5G             |
| -Emissions Level          | Tier 4B             |
| -Gross Engine Power       | 117 hp              |
| -PTO horsepower @ 2300rpm | 100 hp              |
| -Displacement             | 207 cu. In. (3.4 L) |
| -4 Cyl Turbocharged       |                     |

**ENGINE: All Modles**

- 
- Fuel System
    - Bosch Fuel Injection Pump
    - High-pressure Common Rail System
  - Electric Engine Shutoff
  - Grid Heater Starting Aid
  - Dual Element Air Filter
  - Vertical Exhaust

**EMISSIONS SYSTEM**

- 
- Compact HI-eSCR2

**FUEL / DEF CAPACITIES**

- 
- |                    |                      |
|--------------------|----------------------|
| -Diesel Fuel       | 30.3-gallon (114.7L) |
| -Protection Shield |                      |
| -DEF               | 2.8-gallon (10.6 L)  |

**TRANSMISSION**

- 
- LH Side Steering Column Mounted Power Shuttle
  - 24 Forward / 24 Reverse Speeds
  - (4) Synchronized Gears with a HiLo in each Gear
  - Power clutch button on Gear lever to allow for gear changes without the use of the foot clutch
  - (3) Non-synchronized Gear
  - Forward Reverse Synchronized Shuttle
  - FWD - 25 mph (40 kph)
    - Speed varies with tire selection

**AXLES**

**T5 DUAL COMMAND - LESS FAST PICK  
US PRICE LIST****Standard Equipment**-----  
4WD HEAVY DUTY FRONT AXLE

- Electrohydraulic FWD Engagement
- Adjustable Tread Width
- Front Axle Support with access for Front Pump

## REAR AXLE

- Heavy Duty Flange Type
- Adjustable Tread Width

## Rear Differential Lock -

- Mechanically Engaged

## HYDRAULIC SYSTEM

-----  
-Open Center System

## -Dual Gear Pumps

- Implement Pump: 16.9 gpm (63.9 L)
- Steering Pump: 9.7 gpm (37.0 L)
- Total Flow: 26.6 gpm (100.8 L)

- (2) Open Center Remote Valves with detent

## PTO

- Fully Independent
- Hydraulic Engagement
- Flip-up PTO Shaft Guard
- 540/1000 rpm
- Wet Clutch

## STEERING/BRAKES

-----  
-Hydrostatic Power Steering

## - Brakes

- Wet disk brakes
- Hydraulically assisted

- Parking Brake

## 3-POINT LIFT SYSTEM

-----  
-ROPS - Mechanical Draft Control with Lift-O-Matic Plus

- 5,620 lbs. Lift Capacity

- Category II Ends

- Telescopic Stabilizers

- Flexible Lower Link Ends

- Mech 3-Point Hitch Ground Control

## INSTRUMENTATION

-----  
-Analog Instrumentation with warning lights for:

- Air Cleaner Service

- Alternator

- Oil Pressure

- Fuel Sediment/Water Sensor

- PTO Engagement

- Head Light High Beam

- Low Fuel

- Parking Brake

- Digital Speed Readout

- Gauges for:

- Fuel Level

- Engine Temperature

- Tachometer

- Hour Meter

## ELECTRICAL

-----  
-Alternator: 120 amp

- 7-pin Outlet for trailer/implement lighting and signals

- 3-pin Power Outlet (30 amp)

- Single Pin (8 amp) Accessory Power outlet

- ROPS: (1) - 12V Power Socket

## LIGHTING

<b>T5 DUAL COMMAND - LESS FAST PICK US PRICE LIST</b>
---

## Standard Equipment

-----

ROPS:

- (2) Halogen Headlights
- (1) Rear Mounted Work Light
- Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE

-----

ROPS MODELS

- 2-Post Foldable ROPS with ISO-mounted flat deck platform
- Steering Wheel - adjustable tilt
- Hand and Foot Throttle Controls
- Vinyl Seat
  - Mechanical Suspension
  - Operator's Presence Sensor
  - Retractable Seat Belt
  - Arm Rests
- Suspended pedals
- Locking brake pedals

TIRES

-----

- FRONT: 14.9R24 R1W
- REAR: 18.4R34 R1W

MISCELLANEOUS

-----

- Pivoting Engine Hood
- SMV Emblem
- Toolbox

WARRANTY

-----

- New Holland Standard Warranty Applies

LOADER:

720LU NON SELF-LEVELING

-----

- Maximum Lift Height @ pivot pin: 134"
- Dump Clearance: 101.4"
- Digging Depth: 7"
- Lift Capacity
  - Max Height @ 800mm: 2,632 LBS
  - 59" high @ 800mm: 3,638 LBS
- Breakout Force @ 800mm: 4,455 LBS
- Reach @ Max Lift Height: 43"
- Reach @ Ground Level: 91"
- Bucket Rollback Angle: 44 degrees
- Bucket Dump Angle: 60 degrees
- Skid Steer or Euro style Loader bucket attach

725LU SELF-LEVELING

-----

- Maximum Lift Height @ pivot pin: 135"
- Dump Clearance: 102.2"
- Digging Depth: 6.4"
- Lift Capacity
  - Max Height @ 800mm: 3,428 LBS
  - 59" high @ 800mm: 5,549 LBS
- Breakout Force @ 800mm: 5,661 LBS
- Reach @ Max Lift Height: 43"
- Reach @ Ground Level: 93"
- Bucket Rollback Angle: 40 degrees
- Bucket Dump Angle: 60 degrees
- Skid Steer or Euro style Loader bucket attach

**T5 DUAL COMMAND - LESS FAST PICK  
US PRICE LIST**
**Models**

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
T5.90 STG5 DC	Rops	9,392 LB		\$95,136.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,860.00			
18.4R34 R1W (8365404)	\$5,072.00			
T5.100 STG5 DC	Rops	9,100 LB		\$98,389.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,860.00			
18.4R34 R1W (8365404)	\$5,072.00			
T5.110 STG5 DC	Rops	9,100 LB		\$101,961.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,860.00			
18.4R34 R1W (8365404)	\$5,072.00			
T5.120 STG5 DC	Rops	9,392 LB		\$105,179.00
Includes the following Equipment				
14.9R24 R1W (8239404)	\$2,860.00			
18.4R34 R1W (8365404)	\$5,072.00			



**T5 DUAL COMMAND - LESS FAST PICK  
US PRICE LIST**
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGES

		X99801X	Custom Configuration			No Charge
--	--	---------	----------------------	--	--	-----------

**OPERATOR PLATFORM**

## SD\_T9200 OPERATOR STRUCTURE #1

ROPS						
		392315	Platform w/Foldable ROPS <b>Includes tilt column</b>			No Charge
		334190	Deluxe Platform w/FOPS <b>Includes tilt column, FOPS canopy, noise reduction kit and 12V power outlet</b>			\$2,198.00

**POWER TRAIN**

## TRANSMISSION

## SD\_T2820 PARK LOCK

		743551	Parking lock			\$70.00
		759176	Hand Brake <b>Hand operated parking brake lever Standard Equipment</b>			No Charge

**TIRES**

## FRONT

## SD\_T4940 FRONT WHEELS AND TIRES

Ag Front Tires						
		8232404	11.2R24 R1W			\$1,644.00
		8235404	12.4R24 R1W			\$1,964.00
		8236404	13.6R24 R1W			\$2,401.00
		8239404	14.9R24 R1W			\$2,860.00
Specialty Front Tires						
		8290904	12.5/80-18 R4 Front Tire			\$2,345.00
		8873402	360/80R20 TRI 2 HD <b>Municipal Tread</b>			\$2,672.00

**T5 DUAL COMMAND - LESS FAST PICK  
US PRICE LIST**

		8247404	11.2R28 R1W			\$2,029.00
--	--	---------	-------------	--	--	------------

**REAR**

## SD\_T4950 REAR WHEELS AND TIRES

Ag Rear Tires						
		8357404	18.4R30 R1W <b>4WD Front Tire - 12.4R24 (8235404)</b>			\$4,755.00
		8302804	16.9R34 R1W <b>Front Tire - 13.6R24 (8236404)</b>			\$3,422.00
		8365404	18.4R34 R1W <b>4WD Front Tire - 14.9R24 (8239404)</b>			\$5,072.00
Specialty Rear Tires						
		8391904	19.5L-24 R4 Rear Tire <b>4WD Front Tire - 12.5/80-18 (8290904)</b>			\$3,630.00
		8906401	440/80 R30 TRI 2 <b>Municipal tread 4WD Front Tire - 360/80R20 (8873402)</b>			\$4,980.00
		8372404	13.6R38 R1W <b>4WD Front Tire - 11.2R28 (8247404)</b>			\$3,194.00

**HYDRAULICS**
**MID-MOUNT**

## SD\_T8280 MID-MOUNT VALVES

		762166	2MMV w/Joystick New Trim <b>3rd live not available on T5 DC models ROPS only</b>			\$1,965.00
		762167	2MMV+DIV w/Joystick New Trim <b>With Diverter valve ROPS only</b>			\$2,947.00

**LOADER**
**LOADER**

## SD\_T8110 LOADER BRACKETS

		336740	HD Non Self Leveling Ldr +SSQA <b>720LU Non Self Leveling with Skid Steer Style Attachment</b>			\$9,297.00
		336742	HD Non Self Leveling Ldr +Euro <b>720LU Non Self Leveling with Euro Style Attachment</b>			\$9,297.00
		336744	HD Self Leveling Ldr +SSQA <b>725LU Mechanical Self Leveling with Skid Steer Style Attachment</b>			\$10,769.00
		336746	HD Self Leveling Ldr +Euro <b>725LU Mechanical Self Leveling with Euro Style Attachment</b>			\$10,769.00

**T5 DUAL COMMAND - LESS FAST PICK  
US PRICE LIST**

## SD\_T8140 BUCKET

		336750	84" Bucket <b>84" bucket</b>			\$1,246.00
--	--	--------	---------------------------------	--	--	------------

**HITCH**

## REAR 3 POINT HITCH

## SD\_T8200 HITCH

		390832	EDC HPL			No Charge
		758931	MDC Rear HPL LOM Plus 2 Aux <b>2 auxiliary lift rams for ROPS 8,000 lbs lift capacity</b>			\$1,419.00
		758932	EDC HPL + 2 Aux <b>2 auxiliary lift rams for Cab 8,000 lbs lift capacity</b>			\$1,419.00

**CAB OR ROPS PLATFORM**

## OTHER

## SD\_T6730 PIN CONNECTOR

		334994	Std+30AH+Horn+ACS+Mon <b>Monitor mounting bracket, 30Ah socket &amp; 2-12V power outlets Cab ONLY</b>			\$103.00
--	--	--------	--	--	--	----------

**WEIGHTS**

## FRONT

## SD\_T2150 FRONT BALLAST

		333215	Front Carrier + (6) 88 lb Wght <b>Total weight - 661 lbs (300 kg)</b>			\$1,084.00
		335215	8 Weights 40kg - CA <b>Total weight - 837 lbs (380 kg)</b>			\$1,371.00

## REAR

## SD\_T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights <b>Total weight - 440 lbs (200 kg) NOT compatible with 24" rear tires option</b>			\$845.00
--	--	--------	---	--	--	----------

**T5 DUAL COMMAND - LESS FAST PICK  
US PRICE LIST**
**MISCELLANEOUS**
**FENDERS FRONT**

## SD\_T8700 FENDERS

		744599	Rear Fenders w/Extensions <b>Rear fenders - flat extensions</b>			\$219.00
--	--	--------	--	--	--	----------

**FENDERS REAR**

## SD\_T8740 FRONT FENDERS

		744674	Dynamic Front Fenders <b>Front fenders - Dynamic</b>			\$946.00
--	--	--------	---	--	--	----------

**OPERATOR'S MANUALS**

## SD\_T9840 COUNTRY CONFIGURATION

		334256	Canada (FR) Configuration <b>French operator manual</b>			No Charge
		334257	USA Spanish Configuration <b>Spanish operator manual</b>			No Charge

**T5 ELECTRO COMMAND - STANDARD FASTPICK  
US PRICE LIST**

## Standard Equipment

KEY SELLING POINTS (some features are optional equipment):

- 16 x 16 Electro Command semi-powershift transmission
- Auto PTO manages PTO engagement in relation to the rear hitch position
- Engine Speed Management (constant engine RPM) - 2 settings
- Terralock™ automatic traction system
- CommandArc™ ergonomics
- 200 degree windshield wiper
- Standard high visibility panel (opening)
- (10) repositionable AC/heater vents
- Full-size instructor seat
- Hydraulic shuttle lever -finger control
- 3.6L, 4-cylinder, F5G engines with 4 valves per cylinder common rail fuel injection systems
- 8,084 lb. 3-point lift capacity
- Tier 4B/Stage V emissions compliant ECOBlue Compact HI-eSCR2:
- Integrated Diesel Oxidation Catalyst (DOC), maintenance free Diesel Particulate Filter (DPF), and Selective Catalyst Reduction (SCR) into single compact layout

**MODELS:**

T5.110

- 108 gross engine HP
- 93 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.6 L) displacement
- 4 valves per cylinder

T5.120

- 117 gross engine HP
- 100 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.6 L) displacement
- 4 Valves per cylinder

**ENGINE:**

- Tier 4B/Stage V emissions:
- Compact HI-eSCR2
- Electronic injection Bosch high-pressure common rail system
- Engine Speed Management
- Electric engine shutoff
- Grid heater starting Aid
- Engine block heater
- Dual element air filter
- Vertical exhaust
- 43.6 gallon (165 L) fuel tank with guard
- 3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

**TRANSMISSION:**

- 16 x 16 semi-powershift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch
- Transmission heater

**STEERING/BRAKES:**

- Hydrostatic power steering
- Hydraulic wet brakes (equalizing and self-adjusting)
- Park brake

**FRONT AXLE:**

- Class 1.5 w/Auto 4WD management
- Electrohydraulic FWD engagement

**-REAR AXLE:**

- Heavy-duty flange
- Dog clutch differential lock
- Auto differential lock management
- Electrohydraulic rear differential lock

<b>T5 ELECTRO COMMAND - STANDARD FASTPICK</b> <b>US PRICE LIST</b>
---

## Standard Equipment

**HYDRAULIC SYSTEM:**

- Fixed displacement pumps
- Tandem gear pumps
- Maximum flow at rated engine speed:
  - Implement pump: 21.1 gpm (80 l/m)
  - Steering pump: 11.4 gpm (43 l/m)
- (2) closed center rear remote valves configurable detent w/ quick release couplers
- 2 function mechanical mid mount valve and joystick
- Complete loader ready

**PTO:**

- Fully independent
- Flip-up PTO shaft guard
- 540/1000 rpm interchangeable shaft
- Electrohydraulic engagement
- Multi-plate clutch
- Fender-mounted EDC / PTO switches

**3-POINT LIFT SYSTEM:**

- Right hand console-mounted mouse
- Electronic Draft Control (EDC)
- Fast raise/lower control
- 8,084 lb. lift cap (OECD, 90% psi at 24" rear of lower link balls)
- Category II flexible lower link ends
- Telescopic stabilizers

**INSTRUMENTATION:**

- Analog/digital instrument panel with:
  - Integrated warning lights
  - Analog fuel, temp., and temp. gauges
  - Digital hour meter, direction display, ground speed, and PTO speed

**ELECTRICAL:**

- (1) 12-volt, 800 CCA battery
- 120-amp alternator
- 7-pin outlet for implement lighting
- 3-pin connector (TYCO CPC)
- Single pin (8-amp) power outlet
- Detusch diagnostic port

**LIGHTING:**

- (2) Halogen front hood headlights
- (2) Front and (2) rear cab work lights
- Turn signals, flashers, and brake lights

**OPERATOR'S STATION:**

- Flat deck platform and integral ROPS
- Heater and air conditioner
- "A" pillar exhaust
- (2) tinted doors with locks
- Partially opening tinted side windows
- Hinged tinted rear window
- Rear cab access plug for imp. wires
- Front and rear wipers and washers
- Tilt and telescoping steering wheel
- Fixed external mirrors
- Radio and speakers
- Deluxe air suspension seat with operator's presence and seat belt
- Instructor's seat with seat belt
- HiVis panel (overhead window-opens)

**MISCELLANEOUS:**

- One-piece hood with gas strut
- Swinging drawbar
- SMV emblem
- Toolbox
- 6 rear wheel weights

**WARRANTY:**

New Holland standard warranty applies

**T5 ELECTRO COMMAND - STANDARD FASTPICK  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELECTROCOMMAND ST	16,400 LB		\$135,930.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,859.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$5,073.00			
T5.120 ELECTROCOMMAND ST	19,401 LB		\$138,641.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,859.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$5,073.00			

**T5 ELECTRO COMMAND - STANDARD FASTPICK  
US PRICE LIST**
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGES

		X0474XX	NAR NH PCK C Standard <b>Standard Fastpick Package includes:</b> 762277 2 Mechanical Rear Remotes 762294 2 Fixed Wide Angle Mirrors 762250 16 x 16 SPS 40 KPH 758820 2 Slice Mech CC MMV 762280 Deluxe Fabric Seat w/Air Suspension 762257 HD E/H Diff Lock 758980 Complete Loader Ready 744982 Engine Block and Transmission Heaters 762260 6 Rear Wheel Weights			(\$6,353.00)
--	--	---------	---	--	--	--------------

**PTO**

## REAR PTO

## SD\_T8010 PTO

		759679	540/540E/1000 rpm			\$1,056.00
--	--	--------	-------------------	--	--	------------

**CAB OR ROPS PLATFORM**

## MONITOR MOUNTING

## SD\_T7612 BRACKET MONITOR

		758497	Bracket for Equipment Monitor <b>Bracket F/mounting equipment monitor</b>			\$184.00
--	--	--------	--	--	--	----------

**ELECTRICAL/CONNECTORS**

## BATTERY

## SD\_T7420 BATTERY

		762265	140AH Battery (EU) <b>Battery Isolator</b>			\$513.00
--	--	--------	---	--	--	----------



**T5 ELECTRO COMMAND - STANDARD FASTPICK  
US PRICE LIST**
**LIGHTS**

## ROTARY BEACON

## SD\_T9146 ROTARY BEACON

		762758	ROTARY BEACON LED <b>Rotary beacon LED</b>			\$148.00
		762230	2 ROTARY BEACON LED <b>Left and right side safety beacons</b>			No Charge

**MANUALS**

## OPERATORS

## SD\_T9840 COUNTRY CONFIGURATION

		759783	Canada French Config <b>French Operator Manual</b>			No Charge
		762730	USA Spanish Config_ <b>Spanish Operator Manual</b>			No Charge

**MISCELLANEOUS**

## FENDERS FRONT

## SD\_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm <b>18.9 inch (480 mm) dynamic front fenders</b>			\$984.00
--	--	--------	--	--	--	----------



**T5 ELECTRO COMMAND - DELUXE FASTPICK  
US PRICE LIST**

## Standard Equipment

KEY SELLING POINTS (some features are optional equipment):

- 16 x 16 Electro Command semi-powershift transmission with Auto Shift feature
- Auto PTO manages PTO engagement in relation to the rear hitch position
- Engine Speed Management (constant engine RPM) - 2 settings
- Terralock™ automatic traction system
- CommandArc™ ergonomics
- 200 degree windshield wiper
- Standard high visibility panel (opening)
- (10) repositionable AC/heater vents
- Full-size instructor seat
- Hydraulic shuttle lever -finger control
- 3.6L, 4-cylinder, F5G engines with 4 valves per cylinder common rail fuel injection systems
- 8,084 lb. 3-point lift capacity
- Tier 4B/Stage V emissions compliant ECOBlue Compact HI-eSCR2: Integrated Diesel Oxidation Catalyst (DOC), maintenance free Diesel Particulate Filter (DPF), and Selective Catalyst Reduction (SCR) into single compact layout

**MODELS:**

T5.110

- 108 gross engine HP
- 93 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.6 L) displacement
- 4 valves per cylinder

T5.120

- 117 gross engine HP
- 100 PTO HP @ 2300 rpm
- 4-cyl. turbocharged and intercooled
- 207 cu. in. (3.6 L) displacement
- 4 Valves per cylinder

**ENGINE:**

- Tier 4B/Stage V emissions: Compact HI-eSCR2
- Electronic injection Bosch high-pressure common rail system
- Engine Speed Management
- Electric engine shutoff
- Grid heater starting Aid
- Engine block heater
- Dual element air filter
- Vertical exhaust
- 43.6 gallon (165 L) fuel tank with guard
- 3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

**TRANSMISSION:**

- 16 x 16 semi-powershift with Auto Shift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch
- Transmission heater

**STEERING/BRAKES:**

- Hydrostatic power steering
- Hydraulic wet brakes (equalizing and self-adjusting)
- Park brake

**FRONT AXLE:**

- Class 1.5 w/Auto 4WD management
- Electrohydraulic FWD and differential lock engagement

**-REAR AXLE:**

- Heavy-duty flange
- Dog clutch differential lock
- Auto differential lock management

**T5 ELECTRO COMMAND - DELUXE FASTPICK  
US PRICE LIST****Standard Equipment**

-Electrohydraulic rear differential lock

**HYDRAULIC SYSTEM:**

- Fixed displacement pumps
- Tandem gear pumps
- Maximum flow at rated engine speed:
  - Implement pump: 21.1 gpm (80 l/m)
  - Steering pump: 11.4 gpm (43 l/m)
- (3) closed center rear remote valves configurable detent w/ quick release couplers
- 2 function mid mount valve with electronic arm-rest mounted joystick
- Complete loader ready

**PTO:**

- Fully independent
- Flip-up PTO shaft guard
- 540/1000 rpm interchangeable shaft
- Electrohydraulic engagement
- Multi-plate clutch
- Fender-mounted EDC / PTO switches

**3-POINT LIFT SYSTEM:**

- Right hand console-mounted mouse
- Electronic Draft Control (EDC)
- Fast raise/lower control
- 8,084 lb. lift cap (OECD, 90% psi at 24" rear of lower link balls)
- Category II flexible lower link ends
- Telescopic stabilizers

**INSTRUMENTATION:**

- Analog/digital instrument panel with:
  - Integrated warning lights
  - Analog fuel, temp., and temp. gauges
  - Digital hour meter, direction display, ground speed, and PTO speed

**ELECTRICAL:**

- (1) 12-volt, 800 CCA battery
- 120-amp alternator
- 7-pin outlet for implement lighting
- 3-pin connector (TYCO CPC)
- Single pin (8-amp) power outlet
- Detusch diagnostic port

**LIGHTING:**

- (2) Halogen front hood headlights
- (2) Front and (2) rear cab work lights
- Turn signals, flashers, and brake lights

**OPERATOR'S STATION:**

- Flat deck platform and integral ROPS
- Heater and air conditioner
- "A" pillar exhaust
- (2) tinted doors with locks
- Partially opening tinted side windows
- Hinged tinted rear window
- Rear cab access plug for imp. wires
- Front and rear wipers and washers
- Tilt and telescoping steering wheel
- Telescopic external mirrors
- Monitor mounting bracket
- Radio and speakers
- Premium air suspension seat with operator's presence and seat belt
- Instructor's seat with seat belt
- HiVis panel (overhead window-opens)

**MISCELLANEOUS:**

- One-piece hood with gas strut
- Swinging drawbar
- SMV emblem
- Toolbox
- 6 rear wheel weights

**WARRANTY:**

New Holland standard warranty applies

**T5 ELECTRO COMMAND - DELUXE FASTPICK  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELECTROCOMMAND ST	16,400 LB		\$135,930.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,859.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$5,073.00			
T5.120 ELECTROCOMMAND ST	19,401 LB		\$138,641.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,859.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$5,073.00			

**T5 ELECTRO COMMAND - DELUXE FASTPICK  
US PRICE LIST**
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGES

		X0473XX	NAR NH PCK B Deluxe <b>Deluxe Fastpick Package Includes:</b> <b>762278 3 Mechanical Rear Remotes</b> <b>762295 2 External Telescopic Wide Angle Mirrors</b> <b>762260 6 Rear Wheel Weights</b> <b>744982 Engine Block and Transmission Heaters</b> <b>762254 40 KPH W/Autofunction</b> <b>762257 HD E/H Diff Lock</b> <b>758497 Monitor Mounting Bracket</b> <b>758980 Complete Loader Ready</b> <b>758821 2 MMV CC w/EH Joystick</b> <b>758312 Premium Air Seat</b>			(\$6,353.00)
--	--	---------	---	--	--	--------------

**PTO**

## REAR PTO

## SD\_T8010 PTO

		759679	540/540E/1000 rpm			\$1,056.00
--	--	--------	-------------------	--	--	------------

**ELECTRICAL/CONNECTORS**

## BATTERY

## SD\_T7420 BATTERY

		762265	140AH Battery (EU) <b>Battery Isolator</b>			\$513.00
--	--	--------	---	--	--	----------

**LIGHTS**

## ROTARY BEACON

## SD\_T9146 ROTARY BEACON

		762758	ROTARY BEACON LED <b>Rotary beacon LED</b>			\$148.00
		762230	2 ROTARY BEACON LED <b>Left and right side safety beacons</b>			No Charge

**T5 ELECTRO COMMAND - DELUXE FASTPICK  
US PRICE LIST**

**MANUALS**

OPERATORS

SD\_T9840 COUNTRY CONFIGURATION

		759783	Canada French Config <b>French Operator Manual</b>			No Charge
		762730	USA Spanish Config_ <b>Spanish Operator Manual</b>			No Charge

**MISCELLANEOUS**

FENDERS FRONT

SD\_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm <b>18.9 inch (480 mm) dynamic front fenders</b>			\$984.00
--	--	--------	--	--	--	----------

**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST**

## Standard Equipment

KEY SELLING POINTS (some features are optional equipment):

- 16 x 16 Electro Command semi-powershift transmission now with optional Auto Shift feature
- Comfort Ride™ cab suspension for a smoother ride - Optional
- Auto PTO manages PTO engagement in relation to the rear hitch position
- Engine Speed Management (constant engine RPM) - 2 settings
- Terralock™ automatic traction system
- Terraglide™ opt. front axle suspension
- Opt TerraGlide™ class 1.5 HD front axle
- CommandArc™ ergonomics
- Optional LED work lights
- 200 degree windshield wiper
- Standard high visibility panel (opening)
- (10) repositionable AC/heater vents
- Full-size instructor seat
- Electrohydraulic armrest-mntd joystick
- Hydraulic shuttle lever -finger control
- 8,084 lb. 3-point lift capacity
- Tier 4B/final emissions compliant

ECOBlue Compact HI-eSCR2:

Integrated Diesel Oxidation Catalyst (DOC), maintenance free Diesel Particulate Filter (DPF), and Selective Catalyst Reduction (SCR) into single compact layout

MODELS:

T5.110

107 gross engine HP

93 PTO HP @ 2300 rpm

4-cyl. turbocharged and intercooled

207 cu. in. (3.4 L) displacement

4 valves per cylinder

T5.120

117 gross engine HP

100 PTO HP @ 2300 rpm

4-cyl. turbocharged and intercooled

207 cu. in. (3.4 L) displacement

4 Valves per cylinder

KEY COMMON FEATURES & OPTIONS:

- 16X16 Electro Command transmission with optional Auto Shift feature
- Optional Suspended cab w/HiVis panel
- Heavy-duty class 1.5 front axle with optional hydraulic differential lock
- Opt. premium air suspension seat with armrests, backrest, and heated cushion
- Full-size, deluxe radio with Bluetooth™
- Telescopic rearview mirror option
- (3) closed center rear remotes option
- Electrohydraulic mid-mount valve and armrest-mounted elec. joystick option
- Auto PTO option
- Engine block heater option

ENGINE:

- Tier 4B/Stage V emissions: Compact HI-eSCR2
- Electronic injection Bosch high-pressure common rail system
- Engine Speed Management
- Electric engine shutoff
- Grid heater starting Aid
- Dual element air filter
- Vertical exhaust
- 43.6 gallon (165 L) fuel tank with guard
- 3.2 gallon (12 L) DEF (diesel exhaust fluid) tank

TRANSMISSION:

- 16 x 16 semi-powershift
- 8 push button powershift speeds
- Control buttons on gear shift lever and on CommandArc™
- Electrohydraulic shuttle
- 25-mph (40-kph) road speed
- 16th gear (32nd w/creeper) is an economy gear that operates the engine at a lower RPM to save fuel
- Multi-disk cerametallic clutch



**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST**

## Standard Equipment

**STEERING/BRAKES:**

- Hydrostatic power steering
- Hydraulic wet brakes (equalizing and self-adjusting)
- Park brake

**FRONT AXLE:**

- Class 1.5 w/Auto 4WD management
- Limited slip differential
- Opt. electrohydraulic FWD engagement
- Opt. suspended front axle

**-REAR AXLE:**

- Heavy-duty flange
- Dog clutch differential lock
- Auto differential lock management
- Electrohydraulic rear differential lock

**HYDRAULIC SYSTEM:**

- Fixed displacement pumps
- Tandem gear pumps
- Maximum flow at rated engine speed:
  - Implement pump: 21.1 gpm (80 l/m)
  - Steering pump: 11.4 gpm (43 l/m)
- (2) closed center rear remote valves configurable detent w/ quick release couplers

**PTO:**

- Fully independent
- Flip-up PTO shaft guard
- 540/1000 rpm interchangeable shaft
- Electrohydraulic engagement
- Multi-plate clutch
- Fender-mounted EDC / PTO switches

**3-POINT LIFT SYSTEM:**

- Right hand console-mounted mouse
- Electronic Draft Control (EDC)
- Fast raise/lower control
- 8,084 lb. lift cap (OECD, 90% psi at 24" rear of lower link balls)
- Category II flexible lower link ends
- Telescopic stabilizers

**INSTRUMENTATION:**

- Analog/digital instrument panel with:
  - Integrated warning lights
  - Analog fuel, temp., and temp. gauges
  - Digital hour meter, direction display, ground speed, and PTO speed

**ELECTRICAL:**

- (1) 12-volt, 800 CCA battery
- 120-amp alternator
- 7-pin outlet for implement lighting
- 3-pin connector (TYCO CPC)
- Single pin (8-amp) power outlet
- Detusch diagnostic port

**LIGHTING:**

- (2) Halogen front hood headlights
- (2) Front and (2) rear cab work lights
- Turn signals, flashers, and brake lights

**OPERATOR'S STATION:**

- Flat deck platform and integral ROPS
- Heater and air conditioner
- "A" pillar exhaust
- (2) tinted doors with locks
- Partially opening tinted side windows
- Hinged tinted rear window
- Rear cab access plug for imp. wires
- Front and rear wipers and washers
- Tilt and telescoping steering wheel
- Fixed external mirrors
- Radio and speakers
- Deluxe air suspension seat with operator's presence and seat belt
- Instructor's seat with seat belt
- HiVis panel (overhead window-opens)

**MISCELLANEOUS:**

- One-piece hood with gas strut
- Swinging drawbar
- SMV emblem
- Toolbox

**WARRANTY:**

**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST****Standard Equipment**

New Holland standard warranty applies

**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.110 ELECTROCOMMAND ST	16,400 LB		\$135,930.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,859.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$5,073.00			
T5.120 ELECTROCOMMAND ST	19,401 LB		\$138,641.00
Includes the following Equipment			
14.9R24 A8 HD Rim (8242301) \$2,859.00			
460/85(18.4)R34 A8 FI,MI,C (8365401) \$5,073.00			

**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST**
**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**OPERATOR PLATFORM**

## SD\_T9200 OPERATOR STRUCTURE #1

		762292	Susp Hi Vis With A/C <b>Cab Suspension</b>			\$1,907.00
--	--	--------	---	--	--	------------

**POWER TRAIN**

## TRANSMISSION

## SD\_T2810 TRANSMISSION

		762250	16X16 Sps 40Kph Eco <b>16X16 SPS 40KPH ECO</b>			No Charge
		762254	40Kph With Autofunction <b>Auto Shift</b>			\$963.00
		762251	16x16 40KPH w/Creeper <b>With Creeper</b>			\$1,047.00
		762255	40Kph With Auto+Creep <b>Auto Shift + Creeper</b>			\$2,009.00

## AXLES

## SD\_T4010 FRONT AXLE

		762257	HD E/H Diff Lock <b>H E/H diff lock</b>			\$512.00
		762258	Advanced 4Wd Susp Less Brakes <b>Advanced 4WD suspended front axle less brakes</b>			\$5,528.00

**TIRES**

## BRAND CHOICE

## SD\_T4900 TIRE CATEGORY CHOICE

		330418	Trelleborg <b>Trelleborg</b>			\$588.00
		330438	No Tire Brand Preference <b>No tire brand preference</b>			No Charge
		330439	Mitas <b>Continental</b>			\$588.00

**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST**

		330442	Michelin <b>Michelin</b>			\$1,466.00
		330447	Alliance <b>Alliance</b>			\$588.00

**FRONT**

## SD\_T4940 FRONT WHEELS AND TIRES

Ag Front Tires						
		8201801	9.5R28 <b>R1W, Adjustable Rim, Match w/ 8369501 rear tire/wheel</b>			\$2,416.00
		8235401	12.4R24 A8 <b>R1W, Adjustable Rim, Match w/ 8357401 rear tire/wheel</b>			\$1,961.00
		8242301	14.9R24 A8 HD Rim <b>R1W, adjustable rim Match with 8365401 rear tire/wheel</b>			\$2,859.00
		8224604	480/60R28 <b>480/60R28</b>			\$5,373.00
		8247401	11.2R28 A8 <b>11.2R28 A8</b>			\$2,030.00
		8299801	Shipping Wheels Front Tire <b>Must be ordered with non-returnable rear shipping wheels</b>			\$128.00
		8838501	13.6-R28 6PR <b>4 WD 13.6-R28 6PR</b>			\$3,879.00
		8880401	360/80R24 GRSLND, Adj. Rim <b>360/80R24 GRSLND</b>			\$2,672.00

**REAR**

## SD\_T4950 REAR WHEELS AND TIRES

Ag Rear Tires						
		8357401	18.4R30 R1W <b>Matching front tire/whl is 8235401, 12.4R24 (320/85R24) R1W, adjustable rim Not compatible with narrow rear fenders option code: 331870</b>			\$4,755.00
		8365401	460/85(18.4)R34 A8 FI,MI,CO,TR <b>Matching front tire/whl is 8242301, 14.9R24 (380/85R24) R1W, adjustable rim Not compatible with narrow rear fenders option code: 331870</b>			\$5,073.00

**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST**
**Specialty Rear Tires**

		8369501	12.4R38 ) W11 x 38 <b>Matching front tire/wheel is 9.5R28</b> <b>Not compatible with front fender options</b> <b>758329 and 758330</b> <b>Row Crop with adjustable rim</b> <b>Required when selecting narrow rear fender</b> <b>option 331870</b>			\$2,799.00
--	--	---------	---	--	--	------------

**HYDRAULICS**
**REAR REMOTES**
**SD\_T8270 REAR REMOTES**

		762277	2 Mrv (2 Config) <b>2 closed center mechanical hydraulic remote</b> <b>valves both with configurable detent</b>			No Charge
		762278	3 Mrv (1Nc + 2C) <b>3 mechanical rear hydraulic remote valves,</b> <b>2 with configurable detents and 1 with</b> <b>non-configurable detent</b>			\$1,980.00

**MID-MOUNT**
**SD\_T8280 MID-MOUNT VALVES**

		758820	2 Slice Mech CC MMV <b>2 function mid mount valve with mechanical joystick</b>			\$1,907.00
		758821	2 MMV CC w/EH Joystick <b>2 function mid mount valve with armrest mounted electronic</b> <b>joystick</b>			\$2,638.00

**LOADER**
**LOADER BRACKETS**
**SD\_T8110 LOADER BRACKETS**

		763611	NAR Complete Loader <b>Complete loader ready</b> <b>Includes:</b> <b>- Complete TPS mounting brackets</b> <b>- Hose kit from mid mount valve to vertical brackets</b> <b>- Multi-coupler base</b>			\$6,069.00
--	--	--------	--	--	--	------------

**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST**
**ENGINE**
**AIR INTAKE**

## SD\_T1910 AIR CLEANER

		762248	Air Cleaner w/Dust Ej <b>Engine air cleaner with dust ejector</b>			\$161.00
--	--	--------	--	--	--	----------

## SD\_T1931 COLD WEATHER STARTI

		744982	Block Heater 120V <b>Block heater 120V plus transmission oil heater</b>			\$214.00
--	--	--------	--	--	--	----------

**PTO**
**REAR PTO**

## SD\_T8010 PTO

		759679	540/540E/1000 rpm			\$1,056.00
--	--	--------	-------------------	--	--	------------

**CAB OR ROPS PLATFORM**
**MONITOR MOUNTING**

## SD\_T7612 BRACKET MONITOR

		758497	Bracket for Equipment Monitor <b>Bracket F/mounting equipment monitor</b>			\$184.00
--	--	--------	--	--	--	----------

**OTHER**

## SD\_T9360 RR MIRRORS

		762295	2 Rear Wide Mirrors <b>2 Telescopic Rear Wide Angle Mirrors With Mechanical Adjustment</b>			\$530.00
--	--	--------	---	--	--	----------

**ELECTRICAL/CONNECTORS**
**BATTERY**

## SD\_T7420 BATTERY

		762265	140AH Battery (EU) <b>Battery Isolator</b>			\$513.00
--	--	--------	---	--	--	----------

**T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST**
**LIGHTS**
**ROTARY BEACON**

## SD\_T9146 ROTARY BEACON

		762758	ROTARY BEACON LED <b>Rotary beacon LED</b>			\$148.00
		762230	2 ROTARY BEACON LED <b>Left and right side safety beacons</b>			No Charge

**WEIGHTS**
**FRONT**

## SD\_T2150 FRONT BALLAST

		759769	10 Front Weights <b>Qty. 10, 88 lb. (40 Kg) weights totaling 882 lb. (400 Kg) Requires a front axle support with weight carrier (335156 or 758385)</b>			\$1,540.00
--	--	--------	---	--	--	------------

## SD\_T8100 FRONT THREE POINT HITCH

		758385	L/FHPL L/FPTO-Multi Carriers <b>Less FHPL - Less PTO with multi carrier</b>			No Charge
		762273	L/FHPL-FPTO W/Std Carriers <b>Less FHPL - Less PTO with standard carrier</b>			\$476.00

**REAR**

## SD\_T4961 REAR BALLAST

		762260	6 Rear Weight (300kg) <b>6 Rear Wheel Weights 6, 110 lb. (50 kg.) rear disc weights totaling 661 lb. (300Kg)</b>			\$1,290.00
--	--	--------	---	--	--	------------

**MISCELLANEOUS**
**FENDERS FRONT**

## SD\_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm <b>18.9 inch (480 mm) dynamic front fenders</b>			\$984.00
--	--	--------	--	--	--	----------



T5 ELECTRO COMMAND - LESS FASTPICK  
US PRICE LIST

REVERSE ALARM

SD\_T9249 REVERSE ALARM

		744258	REVERSE SPEED ALARM 744258 Reverse speed alarm			\$326.00
--	--	--------	---	--	--	----------



**T5 DYNAMIC COMMAND  
US PRICE LIST**

## Standard Equipment

**KEY SELLING POINTS:**

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B / Stage V EPA emissions compliant with SCR only ECOBlue HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- 24x24 Dynamic Command 8-Step Semi-Powershift transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-

**Hydr 4WD, PTO, e-controlled remotes)**

- Closed Center Load Sensing "high efficiency" pumps, up to 115 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 19,300 lbs.

**MODELS**
**T5.130 Dynamic Command**

Rated PTO HP # 102

Rated Engine HP # 120

Maximum Engine HP # 130

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 45 Gallon (171L)

DEF Tank: 5 Gallon (19L)

**T5.140 Dynamic Command**

Rated PTO HP # 111

ENGINE Rated Engine HP # 130

Maximum Engine HP # 140

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 45 Gallon (171L)

DEF Tank: 5 Gallon (19L)

**ENGINE**

-----  
Tier 4B / Stage V Emissions Compliant

ECOBBlue HI-eSCR Tier4B system

Engine with Turbocharger and

Air-to-Air Intercooler

4 Valves Per Cylinder

Bosch Common Rail Fuel Injection

Pump (electronic)

Grid Heater Starting Aid

Dual Element Air Filter with Pre-Cleaner

(spin tube intakes)

A-Pillar Exhaust with Integral Muffler

Viscous Fan (5 blade)

Hand Throttle

**TRANSMISSION**

- 24x24 Dynamic Command Semi

Powershift Transmission

- Clutchless Range Change between

Ranges A/B, B/C.

- 25-MPH (40-KPH) (varies by tire size)

**CAB**

-----  
-High Roof w/ Opening Visibility

Panel and Sunshade

-Flat Deck Platform with

Integrated ROPS

-Standard Air Conditioner and

Heater with 4-Speed Pressurizer and

dual zone air conditioning

-Two doors with Locks

-Two-speed Intermittent Front

-Low mounted front Wiper/Washer

-Rear Intermittent Wiper/Washer

-Hinged Rear Window

-Tinted Glass with Sunshade

-Tilt and Telescoping Steering Wheel

-IntelliView IV Plus disp. mtd. on armrest

-Deluxe Air Suspension Seat with

Automatic Adjustment, Operator

Presence Switch and Lap Belt

-Instructor Seat

**T5 DYNAMIC COMMAND  
US PRICE LIST****Standard Equipment**

- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

**STEERING & BRAKES**

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-equalizing/self-adjusting)
- Parking brake (automotive style)

**FRONT AXLE**

- Front FWD (TerraLock#)
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock# Auto FWD/Diff-Lock
- Driveshaft shield

**REAR AXLE**

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

**ELECTRICAL**

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet

- Cigarette lighter
- (2) single-pin outlets for beacon on roof
- Battery boost terminals
- ISOBUS Class 2

**LIGHTS**

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (8) LED cab mounted work lights
- (4) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn Indicators with Audiable Warning

**PTO**

- Independent 540/540E/1000 RPM PTO with reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement with soft start/auto feathering
- Hydraulic piston PTO brake w/override

**HYDRAULIC SYSTEM**

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 28.5 gpm (108 l/m)
- (2) electro-hydraulic rear remote valves controlled in SideWinder II# console (fully programmable)
- Oil collection bottles
- Hydraulic tapping port (Power Beyond)
- Independent pump for CVT and operating circuits

**3-POINT LIFT SYSTEM**

- Electronic Draft Control (EDC)
- Lower link sensing
- Fast raise/lower control

**T5 DYNAMIC COMMAND  
US PRICE LIST****Standard Equipment**

Dynamic Ride Control  
Category II flex link ends  
Telescopic stabilizers  
10228 lb. Lift Capacity with Dual 80mm  
External Rams

**MISCELLANEOUS**  
-----

Flip-up engine hood

Swinging drawbar  
SMV emblem  
Toolbox

**WARRANTY**  
-----

New Holland standard warranty applies

**T5 DYNAMIC COMMAND  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 DCT	12,500 LB		\$161,812.00
T5.140 DCT	12,500 LB		\$166,398.00

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD T9980 PACKAGES

	X0474XX	<b>NAR NH PCK C Standard</b> <b>Standard Fast Pick Package Includes:</b> <b>759768: BASE COLOUR HI ROOF</b> <b>758479: Suspended_Cab</b> <b>758402: Grid_Heater + 110V Pack</b> <b>759137: 2X150KG + 2X250KG Wheel Weight</b> <b>759166: BASIC AUTO FEATURE</b> <b>759155: BASIC ARMRST MTD DOG</b> <b>759777: ROTARY BEACON 759777</b> <b>758357: 8 LED High Power Hi-Roof</b>  <b>Requires selection of the following:</b> <b>Loader Ready + 2 MMV + 2 function Joystick</b> <b>or</b> <b>Loader Ready + 3 MMV + 3 function Joystick</b>			(\$7,742.00)
--	---------	--	--	--	--------------

**T5 DYNAMIC COMMAND  
US PRICE LIST**

		X0472XX	NAR NH PCK A PREMIUM <b>Premium Fast Pick Package Includes:</b> <b>762040: LOW ROOF HIVIS PAN</b> <b>758479: Suspended_Cab</b> <b>758402: Grid_Heater + 110V Pack</b> <b>759666: 1.75 W/EH DIFF LOCK</b> <b>759137: 2X150KG + 2X250KG Wheel Weight</b> <b>758631: ADV TRANS AUTO FEAT</b> <b>764386: Intelliview IV Plus</b> <b>759777: ROTARY BEACON 759777</b> <b>758482: Air Conditioning W/ATC</b>  <b>Requires selection of the following:</b> <b>Loader Ready + 2 MMV + 2 function Joystick</b> <b>or</b> <b>Loader Ready + 3 MMV + 3 function Joystick</b>			(\$7,742.00)
--	--	---------	--	--	--	--------------

**OPERATOR STRUCTURE**

## SD T9200 OPERATOR STRUCTURE #1

		758479	Suspended_Cab <b>Two shocks mounted in rear of cab increase operator comfort</b> <b>Reduces shock loads transmitted to the tractor by up to 25%</b> <b>When coupled with a suspended axle, the ultimate in ride comfort is achieved. Includes tinted rear window</b>			\$2,311.00
--	--	--------	---	--	--	------------

**CAB**

## SD T8500 SEAT

		758670	Deluxe Air and Belt <b>Deluxe Air and Belt</b>			\$984.00
		758485	Deluxe Seat Air Susp Heated <b>Super Deluxe Seat with Low Frequency Suspension (+DDS) Belt and Swivel</b> <b>Headrest Heated Leather/Alacantara</b>			\$2,563.00

## SD T9010 REAR CAB STORAGE BO

		758570	Lefthand Rear Cab Storage Box <b>Lefthand Rear Cab Storage Box</b>			\$294.00
--	--	--------	---	--	--	----------

## SD T9230 CLIMATE CONTROL

		758482	Air Conditioning With ATC <b>Air Conditioning With ATC</b>			\$951.00
--	--	--------	---	--	--	----------

**T5 DYNAMIC COMMAND  
US PRICE LIST**

## SD\_T9291 REAR WINDOW SUNSHADE

		758580	Sunshade, Rear Window <b>Sunshade, Rear Window</b>			\$269.00
--	--	--------	---	--	--	----------

## STEERING COLUMN

## SD\_T6300 STEERING OR AUTOGUIDANCE READY

		764401	Autoguidance Ready RS1 <b>Autoguidance Ready prewired for guidance does not include GPS receiver</b>			\$6,969.00
--	--	--------	---	--	--	------------

## MIRRORS

## SD\_T9360 RR MIRRORS

		759154	2 Tele/Heat/Rem Adj Mirror <b>2 Tele/Heat/Rem Adj Mirror</b>			\$87.00
--	--	--------	---	--	--	---------

## WORK LIGHTING

## SD\_T9130 WORK LAMPS

		762051	12 LED With Lights High Power <b>12 LED With Lights High Power</b>			\$2,052.00
--	--	--------	---	--	--	------------

## BEACON LIGHTING

## SD\_T9146 ROTARY BEACON

		759777	ROTARY BEACON 759777 <b>Rotary Beacon</b>			\$545.00
		758491	Twin Beacon <b>Twin Beacon</b>			\$1,095.00

## PRECISION FARMING

## AUTOGUIDANCE

## SD\_T4820 HEADLAND SYSTEM

		758592	Adv. Headland Ctrl Config EHR <b>Advanced Headland Ctrl Config EHR</b>			\$1,272.00
--	--	--------	---	--	--	------------

## SD\_T7616 AUTOGUIDANCE NAV/CO

		759760	Less Autoguidance_ <b>Less Autoguidance Nav-Control</b>			No Charge
		764379	RS1 - Base <b>RS1 Base unlocked receiver, capable of accuracy level of 6 in. (15 cm) pass-to-pass</b>			\$7,325.00



**T5 DYNAMIC COMMAND  
US PRICE LIST**

		764380	RS1 - Medium <b>RS1 Medium unlocked receiver, capable of accuracy level of 1 in. (2.5 cm) pass-to-pass</b>			\$11,729.00
		764381	RS1 - High <b>RS1 High unlocked receiver, capable of running radio or cellular based RTK correction signals.</b>			\$15,841.00

## SD T7625 TELEMATICS

		764495	LIFETIME SUBS EASYLI <b>Basic telematics with CM1X modem and lifetime subscription. No file transfer Required either 764288 or 764290</b>			\$1,943.00
		764511	P&CM ADVANCED TELEM <b>Advanced telematics with PCM modem, file transfer, and lifetime subscription Requires either 762621 or 762622</b>			\$3,334.00

## SD T7632 PRECISION AND COMMUN

		762621	PCM4G USA <b>PCM4G USA Advanced Telematics</b>			No Charge
		762622	PCM4G CANADA <b>PCM4G CANADA Advanced Telematics</b>			No Charge
		764288	CM1X MODULE NA <b>Basic telematics modem using AT&amp;T cellular system. Operates in both USA and Canada. Required with 764495</b>			No Charge
		764290	CM1X MODULE US VERIZ <b>Basic telematics modem using the Verizon cellular system. Only operates in USA. Required with 764495</b>			No Charge

## PRECISION FARMING DISPLAY

## SD T9223 RH WINDOW BAR MOUNT

		758153	Monitor Mounting Bracket. <b>Monitor Mounting Bracket only. No Display</b>			\$197.00
		758154	RH Window Bar Display Ready. <b>RH Window Bar Display Ready with wiring harness and display mounting bracket, but no display.</b>			\$321.00
		759754	Fixings In Cab Frame <b>No mounting bracket or display on RH side window.</b>			No Charge
		764385	INTELLIVIEW IV PLUS <b>Touch screen display mounted on RH window bracket.</b>			\$8,265.00

## SD T9228 RH ARMREST MOUNT

		759155	Basic Armrest Mounted DOG <b>Basic armrest mounted display of gears</b>			No Charge
--	--	--------	--	--	--	-----------

**T5 DYNAMIC COMMAND  
US PRICE LIST**

		764386	Intelliview IV Plus On Armrest <b>Large touchscreen display mounted on RH armrest display bracket</b>			\$7,795.00
--	--	--------	--	--	--	------------

**ENGINE**

## SD T1000 ENGINE

		759651	Stage V Less Boost Less Brake <b>Stage V Less Boost Less Brake</b>			No Charge
		759652	Stage V Less Boost With Brake			\$448.00

## SD T1010 ENGINE OPTIONS

		759653	Standard Cooling Fan <b>Standard Cooling Fan</b>			No Charge
		759654	Reversible Cooling Fan			\$2,752.00

## SD T1040 CHARGING SYSTEMS

		764317	210AMP ALTERNATOR			No Charge
--	--	--------	-------------------	--	--	-----------

**TRANSMISSION**

## SD T2816 AUTO FEATURES

		759166	Basic Auto Features <b>Basic Auto Features include: Smart Range Shift, Memory Shuttle, Smooth Shift Pedal Kick Down, Auto Functions and Brake-To-Clutch</b>			No Charge
		758631	Advanced Trans Auto Features <b>Ground Speed Management: Allows operator to select a target ground speed. Includes Basic Auto Features</b>			\$2,177.00

**RADAR**

## SD T7580 RADAR

		758501	Radar NAR <b>Radar North America Region</b>			\$1,072.00
--	--	--------	--	--	--	------------

**T5 DYNAMIC COMMAND  
US PRICE LIST**
**HYDRAULICS**
**REAR REMOTE VALVES**

## SD T8270 REAR REMOTES

		759690	2 RR MV + 1 EH.RR.V. <b>2 Mechanical rear remotes plus 1 electro hydraulic remote. (mechanical valves controlled with levers on RH cab side panel)</b>			No Charge
		759691	2 RR MV + 2 EH.RR.V. <b>2 mechanical rear remotes plus 2 electro hydraulic rear remotes.</b>			\$1,187.00
		763463	3 Electro Hyd Rear Remote <b>3 Electro Hyd Rear Remote S controlled with 3 paddles on armrest</b>			\$5,777.00
		763464	4 Electro Hyd Rear Remote <b>4 Electro Hyd Rear Remote S controlled with 3 paddles on armrest</b>			\$6,933.00

**POWER BEYOND**

## SD T8275 POWER BEYOND COUPLE

		759693	Hyd Power Beyond_ <b>Power beyond ports on driveline (no valve or couplers)</b>			No Charge
--	--	--------	--	--	--	-----------

**REAR WHEELS AND TIRES**

## SD T4950 REAR WHEELS AND TIRES

		8399801	Shipping Wheels Rear Tire			(\$4,667.00)
		8372401	13.6R38 A8			\$3,165.00
		8916401	440/80R34 GRSLND, Adj. Rim <b>Industrial Tread Pattern Matches with 888041, 360/80R24 TRI 2 MAVT Front Tires</b>			\$4,405.00
		8357401	18.4R30 R1W <b>18.4R30 R1W</b>			\$4,708.00
		8324604	600/60R38			\$9,189.00

**FRONT AXLE**

## SD T4010 FRONT AXLE

		759669	Suspended Axle Less Brakes <b>Suspended Axle Less Brakes</b>			\$4,180.00
--	--	--------	---	--	--	------------

**T5 DYNAMIC COMMAND  
US PRICE LIST**

		759670	Class 1.75 Suspd Front Axle <b>Axle less brakes with Steering Sensors</b> Suspension: Cushions and dampens the movement of the front axle, Smoother ride for increased operator comfort and decreased fatigue, Improved traction, Suspenso can be locked solid by the operator using an in-cab switch, located on the RH console			\$4,968.00
--	--	--------	--	--	--	------------

**FRONT WHEELS AND TIRES**

## SD\_T4940 FRONT WHEELS AND TIRES

		8299801	Shipping Wheels Front Tire			(\$1,667.00)
		8247401	11.2R28 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT</b>			\$2,009.00
		8880401	360/80R24 GRSLND, Adj. Rim <b>Industrial Tread Pattern</b>			\$2,646.00
		8224604	480/60R28 <b>Match with 8324604 rear tire/wheel</b> <b>R1W</b>			\$3,224.00
Ag Front Tires						
		8235401	12.4R24 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match w/ 8357401 rear tire/wheel</b>			\$1,943.00

**FENDERS**

## FRONT FENDERS

## SD\_T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm			\$970.00
--	--	--------	-----------------------------	--	--	----------

**LOADER**

## SD\_T7780 JOYSTICK

		759694	Less Joystick With EDC Pod <b>Less Joystick With EDC Pod</b>			No Charge
		763174	EH Joystick <b>Electro hydraulic joystick with forward/reverse shuttle and proportional switch for third function</b>			
			if LOADER BRACKETS is Ldr Rdy 3 EHMMV+ProJoy SL6			No Charge
			if LOADER BRACKETS is Ldr Rdy 2 EHMMV+ADVProJoy SL4U			No Charge

**T5 DYNAMIC COMMAND  
US PRICE LIST**

## SD T7790 MID-MOUNT VALVES

		743689	2 Electronic MMV <b>2 Electronic MMV</b>			
			if LOADER BRACKETS is Ldr Rdy 3 EHMMV+ProJoy SL6			No Charge
			if LOADER BRACKETS is Ldr Rdy 2 EHMMV+ADVProJoy SL4U			No Charge
		743690	3 Electronic MMV <b>3 Electronic MMV</b>			
			if LOADER BRACKETS is Ldr Rdy 2 EHMMV+ADVProJoy SL4U			No Charge
			if LOADER BRACKETS is Ldr Rdy 3 EHMMV+ProJoy SL6			No Charge
		759695	Less Mid-Mount Valves_ <b>Less Mid-Mount Valves</b>			No Charge

## SD T8110 LOADER BRACKETS

		763591	Ldr Rdy 2 EHMMV+ADVProJoy SL4U <b>Complete Loader Ready # 2 Function</b> <b>TPS Mount Bracket Set (with Grill Guard),</b> <b>2 Function MMV and proportional joystick,</b> <b>Single-Lever Hyd. Coupler System SL4U,</b> <b>(Includes valve, joystick, harness, &amp; hose kit)</b>			\$9,550.00
		763592	Ldr Rdy 3 EHMMV+ProJoy SL6 <b>Complete Loader Ready # 3 Function</b> <b>TPS Mount Bracket Set (with Grill Guard),</b> <b>3 Function MMV and proportional joystick,</b> <b>Single-Lever Hyd. Coupler System SL6U,</b> <b>(Includes valve, joystick, harness, &amp; hose kit)</b>			\$10,800.00

**OTHER EQUIPMENT**

## SD T2150 FRONT BALLAST

		759769	10 Front Weights <b>Qty. 10, 88 lb. (40 Kg) weights</b> <b>totaling 882 lb. (400 Kg)</b>			\$1,519.00
--	--	--------	--	--	--	------------

## REAR BALLAST

## SD T4960 WHEEL WEIGHTS

		759137	2X150KG + 2X250KG Wheel Weight <b>2 X 330lbs plus 2 X 550lbs wheel weights</b>			\$2,049.00
--	--	--------	---	--	--	------------

## ADDITIONAL EQUIPMENT

## SD T4900 TIRE CATEGORY CHOICE

		330418	Trelleborg <b>Trelleborg</b>			\$734.00
--	--	--------	---------------------------------	--	--	----------

**T5 DYNAMIC COMMAND  
US PRICE LIST**

		330447	Alliance <b>Alliance</b>			\$734.00
		330439	Mitas <b>Mitas</b>			\$734.00
		330446	Firestone <b>Firestone</b>			\$734.00
		330442	Michelin <b>Michelin</b>			\$734.00
		330444	Nokian <b>Nokian</b>			\$734.00

## SD T7642 ISO BUS

		758710	ISO CL3+9PIN+Speed <b>ISOBus Class 3 Basic, In cab 9 pin plug, and Speed Control</b>			\$496.00
--	--	--------	---	--	--	----------

**OPERATOR'S MANUALS**

## SD T9802 OPERATORS MANUAL

		758534	English USA <b>English USA</b>			No Charge
		758535	Spanish NAR <b>Spanish NAR</b>			No Charge
		759101	French NAR <b>French NAR</b>			No Charge
		759854	Less Additional Operators Manu <b>Less Additional Operators Manu</b>			No Charge

**T5 AUTO COMMAND  
US PRICE LIST**

## Standard Equipment

**KEY SELLING POINTS:**

- Fuel efficient high torque 4.5L, 4-cylinder
- FPT engines with 4 valves per cylinder and common rail fuel injection systems
- Tier 4B / Stage V EPA emissions compliant with SCR only ECOBlue HI-eSCR Tier4B emissions system
- Underhood compact aftertreatment
- Auto Command CVT high efficiency Transmission
- Best in class cab in terms of space and comfort (same cab as the T6 and T7 Series)
- Standard LED work lighting
- High level of Automating features (E-Hydr 4WD, PTO, e-controlled remotes)
- Closed Center Load Sensing "high efficiency" pumps, up to 115 l/m
- Easy attach remote outlets
- New bold styling (hood, cab roof, lighting)
- Long Stable 98" wheel base for all Models
- Gross Vehicle Weight up to 19,300 lbs.

**MODELS**

-----  
T5.130 Auto Command  
Rated PTO HP # 102  
Rated Engine HP # 120  
Maximum Engine HP # 130  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 45 Gallon (171L)  
DEF Tank: 5 Gallon (19L)

T5.140 Auto Command  
Rated PTO HP # 111  
ENGINE Rated Engine HP # 130  
Maximum Engine HP # 140  
Rated Speed - 2200 RPM  
274 cu. in. (4.5L) - 4 Cylinder  
Fuel Tank: 45 Gallon (171L)

DEF Tank: 5 Gallon (19L)

**ENGINE**

-----  
Tier 4B / Stage V Emissions Compliant  
ECOBBlue HI-eSCR Tier4B system  
Engine with Turbocharger and  
Air-to-Air Intercooler  
4 Valves Per Cylinder  
Bosch Common Rail Fuel Injection  
Pump (electronic)  
Grid Heater Starting Aid  
Dual Element Air Filter with Pre-Cleaner  
(spin tube intakes)  
A-Pillar Exhaust with Integral Muffler  
Viscous Fan (5 blade)  
Hand Throttle

**TRANSMISSION**

-----  
Auto Command CVT with  
column-mounted power shuttle  
Command Grip multi-function controller  
Infinite speed from 0 to 25 MPH  
3 target speed selections  
Infinite target speed thumb wheel  
Right foot "go pedal"  
25-MPH (40-KPH) (varies by tire size)

**CAB**

-----  
- Low Roof w/ Opening Visibility  
Panel and Sunshade  
- Flat Deck Platform with  
Integrated ROPS  
- Standard Air Conditioner and  
Heater with 4-Speed Pressurizer and  
dual zone air conditioning  
- Two doors with Locks  
- Two-speed Intermittent Front  
- Low Mounted Front Wiper/Washer  
- Rear Intermittent Wiper/Washer  
- Hinged Rear Window  
- Tinted Glass with Sunshade  
- Tilt and Telescoping Steering Wheel

**T5 AUTO COMMAND  
US PRICE LIST**

## Standard Equipment

- IntelliView IV Plus  
disp. mtd. on arm rest
- Deluxe Air Suspension Seat with  
Automatic Adjustment, Operator  
Presence Switch and Lap Belt
- Instructor Seat
- Deluxe radio
- Digital clock
- Integral ROPS
- Interior dome light
- (2) External courtesy lights
- (2) External telescopic remote
- Adjustable mirrors
- Horn
- Std steering wheel & floor mat
- ISOBUS II connector

### STEERING & BRAKES

- Hydrostatic power steering
- Hydraulic wet disc brakes (self-  
equalizing/self-adjusting)
- Parking brake (automotive style)

### FRONT AXLE

- Front FWD (TerraLock#)
- Class 1.75 heavy-duty FWD axle
- 55-degree turning angle
- Dual steering cylinders
- 11-degree axle oscillation
- Electrohydraulic FWD engagement
- TerraLock# Auto FWD/Diff-Lock
- Driveshaft shield

### REAR AXLE

- Heavy-duty flange axle
- Wet plate differential lock
- Electrohydraulic-engaged dif. lock

### ELECTRICAL

- (1) 12-volt 1300 CCA battery
- 120-amp alternator
- Geared starter motor (4.2 kW)
- 7-pin outlet for implement lighting
- 3-pin 40-amp implement socket
- ISO/JD (30 amp) socket
- 15 amp screw-type +/- terminals
- Single pin (8 amp) accessory outlet
- Cigarette lighter
- (2) single-pin outlets for beacon on  
roof
- Battery boost terminals
- ISOBUS Class 2

### LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
- (8) LED high front & rear
- (4) LED mid-mount front & rear
- (2) taillights
- Front & Rear Flashing Cab Safety Lights
- Time Delayed, Self-Cancelling Turn  
Indicators with Audiable Warning

### PTO

- Independent 540/540E/1000 RPM  
PTO with  
reversible shaft and flip-up shield
- Multi-plate wet clutch design
- Electrohydraulic-engagement  
with soft start/auto feathering
- Hydraulic piston PTO brake w/override

### HYDRAULIC SYSTEM

- Closed-center load-sensing pump
- Flow at 1,900 RPM: 30 gpm (115 l/m)
- (2) electro-hydraulic rear remote valves  
controlled in SideWinder II# console  
(fully programmable)



<b>T5 AUTO COMMAND</b> <b>US PRICE LIST</b>
--

## Standard Equipment

Oil collection bottles  
Hydraulic tapping port (Power Beyond)  
Independent pump for CVT and  
operating circuits

### 3-POINT LIFT SYSTEM

-----  
Electronic Draft Control (EDC)  
Lower link sensing  
Fast raise/lower control  
Dynamic Ride Control  
Category II flex link ends  
Telescopic stabilizers  
10228 lb. Lift Capacity with Dual 80mm

External Rams

### MISCELLANEOUS

-----  
Flip-up engine hood  
Swinging drawbar  
SMV emblem  
Toolbox

### WARRANTY

-----  
New Holland standard warranty applies

**T5 AUTO COMMAND  
US PRICE LIST**

## Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T5.130 AUTOCOMMAND	14,500 LB		\$202,613.00
T5.140 AUTOCOMMAND	14,500 LB		\$207,199.00

## Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD T9980 PACKAGES

		X0474XX	<b>NAR NH PCK C Standard</b> <b>Deluxe Fast Pick Package Includes:</b> <b>759154: 2 Tele/Heat/Rem Adj Mirror</b> <b>758485: Deluxe Seat Air Susp Heated</b> <b>758594: 12 LED High Power Hi-Roof</b> <b>758491: Twin Beacon</b> <b>758153: Moniot Mounting Bracket</b>			(\$9,471.00)
		X0472XX	<b>NAR NH PCK A PREMIUM</b> <b>Premium Fast Pick Package Includes:</b> <b>743680: Fender EDC/PTO/Rem Valv Control</b> <b>758671: Deluxe Air and Heated Cushion</b> <b>758596: 16 LED High Power Hi-Roof</b> <b>759675: WET DIFF &amp; 4WD CLTCH</b>			(\$9,471.00)

**OPERATOR STRUCTURE**

## SD T9200 OPERATOR STRUCTURE #1

		758479	<b>Suspended_Cab</b> <b>Two shocks mounted in rear of cab increase operator comfort</b> <b>Reduces shock loads transmitted to the tractor by up to 25%</b> <b>When coupled with a suspended axle, the ultimate in ride comfort is achieved. Includes tinted rear window</b>			No Charge
--	--	--------	--	--	--	-----------

**T5 AUTO COMMAND  
US PRICE LIST**
**CAB**
**SD T8500 SEAT**

		758671	Deluxe Air Low Frequent Susp <b>Deluxe air suspension seat with seat belt and movable headres</b>			\$558.00
		758485	Deluxe Seat Air Susp Heated <b>Deluxe Seat Air Susp Heated</b>			\$2,563.00

**SD T9230 CLIMATE CONTROL**

		758482	Air Conditioning With ATC <b>Air Conditioning With Automatic Temperature Control</b>			No Charge
		759728	Air Conditioning. <b>Manual control Air conditioning</b>			(\$951.00)

**SD T9553 LUXURY PACK**

		758483	Leather Steering Wheel +Carpet <b>Leather Steering Wheel +Carpet</b>			\$668.00
--	--	--------	---	--	--	----------

**STEERING COLUMN**
**SD T6300 STEERING OR AUTOGUIDANCE READY**

		764401	Autoguidance Ready RS1 <b>Autoguidance Ready prewired for guidance does not include receiver</b>			\$6,969.00
--	--	--------	---	--	--	------------

**MIRRORS**
**SD T9360 RR MIRRORS**

		759154	2 Tele/Heat/Rem Adj Mirror <b>2 Telescopic, Heated, Remote adjustable mirrors</b>			\$87.00
--	--	--------	--	--	--	---------

**WORK LIGHTING**
**SD T9130 WORK LAMPS**

		758594	12 LED High Power Hi-Roof <b>High Power LED lights each produce 1950 Lumens</b> <b>4 front roof-mounted LED work lights</b> <b>4 rear roof-mounted LED work lights</b> <b>2 front grab rail-mounted LED work lights</b> <b>2 rear post-mounted LED work lights</b> <b>2 halogen road hood lights</b> <b>2 halogen work hood lights</b>			\$2,052.00
		758596	16 LED High Power Hi-Roof <b>16 LED High Power Hi-Roof</b>			\$4,102.00

**T5 AUTO COMMAND  
US PRICE LIST**
**BEACON LIGHTING**
**SD T9146 ROTARY BEACON**

		758491	Twin Beacon <b>Twin Beacon</b>			\$1,095.00
--	--	--------	-----------------------------------	--	--	------------

**PRECISION FARMING**
**AUTOGUIDANCE**
**SD T4820 HEADLAND SYSTEM**

		758592	Adv. Headland Ctrl Confg EHR <b>Allows End of Row functions to be precisely programmed. More user-friendly than basic End of Row controls Allows operator to choose within the display which remote is operated on the MultiFunction handle Requires display</b>			\$1,272.00
--	--	--------	---	--	--	------------

**SD T7616 AUTOGUIDANCE NAV/CO**

		764379	RS1 - Base <b>RS1 Base unlocked receiver, capable of accuracy level of 6 in. (15 cm) pass-to-pass</b>			\$7,325.00
		764380	RS1 - Medium <b>RS1 Medium unlocked receiver, capable of accuracy level of 1 in. (2.5 cm) pass-to-pass</b>			\$11,729.00
		764381	RS1 - High <b>RS1 High unlocked receiver, capable of running radio or cellular based RTK correction signals.</b>			\$15,841.00

**SD T7625 TELEMATICS**

		764495	LIFETIME SUBS EASYLI <b>Basic Telematics with CM1X modem and lifetime subscription. No file transfer Required either 764288 or 764290</b>			\$1,943.00
		764511	P&CM ADVANCED TELEM <b>Advanced telematics with PCM modem, file transfer, and lifetime subscription Requires either 762621 or 762622</b>			\$3,334.00
		759764	Less Telematics_ <b>Less Telematics</b>			No Charge

**T5 AUTO COMMAND  
US PRICE LIST**

## SD T7632 PRECISION AND COMMUN

		764288	CM1X MODULE NA <b>Basic telematics modem using AT&amp;T cellular system. Operates in both USA and Canada. Required with 764495</b>			No Charge
		764290	CM1X MODULE US VERIZ <b>Basic telematics modem using the Verizon cellular system. Only operates in USA. Required with 764495</b>			No Charge
		762621	PCM4G USA <b>PCM4G USA</b>			No Charge
		762622	PCM4G CANADA <b>PCM4G CANADA</b>			No Charge

**ENGINE**

## SD T1040 CHARGING SYSTEMS

		764317	210AMP ALTERNATOR			No Charge
--	--	--------	-------------------	--	--	-----------

## STARTING AID

## SD T1938 WEATHER PACK

		758402	Grid_Heater + 110V Pack <b>Grid heater and cold weather pack Includes engine block heater and transmission heater</b>			\$530.00
--	--	--------	--	--	--	----------

**TRANSMISSION**

## RADAR

## SD T7580 RADAR

		758501	Radar NAR <b>Radar NAR</b>			\$1,072.00
--	--	--------	-------------------------------	--	--	------------

**HYDRAULICS**

## REAR REMOTE VALVES

## SD T8270 REAR REMOTES

		763463	3 Electro Hyd Rear Remote <b>3 Electro Hyd Rear Remote</b>			\$8,005.00
		763464	4 Electro Hyd Rear Remote <b>4 Electro Hyd Rear Remote</b>			\$9,161.00
		759689	2 RR MRV D/A (NC) <b>2 mechanical rear remotes, no configurable detent</b>			No Charge
		759365	3 Mech Rear Remote Val (3NC) <b>3 Mech Rear Remote (valves, non configurable)</b>			\$1,174.00

**T5 AUTO COMMAND  
US PRICE LIST**

		743685	4 Mech Rear Remotes (2NC+2C) <b>4 mechanical rear remote valves, two with configurable detents</b>			\$2,622.00
		759690	2 RR MV + 1 EH.RR.V. <b>2 mechanical rear remotes and 1 electro hydraulic rear remote</b>			\$2,228.00
		759691	2 RR MV + 2 EH.RR.V. <b>2 mechanical rear remotes and 2 electro hydraulic rear remotes</b>			\$3,413.00

**POWER BEYOND**

## SD T8275 POWER BEYOND COUPLE

		759693	Hyd Power Beyond_ <b>Hydraulic power beyond ports on driveline, no couplers</b>			No Charge
--	--	--------	--	--	--	-----------

**REAR WHEELS AND TIRES**

## SD T4950 REAR WHEELS AND TIRES

Shipping Wheels						
		8399801	Shipping Wheels Rear Tire			(\$4,667.00)
MUNICIPALTY - ADJUSTABLE RIMS						
		8916401	440/80R34 GRSLND, Adj. Rim <b>Industrial Tread Pattern</b> <b>Matches with 888041, 360/80R24 TRI 2 MAVT</b> <b>Front Tires</b>			\$4,405.00
Ag Rear Tires						
		8372401	13.6R38 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Matches with 8247401 Fronts 11.2R28 (280/85R28) MAVT</b>			\$3,165.00
		8357401	18.4R30 R1W <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> <b>Match w/ 8235401 front tire/wheel</b>  <b>Not compatible with narrow rear fenders</b> <b>option code: 331870</b>			\$4,708.00
		8324604	600/60R38 <b>Matching front tire/whl is 8224604 480/60R28 with Fixed rim</b>  <b>R1W tread pattern</b>  <b>Not compatible with narrow rear fenders</b> <b>331870</b>			\$9,189.00

**T5 AUTO COMMAND  
US PRICE LIST**
**FRONT AXLE**

## SD T4010 FRONT AXLE

		759669	Suspended Axle Less Brakes <b>Suspended Axle Less Brakes</b>			\$4,968.00
		759670	Class 1.75 Suspd Front Axle <b>Axle less brakes with Steering Sensors</b> Suspension: Cushions and dampens the movement of the front axle, Smoother ride for increased operator comfort and decreased fatigue, Improved traction, Suspension can be locked solid by the operator using an in-cab switch, located on the RH console			\$4,968.00

**FRONT WHEELS AND TIRES**

## SD T4940 FRONT WHEELS AND TIRES

Shipping Wheels						
		8299801	Shipping Wheels Front Tire			(\$1,667.00)
Ag Front Tires						
		8235401	12.4R24 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> Match w/ 8357401 rear tire/wheel			\$1,943.00
		8247401	11.2R28 A8 <b>R1W RADIAL ISO 4WD ADJUSTABLE RIM</b> Matches with 8372401 Rear tires 13.6R38 (340/85R38) MAVT			\$2,009.00
		8224604	480/60R28 Match with 8324604 rear tire/wheel <b>R1W tread pattern</b>			\$3,224.00
MUNICIPALTY - ADJUSTABLE RIMS						
		8880401	360/80R24 GRSLND, Adj. Rim <b>Industrial Tread Pattern</b> Match with 8916401 rear tire/wheel Municipal tire with adjustable rim			\$2,646.00

**FENDERS**

## SD T8710 FENDERS PTO CONTROL

		743680	Fender EDC/PTO/Rem Valv Contrl <b>Fender buttons to control rear hitch, PTO, and a remote valve</b>			\$381.00
--	--	--------	--	--	--	----------

**T5 AUTO COMMAND  
US PRICE LIST**
**FRONT FENDERS**

## SD T8740 FRONT FENDERS

		758330	Dynamic Front Fenders 480mm			\$970.00
--	--	--------	-----------------------------	--	--	----------

**LOADER**

## SD T7780 JOYSTICK

		758069	Joystick With Rocker Switch <b>Proportional joystick with third function rocker switch and mounted in center position on armrest</b>			\$2,103.00
		759694	Less Joystick With EDC Pod <b>No joystick with rear hitch control pod in RH position and storage tray in center position</b>			No Charge
		763174	EH Joystick <b>Advanced joystick with third function rocker switch and forward / reverse shuttle buttons mounted in center position of armrest</b>			
			if LOADER BRACKETS is Ldr Rdy 3 EHMMV+ProJoy SL6			No Charge
			if LOADER BRACKETS is Ldr Rdy 2 EHMMV+ADVProJoy SL4U			No Charge

## SD T7790 MID-MOUNT VALVES

		759695	Less Mid-Mount Valves_ <b>Less Mid-Mount Valves</b>			No Charge
		743689	2 Electronic MMV <b>2 Electronic MMV</b>			
			if LOADER BRACKETS is Ldr Rdy 3 EHMMV+ProJoy SL6			No Charge
			if LOADER BRACKETS is Ldr Rdy 2 EHMMV+ADVProJoy SL4U			No Charge
		743690	3 Electronic MMV <b>3 Electronic MMV</b>			
			if LOADER BRACKETS is Ldr Rdy 3 EHMMV+ProJoy SL6			No Charge
			if LOADER BRACKETS is Ldr Rdy 2 EHMMV+ADVProJoy SL4U			No Charge

## SD T8110 LOADER BRACKETS

		763591	Ldr Rdy 2 EHMMV+ADVProJoy SL4U <b>Complete Loader Ready # 2 Function TPS Mount Bracket Set (with Grill Guard), 2 Function MMV and Prop Joystick, Single-Lever Hyd. Coupler System SL4U, (Includes valve, joystick, harness, &amp; hose kit)</b>			\$9,550.00
--	--	--------	--	--	--	------------



**T5 AUTO COMMAND  
US PRICE LIST**

		763592	Ldr Rdy 3 EHMMV+ProJoy SL6 <b>Complete Loader Ready # 3 Function</b> <b>TPS Mount Bracket Set (with Grill Guard),</b> <b>3 Function MMV and Prop Joystick,</b> <b>Single-Lever Hyd. Coupler System SL6U,</b> <b>(Includes valve, joystick, harness, &amp; hose kit)</b>			\$10,800.00
--	--	--------	--	--	--	-------------

**OTHER EQUIPMENT**
**FRONT BALLAST**

## SD T2150 FRONT BALLAST

		759769	10 Front Weights <b>Qty. 10, 88 lb. (40 Kg) weights</b> <b>totaling 882 lb. (400 Kg)</b>			\$1,519.00
--	--	--------	--	--	--	------------

**REAR BALLAST**

## SD T4960 WHEEL WEIGHTS

		759137	2X150KG + 2X250KG Wheel Weight <b>2 X 330lbs plus 2 X 550 lbs. rear wheel weights</b>			\$2,049.00
--	--	--------	--	--	--	------------

**ADDITIONAL EQUIPMENT**

## SD T4900 TIRE CATEGORY CHOICE

		330442	Michelin <b>Michelin</b>			\$734.00
		330444	Nokian <b>Nokian</b>			\$734.00
		330447	Alliance <b>Alliance</b>			\$734.00

**OPERATOR'S MANUAL**

## SD T9802 OPERATORS MANUAL

		758534	English USA <b>English USA</b>			No Charge
		758535	Spanish NAR <b>Spanish NAR</b>			No Charge
		759101	French NAR <b>French NAR</b>			No Charge

Service Parts Supplied Dealer Installed Accessories (DIA'S)		T5 Dual Command 12 x 12 HiLo				T5 Electro Command 16 x 16 Semi- Powershift		T5 Dynamic Command 8 x 3 Dual Cutch		T5 Auto Command CVT	
DIA Description	Part Number	T5.90	T5.100	T5.110	T5.120	T5.110	T5.120	T5.130	T5.140	T5.130	T5.140
<b>HYDRAULICS</b>											
Two-coupler deluxe third rear remote and oil collection bottle for tractors with two bosch remote valves	718193070					X	X				
Two electro-hydraulic mid-mount valves with electronic joystick	718196110					X	X				
Electronic mid mount valve kit (3 slice)	718229001							X	X	X	X
Additional remote from 2 to 3 (non configurable)	718715001							X	X	X	X
Additional remote from 3 to 4 (non configurable)	710020001							X	X	X	X
Joystick with proportional sim. control of 3rd function (NA loader)	719300074							X	X	X	X
Third rear remote valve with lever control	719195720	X	X	X	X						
Mid-Mounted Auxiliary Control Vaves w/Joystick	719124725	X	X	X	X						
<b>TRANSMISSION</b>											
Creep speed kit	718227030					X	X				
<b>WEIGHTS</b>											
6 Front Weights	710226430					X	X				
10 Front Weights	710227160					X	X				
4 Rear Wheel Weights	710471260					X	X				
6 Rear Wheel Weights	718471070					X	X				
10 Front Weight pack (400kg)	710227160							X	X	X	X
4 Rear Ballast (200 Kg)	710471260							X	X	X	X
6 Rear Ballast (300 Kg)	718471070							X	X	X	X
6 Front Weights 88 lbs each (528 lbs total)	710226250	X	X	X	X						
6 Rear Wheel Weights 70 lbs each (420 lbs total)	710465250	X	X	X	X						
8 Front Weights 88 lbs each (704 lbs total)	710249700	X	X	X	X						
4 Rear Wheel Weights 110 lbs each (440 lbs total)	719242250	X	X	X	X						
<b>Engine</b>											
120 V Engine Block Heater and Transmission Oil Heater	718082010					X	X				
Cold Weather Pack - Engine and Transmission Heater	710206001							X	X	X	X
Engine Fuel Cooler	731186720	X	X	X	X						
<b>ELECTRICAL</b>											
Rotary beacon	710762070					X	X				
4 LED worklights T	718077010					X	X				
Back Up Alarm	718825070					X	X				
1 Beacon RH Mounted	718971001							X	X	X	X
Reverse Alarm with Light	731289001							X	X	X	X
Back Up Alarm	718122950	X	X	X	X						
Rotary beacon	710762252	X	X	X	X						
<b>PLATFORM</b>											
Equipment monitor mounting bracket for Cab	718130080					X	X				
Dynamic front fenders 400mm 4WD	718487040					X	X				
Dynamic front fenders (width=480mm) 4WD	718826070					X	X				
Mounting bracket and harness for mounting fred (includes 'baler bar' mounting bracket and harness)	719343001							X	X	X	X
Dynamic front fenders 400mm 4WD	718487001							X	X	X	X
Dynamic front fenders (width=480mm) 4WD	718826001							X	X	X	X
Front Fender (310mm)	710167700	X	X	X	X						
Front Fender (400mm)	710168700	X	X	X	X						
Dynamic Front Fender	718057720	X	X	X	X						
Equipment monitor mounting bracket	710686024							X	X	X	X
Equipment monitor mounting bracket	718130080	X	X	X	X						
Equipment monitor mounting bracket	718130060					X	X				
<b>Precision</b>											
Pre-Dispositon for ISO BUS Virtual Terminal	718093010					X	X				
Pre-Dispositon for ISO BUS Virtual Terminal with GPS Antenna	718095010					X	X				
Pre-Dispositon for ISO BUS Virtual Terminal with GPS Antenna & Monitor	718096010					X	X				
Isobus Harness and Socket for vehicles with FRED screens	719344001							X	X	X	X
Processing & Connectivity Module (PCM) Low Roof/HiVis	731337001							X	X	X	X