



<p><b>WORKMASTER™ 55-75</b> <b>TABLE OF CONTENTS</b></p>
--------------------------------------------------------------

WORKMASTER 55.....	1
WORKMASTER 65.....	11
WORKMASTER 75.....	21
IMPLEMENT CHART.....	31
DIA KITS.....	32

**WORKMASTER 55  
US PRICE LIST****Standard Equipment****ENGINE:**

Workmaster 55  
54 Engine hp  
40 PTO hp @ 2300 rpm  
3 Cyl Turbocharged Engine  
179 cu in (2.9 L) Displacement

Tier 4 B/Final Emissions Compliant:  
(CEGR + DOC)

Electronic Injection Bosch  
High-pressure Common Rail System  
Electric Engine Shutoff  
Hand and Foot Throttle Controls  
Grid Heater Starting Aid  
Powercore Dry Air Cleaner  
Under Hood Muffler  
21.7 gal Fuel Tank

**EXHAUST:**

A Pillar Exhaust with Guard (Cab)  
Vertical Exhaust with Guard (ROPS)

**TRANSMISSION:**

LH Side Steering Column Mounted Mechanical Shuttle  
12 Forward and 12 Reverse Speeds  
(4) Synchronized Gears  
(3) Non-synchronized Ranges  
11 Inch Single Dry Disk Clutch  
25 mph (40 kph)  
Speed varies with tire selection  
Hand Operated Park Brake

**FRONT AXLE:****MFD:**

Limited Slip  
Electro-Hydraulic engagement standard  
Adjustable Tread Width from 51.5 in.  
to 79.4 in.

**REAR AXLE:**

Flange Type  
Adjustable Tread Width 60.1 in.  
to 76.0 in.

**TIRES:****MFD:**

11.2x24 R1 Front  
16.9X30 R1 Rear

**HYDRAULIC SYSTEM:**

Open Center System  
Dual Gear Pumps

Implement Pump: 12.6 gpm (47.7 L)  
Steering Pump: 7.6 gpm (28.7 L)  
Total Flow: 20.2 gpm (76.4 L)

(2) Open Center Remote Valves with  
Detent & Kickout on #2

**PTO:**

Fully Independent

Flip-up PTO Shaft Guard

MFD power shuttle:

-540 RPM hydraulic wet clutch  
-Electronic engagement

-Wet clutch

1-3/8 in. 6 splines

**HITCH:**

3-point Category 1/2 with fixed lower  
links and telescoping stabilizers  
3,500 lbs. Lift Capacity at 24 inches  
Swinging Drawbar  
Mechanical Draft Control  
Upper Link Draft Sensing

**STEERING/BRAKES:**

Hydrostatic Power Steering

Brakes- Hydraulic assist wet brakes

**INSTRUMENTATION:**

Analog Instrumentation with warning  
lights for turn signals, high beam,  
work lights, side lights, rear PTO,  
4WD, differential lock, low fuel,  
alternator, oil pressure, brake fluid,  
grid heater & hand brake  
Gauges for fuel level, engine  
temperature and tachometer  
Digital Readout for PTO speed,

**WORKMASTER 55  
US PRICE LIST****Standard Equipment**

ground speed, battery & hours

**ELECTRICAL:**

(1) 840 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
25 amp socket  
12V power socket (cigarette lighter)

**LIGHTING:****Front:**

(2) Halogen Headlights and  
(2) cab mounted worklights

**Rear:**

(2) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

**OPERATIVE PROTECTIVE STRUCTURE:****CAB MODELS**

ROPS protected, flat deck platform  
with heat and air conditioning, tinted  
windshield, retractable sun screen,  
front wiper and washer, two doors  
with locks, two external mirrors,  
openable side windows, hinged rear  
window (fully opens), High Visibility  
roof panel (openable)  
Steering Wheel - adjustable tilt  
Seat - Cloth covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belt, arm rests  
Suspended pedals  
Bluetooth Radio  
Instructor Seat

**MISCELLANEOUS:**

Pivoting Engine Hood  
SMV Emblem, and Toolbox

**WARRANTY:**

New Holland Standard Warranty Applies

Tier 4 B/Final Emissions Compliant:

L610 Front Loader, OPTIONAL  
STANDARD FEATURES:

Quick attach design (Skid  
Steer or Euro style)  
4-Bar bucket linkage  
Bucket level indicator  
Parking stands  
Grill guard

**SPECIFICATIONS:****550LU NON SELF-LEVELING**

Maximum Lift Height under level bucket: 120"  
Dump Clearance @ 45 deg: 99"  
Digging Depth: 7"  
Lift Capacity @ 800mm: 1,828 LBS  
Reach @ Max Lift Height @ 45 deg: 24.7"  
Reach @ Ground Level: 86.8"  
Bucket Rollback Angle: 42 degrees  
Bucket Dump Angle: 58 degrees

**555LU MECHANICAL SELF-LEVELING**

Maximum Lift Height under level bucket: 120"  
Dump Clearance @ 45 deg: 98.2"  
Digging Depth: 7"  
Lift Capacity @ 800mm: 3,153 LBS  
Reach @ Max Lift Height @ 45 deg: 41.5"  
Reach @ Ground Level: 80"  
Bucket Rollback Angle: 42 degrees  
Bucket Dump Angle: 61 degrees

**WORKMASTER 55  
US PRICE LIST**
**Models**

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
WORKMASTER 55 T4A	Cab	6,239 LB		\$69,496.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGES

	XT9980X	Less Packaging			No Charge
	Cab Package				
	X0591XX	Deluxe Cab Fast Pick			(\$3,440.00)
		<b>For Cab MFD Only</b>			
		<b>Package includes the following:</b>			
		<b>390215 Less Front Carrier and Weights</b>			
		<b>337280 12x12 transmission 25mph/40kph</b>			
		<b>759318 Power Shut with Servo</b>			
		<b>391111 Less Creeper Speeds</b>			
		<b>330470 4 x 110 lb Rear Wheel Weights</b>			
		<b>743565 540 PTO</b>			
		<b>344739 Loader, Non-Self Level (SSL)</b>			
		<b>344738 Loader, Self-Level (SSL)</b>			
		<b>763496 Loader,Non-Self Level (SSL)DIV</b>			
		<b>763495 Loader, Self-Level (SSL) DIV</b>			
		<b>332035 Mech 3 Pt Hitch Ground Control</b>			
		<b>336748 72' Bucket</b>			
		<b>390831 Hitch w/Mech Top Link Draft Co</b>			
		<b>335413 2 Hydraulic Remote Valves</b>			
		<b>336125 2Mid-Mount w/MecJoy L/CPL</b>			
		<b>342240 Fabric with Air Suspens</b>			
		<b>332865 Instructional Seat</b>			
		<b>390860 Less Front Fenders</b>			
		<b>334316 Flexible Ends</b>			
		<b>342174 Radio with Bluetooth</b>			
		<b>333606 Cab High-Vis Panel, Clear</b>			

**WORKMASTER 55  
US PRICE LIST**

		X0596XX	Cab EZ Pick Package <b>Ala-Cart MFD Cab EZ Pick</b> <b>Allows for choice of the following:</b> <b>Loader or Less Loader</b> <b>390831 Draft Control Top-Link Sensing</b> <b>Rear remotes</b> <b>Tires</b> <b>Rear weights</b>			(\$3,440.00)
--	--	---------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--------------

**OPERATOR PLATFORM**

## SD\_T8500 SEAT

		342240	Fabric Seat - Air Suspension <b>Precise adjustments for ultimate comfort in the air suspension seat with seat belt and armrest</b>			No Charge
		338379	Fabric Seat - Mech Suspension <b>Simple designed mechanical suspension seat with seat belt and armrest</b>			(\$681.00)

## SD\_T8520 INSTRUCTIONAL SEAT

		332865	Instructor Seat <b>Instructional seat with retractable seat belt</b>			No Charge
--	--	--------	-------------------------------------------------------------------------	--	--	-----------

## SD\_T9200 OPERATOR STRUCTURE #1

		344727	Cab High-Vis Panel (Opaque) <b>Dark black, openable high-visibility roof panel for viewing the loader during high lifting</b>			No Charge
		333606	Cab High-Vis Panel (Clear) <b>Clear, openable high-visibility roof panel for viewing the loader during high lifting</b>			\$496.00

**TRANSMISSION**

## SD\_T2810 TRANSMISSION

		759318	12x12 Clutchless Power Shuttle <b>25mph/40kph with servo assisted PTO actuation</b> <b>Wet Clutch</b>			No Charge
--	--	--------	-------------------------------------------------------------------------------------------------------------	--	--	-----------

## SD\_T3230 CREEPER or Interlock

		330112	20x20 Trans w/Creeper Speeds <b>Get additional speeds to handle a variety of unique operations that require low speeds like vegetables and transplanting</b>			\$1,063.00
--	--	--------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	------------

**WORKMASTER 55  
US PRICE LIST**

		391111	Less Creeper Speeds			No Charge
--	--	--------	---------------------	--	--	-----------

## SD\_T3240 REAR DIFF LOCK

		390267	Mechanical Diff-Lock for 2WD			No Charge
		759319	Mech Diff-Lock/Elec Hyd 4WD <b>Mechanically engaged rear differential-lock/electro-hydraulic, push button, 4WD engagement</b>			No Charge

**TIRES**

## FRONT

## SD\_T4940 FRONT WHEELS AND TIRES

		8299801	Shipping Wheels Front Tire <b>Non-returnable shipping wheels</b>			(\$1,044.00)
		8232304	11.2x24 R1 Front Tire <b>R1 agriculture bar tires, bias ply tread, 6-ply rating</b>			No Charge
		8203401	12.4R20 R1W Front Tire			\$468.00
		8290904	12.5/80-18 R4 Front Tire <b>R4 industrial tires, bias ply tread, 10-ply rating, Galaxy Beefy Baby brand</b>			\$917.00

## REAR

## SD\_T4950 REAR WHEELS AND TIRES

		8399801	Shipping Wheels Rear Tire <b>Non-returnable shipping wheels</b>			(\$2,017.00)
		8355304	16.9x30 6PR R1 Rear Tire <b>R1 agriculture bar tires, bias ply tread, 6-ply rating</b>			No Charge
		8391904	19.5L-24 R4 Rear Tire <b>R4 industrial tires, bias ply tread, 10-ply rating, Galaxy EZ-Rider brand. ult with mud breakers to efficiently eject mud and debris from the tire in order to maintain their strong pulling power.</b>			\$423.00
		8352401	16.9R28 R1W Rear Tire <b>4WD front tire - 12.4R20 (8269404) 2WD front tire - 9.5L15 4 Rib (8126601)</b>			\$735.00

**HYDRAULICS**

## REAR REMOTES

## SD\_T8270 REAR REMOTES

		335413	2 Remote Valves (Open Center) <b>2 rear remote valves Float, detent and kickout on 2nd remote</b>			No Charge
--	--	--------	----------------------------------------------------------------------------------------------------------	--	--	-----------

**WORKMASTER 55  
US PRICE LIST**

		335640	3 Remote Valves (Open Center) <b>3 rear remote valves</b> <b>Float, detent and kickout on 2nd and 3rd remotes</b>			\$1,063.00
--	--	--------	-------------------------------------------------------------------------------------------------------------------------	--	--	------------

**MID-MOUNT**

## SD\_T8280 MID-MOUNT VALVES

		336125	2F Mid-Mount Valve & Joystick <b>2 function mid mount valve and joystick</b>			\$1,644.00
		390124	Less Mid-Mount Valve/Joystick <b>Less mid-mount valve/joystick</b>			No Charge

**LOADER**
**LOADER**

## SD\_T8110 LOADER BRACKETS

		391489	Less Loader Bracket <b>Does not include Loader Mounting Brackets or Loader</b>			(\$10,149.00)
		763495	Loader, Self-Level (SSL) DIV <b>SSL Attachment, Grill Guard, 3rd Function, 72" Bucket</b>			\$2,306.00
		763496	Loader, Non-Self Level (SSL) DIV <b>SSL Attachment, Grill Guard, 3rd Function, 72" Bucket</b>			\$853.00
		344739	Loader, Non-Self Level (SSL) <b>SSL Attachment, Grill Guard, 2nd Function, 72" Bucket</b>			No Charge
		344743	Loader, Non-Self Level (EU) <b>EU Attachment, Grill Guard, 2nd Function, 72" Euro-Style QA Bucket</b>			No Charge
		344738	Loader, Self-Level (SSL) <b>SSL Attachment, Grill Guard, 2nd Function, 72" Bucket</b>			\$1,453.00
		344742	Loader, Self-Level (EU) <b>EU Attachment, Grill Guard, 2nd Function, 72" Euro-Style QA Bucket</b>			\$1,453.00

## SD\_T8140 BUCKET

		336748	72" Bucket <b>72" skid-steer QA bucket</b>			No Charge
		336749	72" Euro-Style QA Bucket <b>72" euro-style QA bucket</b>			No Charge
		XT8140X	Less Bucket_ <b>Less bucket</b>			No Charge

**WORKMASTER 55  
US PRICE LIST**
**ENGINE**
**MUFFLERS**

## SD\_T1510 ENGINE EXHAUST

		390466	A- Piller Exhaust <b>A- Piller Exhaust</b>			No Charge
--	--	--------	-----------------------------------------------	--	--	-----------

**OTHER**

## SD\_T1000 ENGINE

		X0361XX	3-Cylinder Engine <b>2.9L 3-cylinder FPT engine Tier 4 B/Final</b>			No Charge
--	--	---------	-----------------------------------------------------------------------	--	--	-----------

**PTO**
**REAR PTO**

## SD\_T8010 PTO

		743565	540 RPM PTO <b>540 RPM PTO</b>			No Charge
		743566	540/540E RPM PTO <b>Optional economy mode for fuel savings when you don't need full power</b>			\$709.00

**3-POINT HITCH**
**REAR 3 POINT HITCH**

## SD\_T8130 3 POINT HITCH CONTROL

		332035	3-pt External Control (Mech) <b>Fine-tune adjustments when hooking up implements by using the external, mechanical rear control to raise and lo wer the three-point hitch.</b>			\$332.00
		391035	Less 3-pt External Control <b>Standard in cab 3-point controls only</b>			No Charge

## SD\_T8200 HITCH

		332785	3-pt Auxiliary Lift Cylinder <b>Mechanical draft control with top link sensing is used to hold a steady depth. Set it where you want it and use position control to raise and lower implements. Additional 3-point hydraulic lift cylinder with 1 internal and 1 external lift cylinder. 4740 lbs / 2,150 kgs lift capacity at 24"</b>			\$603.00
--	--	--------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	----------



**WORKMASTER 55  
US PRICE LIST**

		390831	Draft Control Top-Link Sensing <b>Mechanical draft control with top link sensing is used to hold a steady depth. Set it where you want it and use position control to raise and lower implements. 4300 lbs / 1,950 kgs lift capacity at 24"</b>			No Charge
--	--	--------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	-----------

**HITCH**
**DRAWBAR**

## SD\_T8960 DRAWBAR AND 3 POINT HITCH

		334316	3-pt Lower Links (flexible) <b>3-Point linkage with CAT.2 flexible link ends, telescopic stabilizers and turn-buckle adjustment</b>			No Charge
		390259	3-pt Lower Links (fixed) <b>3-Point linkage with CAT1/2 fixed link ends, telescopic stabilizers and turn-buckle adjustment</b>			(\$341.00)

**WEIGHTS**
**FRONT**

## SD\_T2150 FRONT BALLAST

		330183	8 Front Weight 66 lbs/30KG <b>Front weight carrier (42 lbs/ 19 KG) + 8 front weights (66 lbs/ 30 KG) = 572 lbs /259 KG Not compatible with front loader</b>			\$1,390.00
		390215	Less Front Carrier and Weights <b>Less front carrier and weights</b>			No Charge

**REAR**

## SD\_T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights <b>Two weights per side (110 lbs each) = 440 lbs total</b>			\$809.00
		XT4961X	Less Rear Ballast <b>Less rear ballast</b>			No Charge

**CAB OPTION**

## SD\_T9130 WORK LAMPS

		335767	Rear Work Light - ROPS Only <b>Rear work light - ROPS only</b>			No Charge
		335769	2 Front/2 Rear Work Lights-Cab <b>2 Front facing / 2 rear facing cab roof mounted work lights</b>			No Charge

**WORKMASTER 55  
US PRICE LIST**

## SD\_T9140 ROAD LIGHTS

		390760	Head Beam Light <b>Head beam light</b>			No Charge
--	--	--------	-------------------------------------------	--	--	-----------

## RADIO

## SD\_T9160 RADIO

		342174	Radio With Bluetooth <b>Bluetooth Radio, Speakers, and Antenna</b>			No Charge
--	--	--------	-----------------------------------------------------------------------	--	--	-----------

**MISCELLANEOUS**

## FENDERS FRONT

## SD\_T8740 FRONT FENDERS

		390860	Less Front Fenders <b>Less front fenders</b>			No Charge
		744674	Dynamic Front Fenders <b>Front fenders - dynamic (not compatible with front loader)</b>			\$921.00

**OPERATOR'S MANUALS**

## SD\_T9802 OPERATORS MANUAL

		330986	Spanish Operators Manual <b>Spanish operators manual</b>			No Charge
		XT9802X	Less Add Operator Manual <b>Less additional operator manual</b>			No Charge

## SD\_T9803 FRENCH OPERATOR MANUAL

		330982	French Operators Manual <b>French operators manual</b>			No Charge
		XT9803X	Less French Operator Manual <b>Less french operator manual</b>			No Charge

## SD\_T9805 OPERATOR MANUAL (SE

		330980	English Operators Manual <b>English operators manual</b>			No Charge
--	--	--------	-------------------------------------------------------------	--	--	-----------



**WORKMASTER 65  
US PRICE LIST**

## Standard Equipment

**ENGINE:**

Workmaster 65  
64 Engine hp  
50 PTO hp @ 2300 rpm  
3 Cyl Turbocharged Engine  
179 cu in (2.9 L) Displacement

Tier 4 B/Final Emissions Compliant:  
(CEGR + DOC)

Electronic Injection Bosch  
High-pressure Common Rail System  
Electric Engine Shutoff  
Hand and Foot Throttle Controls  
Grid Heater Starting Aid  
Powercore Dry Air Cleaner  
Under Hood Muffler  
21.7 gal Fuel Tank

**EXHAUST:**

A Pillar Exhaust with Guard (Cab)  
Vertical Exhaust with Guard (ROPS)

**TRANSMISSION:**

LH Side Steering Column Mounted Mechanical Shuttle

12 Forward and 12 Reverse Speeds  
(4) Synchronized Gears  
(3) Non-synchronized Ranges  
11 Inch Single Dry Disk Clutch  
25 mph (40 kph)

Speed varies with tire selection  
Hand Operated Park Brake

**FRONT AXLE:**
**MFD:**

Limited Slip  
Electro-Hydraulic engagement standard  
Adjustable Tread Width from 51.5 in.  
to 79.4 in.

**REAR AXLE:**

Flange Type  
Adjustable Tread Width 60.1 in.  
to 76.0 in.

**TIRES:**
**MFD:**

11.2x24 R1 Front  
16.9X30 R1 Rear

**HYDRAULIC SYSTEM:**

Open Center System  
Dual Gear Pumps

Implement Pump: 12.6 gpm (47.7 L)

Steering Pump: 7.6 gpm (28.7 L)

Total Flow: 20.2 gpm (76.4 L)

(2) Open Center Remote Valves with  
Detent & Kickout on #2

**PTO:**

Fully Independent

Flip-up PTO Shaft Guard

MFD power shuttle:

-540 RPM hydraulic wet clutch

-Electronic engagement

-Wet clutch

1-3/8 in. 6 splines

**HITCH:**

3-point Category 1/2 with fixed lower  
links and telescoping stabilizers

3,500 lbs. Lift Capacity at 24 inches  
Swinging Drawbar

Mechanical Draft Control

Upper Link Draft Sensing

**STEERING/BRAKES:**

Hydrostatic Power Steering

Brakes- Hydraulic assist wet brakes

**INSTRUMENTATION:**

Analog Instrumentation with warning  
lights for turn signals, high beam,  
work lights, side lights, rear PTO,  
4WD, differential lock, low fuel,  
alternator, oil pressure, brake fluid,  
grid heater & hand brake  
Gauges for fuel level, engine  
temperature and tachometer  
Digital Readout for PTO speed,

**WORKMASTER 65  
US PRICE LIST**

## Standard Equipment

ground speed, battery & hours

**ELECTRICAL:**

(1) 840 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting and signals  
25 amp socket  
12V power socket (cigarette lighter)

**LIGHTING:**

**Front:**

(2) Halogen Headlights and  
(2) cab mounted worklights

**Rear:**

(2) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

**OPERATIVE PROTECTIVE STRUCTURE:**

**CAB MODELS**

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen, front wiper and washer, two doors with locks, two external mirrors, openable side windows, hinged rear window (fully opens), High Visibility roof panel (openable)  
Steering Wheel - adjustable tilt  
Seat - Cloth covered with mechanical suspension, operator's presence sensor, retractable seat belt, arm rests  
Suspended pedals  
Bluetooth Radio  
Instructor Seat

**MISCELLANEOUS:**

Pivoting Engine Hood  
SMV Emblem, and Toolbox

**WARRANTY:**

New Holland Standard Warranty Applies

Tier 4 B/Final Emissions Compliant:

L610 Front Loader, OPTIONAL  
STANDARD FEATURES:

Quick attach design (Skid Steer or Euro style)  
4-Bar bucket linkage  
Bucket level indicator  
Parking stands  
Grill guard

**SPECIFICATIONS:**

**550LU NON SELF-LEVELING**

Maximum Lift Height under level bucket: 120"  
Dump Clearance @ 45 deg: 99"  
Digging Depth: 7"  
Lift Capacity @ 800mm: 1,828 LBS  
Reach @ Max Lift Height @ 45 deg: 24.7"  
Reach @ Ground Level: 86.8"  
Bucket Rollback Angle: 42 degrees  
Bucket Dump Angle: 58 degrees

**555LU MECHANICAL SELF-LEVELING**

Maximum Lift Height under level bucket: 120"  
Dump Clearance @ 45 deg: 98.2"  
Digging Depth: 7"  
Lift Capacity @ 800mm: 3,153 LBS  
Reach @ Max Lift Height @ 45 deg: 41.5"  
Reach @ Ground Level: 80"  
Bucket Rollback Angle: 42 degrees  
Bucket Dump Angle: 61 degrees

**WORKMASTER 65  
US PRICE LIST**
**Models**

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
WORKMASTER 65 T4A	Cab	6,239 LB		\$72,900.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGES

	XT9980X	Less Packaging			No Charge
	X0591XX	Deluxe Cab Fast Pick			(\$3,440.00)
		<b>For Cab MFD Only</b> <b>Package includes the following:</b> 390215 Less Front Carrier and Weights 337280 12x12 transmission 25mph/40kph 759318 Power Shut with Servo 391111 Less Creeper Speeds 330470 4 x 110 lb Rear Wheel Weights 743565 540 PTO 344739 Loader, Non-Self Level (SSL) 344738 Loader, Self-Level (SSL) 763496 Loader,Non-Self Level (SSL)DIV 763495 Loader, Self-Level (SSL) DIV 332035 Mech 3 Pt Hitch Ground Control 336748 72' Bucket 390831 Hitch w/Mech Top Link Draft Co 335413 2 Hydraulic Remote Valves 336125 2Mid-Mount w/MecJoy L/CPL 342240 Fabric with Air Suspens 332865 Instructional Seat 390860 Less Front Fenders 334316 Flexible Ends 342174 Radio with Bluetooth 333606 Cab High-Vis Panel, Clear			

**WORKMASTER 65  
US PRICE LIST**

		X0596XX	Cab EZ Pick Package <b>Ala-Cart MFD Cab EZ Pick</b> <b>Allows for choice of the following:</b> <b>Loader or Less Loader</b> <b>390831 Draft Control Top-Link Sensing</b> <b>Rear remotes</b> <b>Tires</b> <b>Rear weights</b>			(\$3,440.00)
--	--	---------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--------------

**OPERATOR PLATFORM**

## SD\_T8500 SEAT

		342240	Fabric Seat - Air Suspension <b>Precise adjustments for ultimate comfort in the air suspension seat with seat belt and armrest</b>			No Charge
		338379	Fabric Seat - Mech Suspension <b>Simple designed mechanical suspension seat with seat belt and armrest</b>			(\$681.00)

## SD\_T8520 INSTRUCTIONAL SEAT

		332865	Instructor Seat <b>Instructional seat with retractable seat belt</b>			No Charge
--	--	--------	-------------------------------------------------------------------------	--	--	-----------

## SD\_T9200 OPERATOR STRUCTURE #1

		344727	Cab High-Vis Panel (Opaque) <b>Dark black, openable high-visibility roof panel for viewing the loader during high lifting</b>			No Charge
		333606	Cab High-Vis Panel (Clear) <b>Clear, openable high-visibility roof panel for viewing the loader during high lifting</b>			\$496.00

**TRANSMISSION**

## SD\_T2810 TRANSMISSION

		759318	12x12 Clutchless Power Shuttle <b>25mph/40kph with servo assisted PTO actuation</b> <b>Wet Clutch</b>			No Charge
--	--	--------	-------------------------------------------------------------------------------------------------------------	--	--	-----------

## SD\_T3230 CREEPER or Interlock

		330112	20x20 Trans w/Creeper Speeds <b>Get additional speeds to handle a variety of unique operations that require low speeds like vegetables and transplanting</b>			\$1,063.00
--	--	--------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	------------

**WORKMASTER 65  
US PRICE LIST**

		391111	Less Creeper Speeds			No Charge
--	--	--------	---------------------	--	--	-----------

## SD\_T3240 REAR DIFF LOCK

		390267	Mechanical Diff-Lock for 2WD			No Charge
		759319	Mech Diff-Lock/Elec Hyd 4WD <b>Mechanically engaged rear differential-lock/electro-hydraulic, push button, 4WD engagement</b>			No Charge

**TIRES**

## FRONT

## SD\_T4940 FRONT WHEELS AND TIRES

		8299801	Shipping Wheels Front Tire <b>Non-returnable shipping wheels</b>			(\$1,044.00)
		8232304	11.2x24 R1 Front Tire <b>R1 agriculture bar tires, bias ply tread, 6-ply rating</b>			No Charge
		8203401	12.4R20 R1W Front Tire			\$468.00
		8290904	12.5/80-18 R4 Front Tire <b>R4 industrial tires, bias ply tread, 10-ply rating, Galaxy Beefy Baby brand</b>			\$917.00

## REAR

## SD\_T4950 REAR WHEELS AND TIRES

		8399801	Shipping Wheels Rear Tire <b>Non-returnable shipping wheels</b>			(\$2,017.00)
		8355304	16.9x30 6PR R1 Rear Tire <b>R1 agriculture bar tires, bias ply tread, 6-ply rating</b>			No Charge
		8391904	19.5L-24 R4 Rear Tire <b>R4 industrial tires, bias ply tread, 10-ply rating, Galaxy EZ-Rider brand. ult with mud breakers to efficiently eject mud and debris from the tire in order to maintain their strong pulling power.</b>			\$423.00
		8352401	16.9R28 R1W Rear Tire <b>4WD front tire - 12.4R20 (8269404) 2WD front tire - 9.5L15 4 Rib (8126601)</b>			\$735.00

**HYDRAULICS**

## REAR REMOTES

## SD\_T8270 REAR REMOTES

		335413	2 Remote Valves (Open Center) <b>2 rear remote valves Float, detent and kickout on 2nd remote</b>			No Charge
--	--	--------	----------------------------------------------------------------------------------------------------------	--	--	-----------



**WORKMASTER 65  
US PRICE LIST**

		335640	3 Remote Valves (Open Center) <b>3 rear remote valves</b> <b>Float, detent and kickout on 2nd and 3rd remotes</b>			\$1,063.00
--	--	--------	-------------------------------------------------------------------------------------------------------------------------	--	--	------------

**MID-MOUNT**

## SD\_T8280 MID-MOUNT VALVES

		336125	2F Mid-Mount Valve & Joystick <b>2 function mid mount valve and joystick</b>			\$1,644.00
		390124	Less Mid-Mount Valve/Joystick <b>Less mid-mount valve/joystick</b>			No Charge

**LOADER**
**LOADER**

## SD\_T8110 LOADER BRACKETS

		391489	Less Loader Bracket <b>Does not include Loader Mounting Brackets or Loader</b>			(\$10,149.00)
		763495	Loader, Self-Level (SSL) DIV <b>SSL Attachment, Grill Guard, 3rd Function, 72" Bucket</b>			\$2,306.00
		763496	Loader, Non-Self Level (SSL) DIV <b>SSL Attachment, Grill Guard, 3rd Function, 72" Bucket</b>			\$853.00
		344739	Loader, Non-Self Level (SSL) <b>SSL Attachment, Grill Guard, 2nd Function, 72" Bucket</b>			No Charge
		344743	Loader, Non-Self Level (EU) <b>EU Attachment, Grill Guard, 2nd Function, 72" Euro-Style QA Bucket</b>			No Charge
		344738	Loader, Self-Level (SSL) <b>SSL Attachment, Grill Guard, 2nd Function, 72" Bucket</b>			\$1,453.00
		344742	Loader, Self-Level (EU) <b>EU Attachment, Grill Guard, 2nd Function, 72" Euro-Style QA Bucket</b>			\$1,453.00

## SD\_T8140 BUCKET

		336748	72" Bucket <b>72" skid-steer QA bucket</b>			No Charge
		336749	72" Euro-Style QA Bucket <b>72" euro-style QA bucket</b>			No Charge
		XT8140X	Less Bucket_ <b>Less bucket</b>			No Charge

**WORKMASTER 65  
US PRICE LIST**
**ENGINE**
**MUFFLERS**

## SD\_T1510 ENGINE EXHAUST

		390466	A- Piller Exhaust <b>A- Piller Exhaust</b>			No Charge
--	--	--------	-----------------------------------------------	--	--	-----------

**OTHER**

## SD\_T1000 ENGINE

		X0361XX	3-Cylinder Engine <b>2.9L 3-cylinder FPT engine Tier 4 B/Final</b>			No Charge
--	--	---------	-----------------------------------------------------------------------	--	--	-----------

**PTO**
**REAR PTO**

## SD\_T8010 PTO

		743565	540 RPM PTO <b>540 RPM PTO</b>			No Charge
		743566	540/540E RPM PTO <b>Optional economy mode for fuel savings when you don't need full power</b>			\$709.00

**3-POINT HITCH**
**REAR 3 POINT HITCH**

## SD\_T8130 3 POINT HITCH CONTROL

		332035	3-pt External Control (Mech) <b>Fine-tune adjustments when hooking up implements by using the external, mechanical rear control to raise and lo wer the three-point hitch.</b>			\$332.00
		391035	Less 3-pt External Control <b>Standard in cab 3-point controls only</b>			No Charge

## SD\_T8200 HITCH

		332785	3-pt Auxiliary Lift Cylinder <b>Mechanical draft control with top link sensing is used to hold a steady depth. Set it where you want it and use position control to raise and lower implements. Additional 3-point hydraulic lift cylinder with 1 internal and 1 external lift cylinder. 4740 lbs / 2,150 kgs lift capacity at 24"</b>			\$603.00
--	--	--------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	----------

**WORKMASTER 65  
US PRICE LIST**

		390831	Draft Control Top-Link Sensing <b>Mechanical draft control with top link sensing is used to hold a steady depth. Set it where you want it and use position control to raise and lower implements. 4300 lbs / 1,950 kgs lift capacity at 24"</b>			No Charge
--	--	--------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	-----------

**HITCH**
**DRAWBAR**

## SD\_T8960 DRAWBAR AND 3 POINT HITCH

		334316	3-pt Lower Links (flexible) <b>3-Point linkage with CAT.2 flexible link ends, telescopic stabilizers and turn-buckle adjustment</b>			No Charge
		390259	3-pt Lower Links (fixed) <b>3-Point linkage with CAT1/2 fixed link ends, telescopic stabilizers and turn-buckle adjustment</b>			(\$341.00)

**WEIGHTS**
**FRONT**

## SD\_T2150 FRONT BALLAST

		330183	8 Front Weight 66 lbs/30KG <b>Front weight carrier (42 lbs/ 19 KG) + 8 front weights (66 lbs/ 30 KG) = 572 lbs /259 KG Not compatible with front loader</b>			\$1,390.00
		390215	Less Front Carrier and Weights <b>Less front carrier and weights</b>			No Charge

**REAR**

## SD\_T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights <b>Two weights per side (110 lbs each) = 440 lbs total</b>			\$809.00
		XT4961X	Less Rear Ballast <b>Less rear ballast</b>			No Charge

**CAB OPTION**

## SD\_T9130 WORK LAMPS

		335767	Rear Work Light - ROPS Only <b>Rear work light - ROPS only</b>			No Charge
		335769	2 Front/2 Rear Work Lights-Cab <b>2 Front facing / 2 rear facing cab roof mounted work lights</b>			No Charge

**WORKMASTER 65  
US PRICE LIST**

## SD\_T9140 ROAD LIGHTS

		390760	Head Beam Light <b>Head beam light</b>			No Charge
--	--	--------	-------------------------------------------	--	--	-----------

## RADIO

## SD\_T9160 RADIO

		342174	Radio With Bluetooth <b>Bluetooth Radio, Speakers, and Antenna</b>			No Charge
--	--	--------	-----------------------------------------------------------------------	--	--	-----------

**MISCELLANEOUS**

## FENDERS FRONT

## SD\_T8740 FRONT FENDERS

		390860	Less Front Fenders <b>Less front fenders</b>			No Charge
		744674	Dynamic Front Fenders <b>Front fenders - dynamic (not compatible with front loader)</b>			\$921.00

**OPERATOR'S MANUALS**

## SD\_T9802 OPERATORS MANUAL

		330986	Spanish Operators Manual <b>Spanish operators manual</b>			No Charge
		XT9802X	Less Add Operator Manual <b>Less additional operator manual</b>			No Charge

## SD\_T9803 FRENCH OPERATOR MANUAL

		330982	French Operators Manual <b>French operators manual</b>			No Charge
		XT9803X	Less French Operator Manual <b>Less french operator manual</b>			No Charge

## SD\_T9805 OPERATOR MANUAL (SE

		330980	English Operators Manual <b>English operators manual</b>			No Charge
--	--	--------	-------------------------------------------------------------	--	--	-----------



**WORKMASTER 75  
US PRICE LIST****Standard Equipment****ENGINE:**

Workmaster 75  
74 Engine hp  
60 PTO hp @ 2300 rpm  
3 Cyl Turbocharged Engine  
179 cu in (2.9 L) Displacement

Tier 4 B/Final Emissions Compliant:  
(CEGR + DOC)

Electronic Injection Bosch  
High-pressure Common Rail System  
Electric Engine Shutoff  
Hand and Foot Throttle Controls  
Grid Heater Starting Aid  
Powercore Dry Air Cleaner  
Under Hood Muffler  
21.7 gal Fuel Tank

**EXHAUST:**

A Pillar Exhaust with Guard (Cab)  
Vertical Exhaust with Guard (ROPS)

**TRANSMISSION:**

LH Side Steering Column Mounted Mechanical Shuttle  
12 Forward and 12 Reverse Speeds  
(4) Synchronized Gears  
(3) Non-synchronized Ranges  
11 Inch Single Dry Disk Clutch  
25 mph (40 kph)  
Speed varies with tire selection  
Hand Operated Park Brake

**FRONT AXLE:****MFD:**

Limited Slip  
Electro-Hydraulic engagement standard  
Adjustable Tread Width from 51.5 in.  
to 79.4 in.

**REAR AXLE:**

Flange Type  
Adjustable Tread Width 60.1 in.  
to 76.0 in.

**TIRES:****MFD:**

11.2x24 R1 Front  
16.9X30 R1 Rear

**HYDRAULIC SYSTEM:**

Open Center System  
Dual Gear Pumps  
Implement Pump: 12.6 gpm (47.7 L)  
Steering Pump: 7.6 gpm (28.7 L)  
Total Flow: 20.2 gpm (76.4 L)  
(2) Open Center Remote Valves with  
Detent & Kickout on #2

**PTO:**

Fully Independent  
Flip-up PTO Shaft Guard  
MFD power shuttle:  
-540 RPM hydraulic wet clutch  
-Electronic engagement  
-Wet clutch  
1-3/8 in. 6 splines

**HITCH:**

3-point Category 1/2 with fixed lower  
links and telescoping stabilizers  
3,500 lbs. Lift Capacity at 24 inches  
Swinging Drawbar  
Mechanical Draft Control  
Upper Link Draft Sensing

**STEERING/BRAKES:**

Hydrostatic Power Steering  
Brakes- Hydraulic assist wet brakes

**INSTRUMENTATION:**

Analog Instrumentation with warning  
lights for turn signals, high beam,  
work lights, side lights, rear PTO,  
4WD, differential lock, low fuel,  
alternator, oil pressure, brake fluid,  
grid heater & hand brake  
Gauges for fuel level, engine  
temperature and tachometer  
Digital Readout for PTO speed,

**WORKMASTER 75  
US PRICE LIST****Standard Equipment**

ground speed, battery & hours

**ELECTRICAL:**

(1) 840 cca Heavy-Duty Battery  
120 amp Alternator  
7-pin Outlet for trailer/implement lighting  
and signals  
25 amp socket  
12V power socket (cigarette lighter)

**LIGHTING:****Front:**

(2) Halogen Headlights and  
(2) cab mounted worklights

**Rear:**

(2) cab mounted worklights  
Turn Signals/Flashers/Rear Lights

**OPERATIVE PROTECTIVE STRUCTURE:****CAB MODELS**

ROPS protected, flat deck platform  
with heat and air conditioning, tinted  
windshield, retractable sun screen,  
front wiper and washer, two doors  
with locks, two external mirrors,  
openable side windows, hinged rear  
window (fully opens), High Visibility  
roof panel (openable)  
Steering Wheel - adjustable tilt  
Seat - Cloth covered with mechanical  
suspension, operator's presence  
sensor, retractable seat belt, arm rests  
Suspended pedals  
Bluetooth Radio  
Instructor Seat

**MISCELLANEOUS:**

Pivoting Engine Hood  
SMV Emblem, and Toolbox

**WARRANTY:**

New Holland Standard Warranty Applies

Tier 4 B/Final Emissions Compliant:

L610 Front Loader, OPTIONAL  
STANDARD FEATURES:

Quick attach design (Skid  
Steer or Euro style)  
4-Bar bucket linkage  
Bucket level indicator  
Parking stands  
Grill guard

**SPECIFICATIONS:****L610 NON SELF-LEVELING**

Maximum Lift Height under level bucket: 120"  
Dump Clearance @ 45 deg: 99"  
Digging Depth: 5"  
Lift Capacity @ 800mm: 1,828 LBS  
Reach @ Max Lift Height @ 45 deg: 44"  
Reach @ Ground Level: 84"  
Bucket Rollback Angle: 42 degrees  
Bucket Dump Angle: 58 degrees

**L610 MECHANICAL SELF-LEVELING**

Maximum Lift Height under level bucket: 120"  
Dump Clearance @ 45 deg: 97"  
Digging Depth: 6"  
Lift Capacity @ 800mm: 3,153 LBS  
Reach @ Max Lift Height @ 45 deg: 44"  
Reach @ Ground Level: 84"  
Bucket Rollback Angle: 42 degrees  
Bucket Dump Angle: 61 degrees

**WORKMASTER 75  
US PRICE LIST**
**Models**

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
WORKMASTER 75 T4A	Cab	6,239 LB		\$77,044.00
WORKMASTER 75 T4A	Rops	6,239 LB		\$66,484.00

**Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

**FAST PICK CONFIGURATION**

## SD\_T9980 PACKAGES

	XT9980X	Less Packaging			No Charge
	X0591XX	Deluxe Cab Fast Pick			(\$3,440.00)
		<b>For Cab MFD Only</b> <b>Package includes the following:</b> <b>390215 Less Front Carrier and Weights</b> <b>337280 12x12 transmission 25mph/40kph</b> <b>759318 Power Shut with Servo</b> <b>391111 Less Creeper Speeds</b> <b>330470 4 x 110 lb Rear Wheel Weights</b> <b>743565 540 PTO</b> <b>344739 Loader, Non-Self Level (SSL)</b> <b>344738 Loader, Self-Level (SSL)</b> <b>763496 Loader,Non-Self Level (SSL)DIV</b> <b>763495 Loader, Self-Level (SSL) DIV</b> <b>332035 Mech 3 Pt Hitch Ground Control</b> <b>336748 72' Bucket</b> <b>390831 Hitch w/Mech Top Link Draft Co</b> <b>335413 2 Hydraulic Remote Valves</b> <b>336125 2Mid-Mount w/MecJoy L/CPL</b> <b>342240 Fabric with Air Suspens</b> <b>332865 Instructional Seat</b> <b>390860 Less Front Fenders</b> <b>334316 Flexible Ends</b> <b>342174 Radio with Bluetooth</b> <b>333606 Cab High-Vis Panel, Clear</b>			



**WORKMASTER 75  
US PRICE LIST**

		X0596XX	Cab EZ Pick Package <b>Ala-Cart MFD Cab EZ Pick</b> <b>Allows for choice of the following:</b> <b>Loader or Less Loader</b> <b>390831 Draft Control Top-Link Sensing</b> <b>Rear remotes</b> <b>Tires</b> <b>Rear weights</b>			(\$3,440.00)
ROPS Package						
		X0589XX	Standard Fast Pick Package <b>For 75 ROPS MFD Only</b> <b>Package includes the following:</b> <b>391151 Vertical Exhaust w/Guard</b> <b>390215 Less Front Carrier and Weights</b> <b>337280 12x12 Transmission 25MPH/40KPH</b> <b>759318 12x12 Clutchless Power Shuttle</b> <b>391111 Less Creeper Speeds</b> <b>330470 4 x 110 lb Rear Wheel Weights</b> <b>743565 540 RPM PTO</b> <b>763495 Loader-MSL.3F.SSLWGG</b> <b>763496 Loader-NSL.3F.SSLWGG</b> <b>332035 Mech 3 Pt Hitch Ground Control</b> <b>336748 72' Bucket</b> <b>390831 Draft Control Top-Link Sensing</b> <b>335413 2 Remote Valves (Open Center)</b> <b>336125 2Mid-Mount w/MecJoy L/CPL</b> <b>335191 Vinyl Deluxe Seat - ROPS</b> <b>390865 Less Instructional Seat</b> <b>390860 Less Front Fenders</b> <b>334316 Flexible Ends</b>			(\$1,569.00)
		X0593XX	ROPS EZ Pick Package <b>Ala-Cart MFD ROPS EZ Pick</b> <b>Allows for choice of the following:</b> <b>390831 Draft Control Top-Link Sensing</b> <b>Loader or Less Loader</b> <b>Rear remotes</b> <b>Tires</b> <b>Rear weights</b>			(\$1,569.00)

**OPERATOR PLATFORM**

SD\_T8500 SEAT

		335191	Deluxe Vinyl Seat (ROPS) <b>Deluxe vinyl seat with retractable seat belt (ROPS)</b>			No Charge
--	--	--------	----------------------------------------------------------------------------------------	--	--	-----------

**WORKMASTER 75  
US PRICE LIST**

		342240	Fabric Seat - Air Suspension <b>Precise adjustments for ultimate comfort in the air suspension seat with seat belt and armrest</b>			No Charge
		338379	Fabric Seat - Mech Suspension <b>Simple designed mechanical suspension seat with seat belt and armrest</b>			(\$681.00)

## SD\_T8520 INSTRUCTIONAL SEAT

		332865	Instructor Seat <b>Instructional seat with retractable seat belt</b>			No Charge
		390865	Less Instructor Seat <b>Removes instructor seat option from Cab Models</b>			No Charge

## SD\_T9200 OPERATOR STRUCTURE #1

		344781	2 Post Foldable ROPS <b>2 Post foldable ROPS</b>			No Charge
		344727	Cab High-Vis Panel (Opaque) <b>Dark black, openable high-visibility roof panel for viewing the loader during high lifting</b>			No Charge
		333606	Cab High-Vis Panel (Clear) <b>Clear, openable high-visibility roof panel for viewing the loader during high lifting</b>			\$496.00
		344764	FOPS Canopy <b>ROPS only</b>			\$557.00

**TRANSMISSION**

## SD\_T2810 TRANSMISSION

		759318	12x12 Clutchless Power Shuttle <b>25mph/40kph with servo assisted PTO actuation Wet Clutch</b>			No Charge
--	--	--------	-------------------------------------------------------------------------------------------------------	--	--	-----------

## SD\_T3230 CREEPER or Interlock

		330112	20x20 Trans w/Creeper Speeds <b>Get additional speeds to handle a variety of unique operations that require low speeds like vegetables and transplanting</b>			\$1,063.00
		391111	Less Creeper Speeds			No Charge

## SD\_T3240 REAR DIFF LOCK

		390267	Mechanical Diff-Lock for 2WD			No Charge
		759319	Mech Diff-Lock/Elec Hyd 4WD <b>Mechanically engaged rear differential-lock/electro-hydraulic, push button, 4WD engagement</b>			No Charge

**WORKMASTER 75  
US PRICE LIST**
**TIRES**
**FRONT**

## SD\_T4940 FRONT WHEELS AND TIRES

		8299801	Shipping Wheels Front Tire <b>Non-returnable shipping wheels</b>			(\$1,044.00)
		8232304	11.2x24 R1 Front Tire <b>R1 agriculture bar tires, bias ply tread, 6-ply rating</b>			No Charge
		8203401	12.4R20 R1W Front Tire			\$468.00
		8290904	12.5/80-18 R4 Front Tire <b>R4 industrial tires, bias ply tread, 10-ply rating, Galaxy Beefy Baby brand</b>			\$917.00

**REAR**

## SD\_T4950 REAR WHEELS AND TIRES

		8399801	Shipping Wheels Rear Tire <b>Non-returnable shipping wheels</b>			(\$2,017.00)
		8355304	16.9x30 6PR R1 Rear Tire <b>R1 agriculture bar tires, bias ply tread, 6-ply rating</b>			No Charge
		8391904	19.5L-24 R4 Rear Tire <b>R4 industrial tires, bias ply tread, 10-ply rating, Galaxy EZ-Rider brand. ult with mud breakers to efficiently eject mud and debris from the tire in order to maintain their strong pulling power.</b>			\$423.00
		8352401	16.9R28 R1W Rear Tire <b>4WD front tire - 12.4R20 (8269404) 2WD front tire - 9.5L15 4 Rib (8126601)</b>			\$735.00

**HYDRAULICS**
**REAR REMOTES**

## SD\_T8270 REAR REMOTES

		335413	2 Remote Valves (Open Center) <b>2 rear remote valves Float, detent and kickout on 2nd remote</b>			No Charge
		335640	3 Remote Valves (Open Center) <b>3 rear remote valves Float, detent and kickout on 2nd and 3rd remotes</b>			\$1,063.00

**WORKMASTER 75  
US PRICE LIST**
**MID-MOUNT**

## SD\_T8280 MID-MOUNT VALVES

		336125	2F Mid-Mount Valve & Joystick <b>2 function mid mount valve and joystick</b>			\$1,644.00
		390124	Less Mid-Mount Valve/Joystick <b>Less mid-mount valve/joystick</b>			No Charge

**LOADER**
**LOADER**

## SD\_T8110 LOADER BRACKETS

		391489	Less Loader Bracket <b>Does not include Loader Mounting Brackets or Loader</b>			(\$10,149.00)
		763495	Loader, Self-Level (SSL) DIV <b>SSL Attachment, Grill Guard, 3rd Function, 72" Bucket</b>			\$2,306.00
		763496	Loader, Non-Self Level (SSL) DIV <b>SSL Attachment, Grill Guard, 3rd Function, 72" Bucket</b>			\$853.00
		344739	Loader, Non-Self Level (SSL) <b>SSL Attachment, Grill Guard, 2nd Function, 72" Bucket</b>			No Charge
		344743	Loader, Non-Self Level (EU) <b>EU Attachment, Grill Guard, 2nd Function, 72" Euro-Style QA Bucket</b>			No Charge
		344738	Loader, Self-Level (SSL) <b>SSL Attachment, Grill Guard, 2nd Function, 72" Bucket</b>			\$1,453.00
		344742	Loader, Self-Level (EU) <b>EU Attachment, Grill Guard, 2nd Function, 72" Euro-Style QA Bucket</b>			\$1,453.00

## SD\_T8140 BUCKET

		336748	72" Bucket <b>72" skid-steer QA bucket</b>			No Charge
		336749	72" Euro-Style QA Bucket <b>72" euro-style QA bucket</b>			No Charge
		XT8140X	Less Bucket_ <b>Less bucket</b>			No Charge

**ENGINE**
**MUFFLERS**

## SD\_T1510 ENGINE EXHAUST

		390466	A- Piller Exhaust <b>A- Piller Exhaust</b>			No Charge
--	--	--------	-----------------------------------------------	--	--	-----------

**WORKMASTER 75  
US PRICE LIST**

		391151	Vertical Exhaust with Guard <b>Vertical exhaust with guard</b>			No Charge
--	--	--------	-------------------------------------------------------------------	--	--	-----------

**OTHER**
**SD\_T1000 ENGINE**

		X0361XX	3-Cylinder Engine <b>2.9L 3-cylinder FPT engine Tier 4 B/Final</b>			No Charge
--	--	---------	-----------------------------------------------------------------------	--	--	-----------

**PTO**
**REAR PTO**
**SD\_T8010 PTO**

		743565	540 RPM PTO <b>540 RPM PTO</b>			No Charge
		743566	540/540E RPM PTO <b>Optional economy mode for fuel savings when you don't need full power</b>			\$709.00

**3-POINT HITCH**
**REAR 3 POINT HITCH**
**SD\_T8130 3 POINT HITCH CONTROL**

		332035	3-pt External Control (Mech) <b>Fine-tune adjustments when hooking up implements by using the external, mechanical rear control to raise and lower the three-point hitch.</b>			\$332.00
		391035	Less 3-pt External Control <b>Standard in cab 3-point controls only</b>			No Charge

**SD\_T8200 HITCH**

		332785	3-pt Auxiliary Lift Cylinder <b>Mechanical draft control with top link sensing is used to hold a steady depth. Set it where you want it and use position control to raise and lower implements. Additional 3-point hydraulic lift cylinder with 1 internal and 1 external lift cylinder. 4740 lbs / 2,150 kgs lift capacity at 24"</b>			\$603.00
		390831	Draft Control Top-Link Sensing <b>Mechanical draft control with top link sensing is used to hold a steady depth. Set it where you want it and use position control to raise and lower implements. 4300 lbs / 1,950 kgs lift capacity at 24"</b>			No Charge

**WORKMASTER 75  
US PRICE LIST**
**HITCH**
**DRAWBAR**

## SD\_T8960 DRAWBAR AND 3 POINT HITCH

		334316	3-pt Lower Links (flexible) <b>3-Point linkage with CAT.2 flexible link ends, telescopic stabilizers and turn-buckle adjustment</b>			No Charge
		390259	3-pt Lower Links (fixed) <b>3-Point linkage with CAT1/2 fixed link ends, telescopic stabilizers and turn-buckle adjustment</b>			(\$341.00)

**WEIGHTS**
**FRONT**

## SD\_T2150 FRONT BALLAST

		330183	8 Front Weight 66 lbs/30KG <b>Front weight carrier (42 lbs/ 19 KG) + 8 front weights (66 lbs/ 30 KG) = 572 lbs /259 KG</b> <b>Not compatible with front loader</b>			\$1,390.00
		390215	Less Front Carrier and Weights <b>Less front carrier and weights</b>			No Charge

**REAR**

## SD\_T4961 REAR BALLAST

		330470	4 x 110 lb Rear Wheel Weights <b>Two weights per side (110 lbs each) = 440 lbs total</b>			\$809.00
		XT4961X	Less Rear Ballast <b>Less rear ballast</b>			No Charge

**CAB OPTION**

## SD\_T9130 WORK LAMPS

		335767	Rear Work Light - ROPS Only <b>Rear work light - ROPS only</b>			No Charge
		335769	2 Front/2 Rear Work Lights-Cab <b>2 Front facing / 2 rear facing cab roof mounted work lights</b>			No Charge

## SD\_T9140 ROAD LIGHTS

		390760	Head Beam Light <b>Head beam light</b>			No Charge
--	--	--------	-------------------------------------------	--	--	-----------

**WORKMASTER 75  
US PRICE LIST**
**RADIO**

## SD\_T9160 RADIO

		342174	Radio With Bluetooth <b>Bluetooth Radio, Speakers, and Antenna</b>			No Charge
		XT9160X	Less Radio <b>ROPS only</b>			No Charge

**MISCELLANEOUS**
**FENDERS FRONT**

## SD\_T8740 FRONT FENDERS

		390860	Less Front Fenders <b>Less front fenders</b>			No Charge
		744674	Dynamic Front Fenders <b>Front fenders - dynamic (not compatible with front loader)</b>			\$921.00

**OPERATOR'S MANUALS**

## SD\_T9802 OPERATORS MANUAL

		330986	Spanish Operators Manual <b>Spanish operators manual</b>			No Charge
		XT9802X	Less Add Operator Manual <b>Less additional operator manual</b>			No Charge

## SD\_T9803 FRENCH OPERATOR MANUAL

		330982	French Operators Manual <b>French operators manual</b>			No Charge
		XT9803X	Less French Operator Manual <b>Less french operator manual</b>			No Charge

## SD\_T9805 OPERATOR MANUAL (SE

		330980	English Operators Manual <b>English operators manual</b>			No Charge
--	--	--------	-------------------------------------------------------------	--	--	-----------

		WORKMASTER 55	WORKMASTER 65	WORKMASTER 75
REAR MOUNT FINISH MOWERS	310GM			
	320GM			
	330GM	X	X	X
BACKHOES	925GBH			
	935GBH			
TILLERS	105A 60"			
	105A 72"	X	X	X
ROTARY CUTTERS	717GC	X	X	X
	737GC	X	X	X
	738GC	X	X	X
	757GC	X	X	X
	758GC	X	X	X
DISK HARROW	EZ78DC	X	X	X
LANDSCAPE RAKES	EZ72LR	X	X	X
BOX BLADES	EZ72BM	X	X	X
	EZ84BM	X	X	X
REAR BLADES	EZ60SM			
	EZ72SM	X	X	X
	EZ84SM	X	X	X
	84SH	X	X	X
	96SH			X
LOADERS	550LU	X	X	X
	555LU	X	X	X
	611TL			
	616TL			
	621TL			
	626TL			
	710LU			
DISC MOWERS	715LU			
	HM234	X	X	X
	HM235	X	X	X
	HM236	X	X	X
	DURADISC 107		X	X
RAKES & TEDDERS	DURADISC 108		X	X
	PRO TED 3417	X	X	X
	PRO TED 3625	X	X	X
	PRO ROTOR 3114	X	X	X
	PRO ROTOR 3223	X	X	X
	PRO ROTOR 3226	X	X	X
	PRO CART 819	X	X	X
	PRO CART 1022		X	X
BALERS	PRO CART 1225		X	X
	RF440 Utility		X	X
	RF450 Utility			
MANURE	ROLL-BELT 450 UTILITY PLUS		X	X
	145		X	X
	155			X



		WORKMASTER 75 ROPS	WORKMASTER 55/65/75 CAB
<b>CANOPY</b>			
710857552	Canopy Kit - New Holland	X	
<b>HYDRAULICS</b>			
731341550	3rd Remote Valve	X	X
<b>LIGHTS</b>			
731231551	Beacon - Cab		X
731231552	Beacon - ROPS	X	
<b>LOADERS / ATTACHMENTS</b>			
731197551	Loader - Soft Drive	X	X
731200551	Loader - 3rd Function Diverter Valve	X	X
731198551	Loader - Soft Drive - 3rd Function Diverter Valve	X	X
719429250	Cutting Edge - Bolt On	X	X
<b>MISCELLANEOUS</b>			
718130551	Mounting Bracket for Equipment Monitor		X
719216551	Engine Block Heater	X	X
<b>SUNROOF</b>			
731338550	Sunroof Kit - New Holland		X