



WORKMASTER™ 95-120 SERIES II TABLE OF CONTENTS

WORKMASTER 95-120 SERIES II CAB FAST PICK.....	1
WORKMASTER 95-120 SERIES II A LA CARTE CAB.....	9
WORKMASTER 95-120 SERIES II ROPS FASTPICK.....	15
WORKMASTER 95-120 SERIES II CALIFORNIA SPECIAL ROPS.....	23
WORKMASTER 95-120 SERIES II AP LOW PRO FAST PICK.....	29
WORKMASTER 95-120 SERIES II POULTRY FAST PICKS.....	37
WORKMASTER 95-120 SERIES II ROPS MOWING FAST PICK.....	45
WORKMASTER 95-120 SERIES II A LA CARTE ROPS.....	51
WORKMASTER 95-120 SERIES II CAB MOWING FAST PICK.....	57
TIRE CHART.....	65
PARTS DIVISION SUPPLIED ACCESSORIES.....	66

**WORKMASTER 95-120 CAB FAST PICK
US PRICE LIST****Standard Equipment****KEY SELLING POINTS:**

- Best-in-Class value cab
- Instructor seat
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Vertical Exhaust
29 gal Fuel Tank
2.9 gal DEF Tank
2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted
Power Shuttle
12 Forward and 12 Reverse Speeds
Creeper ready
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH)
Speed varies with tire selection
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 66.5 in. to 72.9 in.

REAR AXLE

Flange Type
Tread Width: 63.8 in. to 79.5 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2 &
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines

**WORKMASTER 95-120 CAB FAST PICK
US PRICE LIST****Standard Equipment****3-POINT LIFT SYSTEM:**

Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 900 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

TIRES:

12.4x24 R1 Front
18.4X30 R1 Rear

OPERATOR PROTECTIVE STRUCTURE:**CAB MODELS**

ROPS protected, 4 post, flat deck
platform with heat and air
conditioning, tinted windshield,
retractable sun screen, front wiper
and washer, rear wiper and washer,
two doors with locks, two external
mirrors, hinged rear window (opens
completely)

Steering Wheel - adjustable tilt
Seat - Cloth covered air suspension,
operator's presence sensor,
retractable seat belt and arm rests
Instructor Seat
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:**632TL NON SELF-LEVELING**

Maximum Lift Height @
pivot pin: 134.5"
Dump Clearance @ 45 deg: 98.4"
Digging Depth: 5.1"
Lift Capacity @ 800mm: 2,028 LBS
Breakout Force @ 800mm: 3,102 LBS
Reach @ Max Lift Height @ 45
deg: 37.8"
Reach @ Ground Level: 87.4"
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 53 degrees
Skid Steer style bucket attach
84" bucket

**WORKMASTER 95-120 CAB FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 SERIES II	Cab	MFD	6,768 LB		\$92,554.00
WORKMASTER 105 SERIES II	Cab	MFD	7,936 LB		\$96,156.00
WORKMASTER 120 SERIES II	Cab	MFD	7,253 LB		\$100,626.00

**WORKMASTER 95-120 CAB FAST PICK
US PRICE LIST**
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGES

		XF9911X	Standard Cab Fast Pick Standard Cab Fast Pick pricing includes: Cab with openable Black-Out panel 632TL NSL loader with SSL quick attach and 84' bucket Allows for choice of the following: Hydraulic Pumps - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) Rear Remotes - 2 Rear Remotes = (762204) - 3 Rear Remotes = (762205) 3-PT Hitch Capacity - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) PTO - 540 RPM = (759271) - 540/1000 RPM = (759273) Tires: - 18.4-30 R1 rear (8930605)with 12.4-24 R1 front (8230506) OR - 16.4-34 R1 rear (8930601) with 13.6-24 R1 front (8230505) Rear weights: - No rear wheel weights - 4 rear wheel weights = (762028)			(\$4,721.00)
--	--	---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--------------

OPERATOR PLATFORM

SD_T9200 OPERATOR STRUCTURE #1

Open Platform						
		763289	HVAC Cab 2 Rear Remotes PS Cab with 2 rear remote valves			No Charge
		763290	HVAC Cab 3 Rear Remotes PS Cab with 3 rear remote valves			\$993.00

**WORKMASTER 95-120 CAB FAST PICK
US PRICE LIST**
TIRES
FRONT

SD_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag

		8230506	Front 12.4 - 24 R1 Requires 18.4-30 rear tires			No Charge
		8230505	Front 13.6 -24 R1 Requires 16.9-34 rear tires			\$282.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Rear tires - Ag

		8930605	Rear 18.4 - 30 R1 Requires 12.4-24 4WD front			No Charge
		8930601	Rear 16.9 - 34 R1 Requires 13.6-24 4WD front			(\$174.00)

HYDRAULICS
PUMP

SD_T8230 HYD PUMP

		347541	21.6 GPM (82 LPM) Imp_Pump_ 21.6 GPM (82 LPM) Implement Pump			\$682.00
		342056	16.9 GPM (64 LPM) Imp_Pump_ 16.9 GPM (64 LPM) Implement Pump			No Charge

PTO
REAR PTO

SD_T8010 PTO

		759271	540 RPM w/Cap 540 RPM w/Cap			No Charge
		759273	540-1000 RPM w/Cap 540-1000 RPM w/Cap			\$658.00

**WORKMASTER 95-120 CAB FAST PICK
US PRICE LIST**
3-POINT HITCH

SD_T8200 HITCH

		342053	3 Point Hitch 3200lb 1451kg 3-PT capacity of 3200lb/1451Kg with telescopic stabilizers and flexible link ends			No Charge
		342054	3 Point Hitch 7716lb 2812kg 3-PT capacity of 6200lb/2812Kg with telescopic stabilizers and flexible link ends			\$1,243.00

WEIGHTS

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		762028	Rear Ballast 2x 50kg or 32kg 2x 110lb (50kg) or 2x 70lb (32kg) for 500/60-22.5 tires			\$783.00
--	--	--------	------------------------------------------------------------------------------------------------	--	--	----------

OPERATOR'S MANUALS

SD_T9805 OPERATOR MANUAL (SE

		342076	French (Canada) Manual French (Canada) Manual			No Charge
		342077	Spanish Manual Spanish Manual			No Charge

US PRICE LIST**Factory Supplied Options**

Order Code			Description	Weight	Factory Data	List Price
		342076	French (Canada) Manual French (Canada) Manual			No Charge

**WORKMASTER 95-120 A LA CARTE CAB
US PRICE LIST****Standard Equipment****KEY SELLING POINTS:**

- Best-in-Class value cab
- Instructor seat
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Vertical Exhaust
29 gal Fuel Tank
2.9 gal DEF Tank
2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted
Power Shuttle
12 Forward and 12 Reverse Speeds
Creeper ready
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH)
Speed varies with tire selection
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 63.8 in. to 72.9 in.

REAR AXLE

Flange Type
Tread Width: 63.9 in. to 79.7 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2 &
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines

**WORKMASTER 95-120 A LA CARTE CAB
US PRICE LIST****Standard Equipment****3-POINT LIFT SYSTEM:**

Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 900 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

TIRES:

12.4x24 R1 Front
18.4X30 R1 Rear

OPERATOR PROTECTIVE STRUCTURE:**CAB MODELS**

ROPS protected, 4 post, flat deck
platform with heat and air
conditioning, tinted windshield,
retractable sun screen, front wiper
and washer, rear wiper and washer,
two doors with locks, two external
mirrors, hinged rear window (opens
completely)

Steering Wheel - adjustable tilt
Seat - Cloth covered air suspension,
operator's presence sensor,
retractable seat belt and arm rests
Instructor Seat
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:**632TL NON SELF-LEVELING**

Maximum Lift Height @
pivot pin: 134.5"
Dump Clearance @ 45 deg: 98.4"
Digging Depth: 5.1"
Lift Capacity @ 800mm: 2,028 LBS
Breakout Force @ 800mm: 3,102 LBS
Reach @ Max Lift Height @ 45
deg: 37.8"
Reach @ Ground Level: 87.4"
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 53 degrees
Skid Steer style bucket attach
84" bucket

**WORKMASTER 95-120 A LA CARTE CAB
US PRICE LIST****Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 SERIES II	Cab	MFD	6,768 LB		\$92,554.00
WORKMASTER 105 SERIES II	Cab	MFD	7,936 LB		\$96,156.00
WORKMASTER 120 SERIES II	Cab	MFD	7,253 LB		\$100,626.00

**WORKMASTER 95-120 A LA CARTE CAB
US PRICE LIST**
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

OPERATOR PLATFORM

SD_T9200 OPERATOR STRUCTURE #1

Open Platform				
	763289	HVAC Cab 2 Rear Remotes PS Cab with 2 rear remote valves		No Charge
	763290	HVAC Cab 3 Rear Remotes PS Cab with 3 rear remote valves		\$993.00

TIRES

FRONT

SD_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag				
	8220701	Front 11.2 - 24 R1 Requires 16.9-30 rear tires		(\$75.00)
	8230506	Front 12.4 - 24 R1 Requires 18.4-30 rear tires		No Charge
	8230505	Front 13.6 - 24 R1 Requires 16.9-34 rear tires		\$282.00
4WD Front Tires - Ind				
	8230503	Front 12.5 - 18 R4 Requires 19.5L-24 rear tires		\$898.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Rear tires - Ag				
	8930602	Rear 16.9 - 30 R1 Requires 11.2-24 4WD front		\$373.00
	8930605	Rear 18.4 - 30 R1 Requires 12.4-24 4WD front		No Charge
	8930601	Rear 16.9 - 34 R1 Requires 13.6-24 4WD front		(\$174.00)
Rear tires - Ind				
	8930603	Rear 19.5 - 24 R4 Requires 12.5/80-18 4WD front tires		\$778.00

**WORKMASTER 95-120 A LA CARTE CAB
US PRICE LIST**
HYDRAULICS
PUMP

SD_T8230 HYD PUMP

		347541	21.6 GPM (82 LPM) Imp_Pump_ 21.6 GPM (82 LPM) Implement Pump			\$682.00
		342056	16.9 GPM (64 LPM) Imp_Pump_ 16.9 GPM (64 LPM) Implement Pump			No Charge

LOADER
LOADER

SD_T8110 LOADER BRACKETS

		343421	Less Loader/Less Loader Ready Less Loader/Less Loader Ready			(\$9,913.00)
		762699	Less Loader w/MMV Mid Mount Valve and Joystick ONLY.			(\$8,072.00)
		762698	Loader_Ready_ Complete loader ready includes: - Horizontal and Vertical TPS loader brackets - 2 function mid mount valve and joystick - Hoses from mid mount valve to vertical bracket - Grill guard			(\$1,839.00)
		763052	632TL and 84 Bucket SSL 632TL Non self leveling loader with 84' SSL Bucket			No Charge

PTO
REAR PTO

SD_T8010 PTO

		759271	540 RPM w/Cap 540 RPM w/Cap			No Charge
		759272	540-540E RPM w/Cap 540-540E RPM w/Cap			\$565.00
		759273	540-1000 RPM w/Cap 540-1000 RPM w/Cap			\$658.00

**WORKMASTER 95-120 A LA CARTE CAB
US PRICE LIST**
3-POINT HITCH

SD_T8200 HITCH

		342053	3 Point Hitch 3200lb 1451kg 3-PT capacity of 3200lb/1451Kg with telescopic stabilizers and flexible link ends			No Charge
		342054	3 Point Hitch 7716lb 2812kg 3-PT capacity of 6200lb/2812Kg with telescopic stabilizers and flexible link ends			\$1,243.00

WEIGHTS

FRONT WEIGHTS

SD_T2151 WEIGHT PACK

		342070	Carrier and 10x 40kg Front Carrier and 10x 88lb (40kg)			\$1,553.00
		342069	Carrier and 8x 40kg Front Carrier and 8x 88lb (40kg)			\$1,243.00

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		762028	Rear Ballast 2x 50kg or 32kg 2x 110lb (50kg) or 2x 70lb (32kg) for 500/60-22.5 tires			\$783.00
		759650	Rear Ballast 4x 50kg or 32kg 4x 110lb (50kg) or 4x 70lb (32kg) for 500/60-22.5 tires			\$1,563.00

OPERATOR'S MANUALS

SD_T9805 OPERATOR MANUAL (SE

		342076	French (Canada) Manual French (Canada) Manual			No Charge
		342077	Spanish Manual Spanish Manual			No Charge

**WORKMASTER 95-120 ROPS FASTPICK
US PRICE LIST****Standard Equipment****KEY SELLING POINTS:**

- Semi straddle ROPS
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Horizontal Rearward Exhaust
24 gal Fuel Tank
2.9 gal DEF Tank
2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted
Power Shuttle
Creeper ready
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH) speed may vary
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 66.5 in. to 72.9 in.

REAR AXLE

Flange Type
Tread Width: 63.8 in. to 79.5 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines

**WORKMASTER 95-120 ROPS FASTPICK
US PRICE LIST****Standard Equipment****3-POINT LIFT SYSTEM:**

Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
Rear: (1) Right hand fender
mounted worklights
Turn Signals/Flashers/Rear Lights

TIRES:

12.4x24 R1 Front
18.4X30 R1 Rear

OPERATOR PROTECTIVE STRUCTURE:**ROPS MODELS**

2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Low profile air suspension seat,
operator's presence sensor, and
retractable seat belts
Suspended pedals
Locking brake pedals

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

LOADER:**632TL NON SELF-LEVELING**

Maximum Lift Height @
pivot pin: 134.5"
Dump Clearance @ 45 deg: 98.4"
Digging Depth: 5.1"
Lift Capacity @ 800mm: 2,028 LBS
Breakout Force @ 800mm: 3,102 LBS
Reach @ Max Lift Height @ 45
deg: 37.8"
Reach @ Ground Level: 87.4"
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 53 degrees
Skid Steer bucket attach
84" bucket

**WORKMASTER 95-120 ROPS FASTPICK
US PRICE LIST****Models**

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 SERIES II	Rops	MFD	8,367 LB		\$74,381.00
WORKMASTER 105 SERIES II	Rops	MFD	7,451 LB		\$77,983.00
WORKMASTER 120 SERIES II	Rops	MFD	7,936 LB		\$82,453.00

**WORKMASTER 95-120 ROPS FASTPICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGES

	XF9913X	<p>Standard ROPS Fast Pick</p> <p>ROPS Standard Fast Pick pricing includes:</p> <p>632TL NSL loader with SSL quick attach and 84' bucket</p> <p>Allows for choice of the following:</p> <p>Hydraulic Pumps</p> <ul style="list-style-type: none"> - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) <p>Rear Remotes</p> <ul style="list-style-type: none"> - 2 Rear Remotes = (762052) - 3 Rear Remotes = (762053) <p>3-PT Hitch Capacity</p> <ul style="list-style-type: none"> - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) <p>PTO</p> <ul style="list-style-type: none"> - 540 RPM = (759271) - 540/1000 RPM = (759273) <p>Tires:</p> <ul style="list-style-type: none"> - 18.4-30 R1 rear (8930605)with 12.4-24 R1 front (8230506) <p>OR</p> <ul style="list-style-type: none"> - 16.4-34 R1 rear (8930601) with 13.6-24 R1 front (8230505) <p>Rear weights:</p> <ul style="list-style-type: none"> - No rear wheel weights - 4 rear wheel weights = (762028) 			(\$4,721.00)
--	---------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--------------

**WORKMASTER 95-120 ROPS FASTPICK
US PRICE LIST**

		XF9917X	<p>Low Profile All Purpose Fast P</p> <p>Low Profile All Purpose Fast Pick ROPS includes:</p> <p>Allows for choice of the following:</p> <p>Hydraulic Pumps</p> <ul style="list-style-type: none"> - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) <p>Rear Remotes</p> <ul style="list-style-type: none"> - 2 Rear Remotes = (762052) - 3 Rear Remotes = (762053) <p>3-PT Hitch Capacity</p> <ul style="list-style-type: none"> - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) <p>PTO</p> <ul style="list-style-type: none"> - 540 RPM = (759271) - 540/1000 RPM = (759273) <p>Mid Mount Valve/Loader</p> <ul style="list-style-type: none"> - No Mid-Mount Valve or Loader - Loader Ready = (762698) - Full Loader 632LA NSL with SSL QA 84' Bucket = (762057) <p>Tires:</p> <ul style="list-style-type: none"> - 16.9-30 R1 rear (8930602) with 11.2-24 R1 front (8220701) <p>OR</p> <ul style="list-style-type: none"> - 500/60-22.5 rear (8310501) with 11.5/80-15.3 front (8811501) <p>OR</p> <ul style="list-style-type: none"> - 19.5-24 R4 rear (8930603) with 12.5-18 front (8230503) <p>Rear weights:</p> <ul style="list-style-type: none"> - No rear wheel weights - 4 rear wheel weights = (762028) <p>Front weights:</p> <ul style="list-style-type: none"> - No front weights - 8 front weights = (342069) - 10 front weights = (342070) 			(\$4,721.00)
--	--	---------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--------------

OTHER EQUIPMENT

SD_T1010 ENGINE OPTIONS

		343472	<p>Viscous Fan</p> <p>Viscous Fan</p>			No Charge
		343473	<p>Reversing Fan</p> <p>Reversing Fan</p>			\$2,608.00

**WORKMASTER 95-120 ROPS FASTPICK
US PRICE LIST**
TIRES
FRONT

SD_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag

		8230506	Front 12.4 - 24 R1 Requires 18.4-30 rear tires			No Charge
		8230505	Front 13.6 -24 R1 Requires 16.9-34 rear tires			\$282.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Rear tires - Ag

		8930605	Rear 18.4 - 30 R1 Requires 12.4-24 4WD front			No Charge
		8930601	Rear 16.9 - 34 R1 Requires 13.6-24 4WD front			(\$174.00)

HYDRAULICS
REAR REMOTES

SD_T8270 REAR REMOTES

		762052	2 Rear Remotes 2 rear remotes for Open Platform with foldable ROPS Float on remote 1 Extend and retract detent and kick-out on remote 2			No Charge
		762053	3 Rear Remotes 3 rear remotes for Open Platform with foldable ROPS Float on remote 1 & 3 Extend and retract detent and kick-out on remote 2			\$993.00

PUMP

SD_T8230 HYD PUMP

		347541	21.6 GPM (82 LPM) Imp_Pump_ 21.6 GPM (82 LPM) Implement Pump			\$682.00
		342056	16.9 GPM (64 LPM) Imp_Pump_ 16.9 GPM (64 LPM) Implement Pump			No Charge

**WORKMASTER 95-120 ROPS FASTPICK
US PRICE LIST**
PTO
REAR PTO

SD_T8010 PTO

		759271	540 RPM w/Cap 540 RPM w/Cap			No Charge
		759273	540-1000 RPM w/Cap 540-1000 RPM w/Cap			\$658.00

3-POINT HITCH

SD_T8200 HITCH

		342053	3 Point Hitch 3200lb 1451kg 3-PT capacity of 3200lb/1451Kg with telescopic stabilizers and flexible link ends			No Charge
		342054	3 Point Hitch 7716lb 2812kg 3-PT capacity of 6200lb/2812Kg with telescopic stabilizers and flexible link ends			\$1,243.00

WEIGHTS
REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		762028	Rear Ballast 2x 50kg or 32kg 2x 110lb (50kg) or 2x 70lb (32kg) for 500/60-22.5 tires			\$783.00
--	--	--------	------------------------------------------------------------------------------------------------	--	--	----------

OPERATOR'S MANUALS

SD_T9805 OPERATOR MANUAL (SE

		342076	French (Canada) Manual French (Canada) Manual			No Charge
		342077	Spanish Manual Spanish Manual			No Charge

**WORKMASTER 95-120 CALIFORNIA SPECIAL ROP
US PRICE LIST****Standard Equipment****KEY SELLING POINTS:**

- Low profile semi straddle ROPS
- Low profile air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- 21.6 gpm hydraulic pump
- 3 rear remote valves
- 6200 lb. 3-pt lift capacity
- 540/1000 rpm PTO

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Horizontal Rearward Exhaust
24 gal Fuel Tank
2.9 gal DEF Tank

TRANSMISSION:

LH side steering column mounted
Power Shuttle
Creeper ready
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH) speed may vary
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 63.8 in. to 71.6 in.

REAR AXLE

Flange Type
Tread Width: 63.9 in. to 79.7 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 21.6 gpm (82 L)
Steering Pump: 9.7 gpm (36 L)
Total Flow: 31.3 gpm (118 L)
(3) Open Center Remote Valves with
Detent & Kickout on #2
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540/1000 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines

**WORKMASTER 95-120 CALIFORNIA SPECIAL ROP
US PRICE LIST****Standard Equipment****3-POINT LIFT SYSTEM:**

Right hand console mounted
lever control

Mechanical Draft Control

6,200 Pounds Lift Capacity

Category I/II Combi Ball Ends

Telescopic Stabilizers

Flexible Lower Link Ends

2-Post Foldable ROPS with ISO-
mounted flat deck platform

Steering Wheel - adjustable tilt

Seat - Low profile air suspension seat,
operator's presence sensor, and
retractable seat belts

Suspended pedals

Locking brake pedals

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery

120 amp Alternator

7-pin Outlet for trailer/implement lighting
and signals

30 amp power plug

12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake

Gauges for fuel level, engine
temperature and tachometer

Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights

Rear: (1) Right hand fender
mounted worklights

Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS

TIRES:

11.5/80-15.3 R1 Front

500/60-22.5 R1 Rear

OR

12.5/80-18 R4 Front

19.5L24 R4 Rear

OR

11.2-24 R1 Front

16.9-30 R1 Rear

Weights:

10 Front weight + carrier (1,034 lb.)

4 Rear wheel weight (2 per wheel)

MISCELLANEOUS:

Pivoting Engine Hood

SMV Emblem

Toolbox

WARRANTY:

New Holland Standard Warranty Applies

**WORKMASTER 95-120 CALIFORNIA SPECIAL ROP
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 SERIES II	Rops	MFD	8,367 LB		\$74,381.00
WORKMASTER 105 SERIES II	Rops	MFD	7,451 LB		\$77,983.00
WORKMASTER 120 SERIES II	Rops	MFD	7,936 LB		\$82,453.00

**WORKMASTER 95-120 CALIFORNIA SPECIAL ROP
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGES

XF9919X	<p>California Special ROPS Fast P</p> <p>California Special ROPS Fast Pick includes:</p> <p>Hydraulic Pump</p> <ul style="list-style-type: none"> - 21.6 gpm (82 L) = (347541) <p>Rear Remotes</p> <ul style="list-style-type: none"> - 3 Rear Remotes = (762053) <p>3-PT Hitch Capacity</p> <ul style="list-style-type: none"> - 6200 lb (2812 kg) = (342054) <p>PTO</p> <ul style="list-style-type: none"> - 540/1000 RPM = (759273) <p>Mid Mount Valve/Loader</p> <ul style="list-style-type: none"> - No Mid-Mount Valve or Loader <p>Tires:</p> <ul style="list-style-type: none"> - 19.5-24 R4 rear (8930603) with 12.5-18 front (8230503) <p>Rear weights:</p> <ul style="list-style-type: none"> - 2x55 EACH side (762028) <p>Front weights:</p> <ul style="list-style-type: none"> - 10 Front weights = (342070) <p>Allows for choice of the following:</p> <p>Engine Fan</p> <ul style="list-style-type: none"> - Reversing Fan (343473) <p>Tires:</p> <ul style="list-style-type: none"> - 500/60-22.5 rear (8310501) with 11.5/80-15.3 front (8811501) <p>OR</p> <ul style="list-style-type: none"> - 16.9-30 R1 rear (8930602) with 11.2-24 R1 front (8220701) <p>Manuals:</p> <ul style="list-style-type: none"> - French (372076) - Spanish (342077) 			(\$14,509.00)
---------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	---------------

**WORKMASTER 95-120 CALIFORNIA SPECIAL ROP
US PRICE LIST**

		XF9928X	CA Special Orchard ROPS Almond Application Package (350522) with includes #- Full Coverage Orchard Steel Fenders #- Right Hand Controls Guard #- Shuttle Lever Guard #- Rear Light Guard #- Main Fuel Tank Guard #- Auxiliary Fuel Tank (additional 19.8 G/ 75 L) #- Front Grill Guard #- Shuttle Lever Guard Hydraulic Pump - 21.6 gpm (82 L) = (347541) Rear Remotes - 3 Rear Remotes with Flow Control = (763904) 3-PT Hitch Capacity - 6200 lb (2812 kg) = (342054) PTO - 540/1000 RPM = (759273) Mid Mount Valve/Loader - No Mid-Mount Valve or Loader Tires: - 19.5-24 R4 rear (8930603) with 12.5-18 front (8230503) Rear weights: - 2x55 EACH side (762028) Front weights: - 14 Front weights = (350499) Allows for choice of the following: Engine Fan - Reversing Fan (343473) Tires: - 500/60-22.5 rear (8310501) with 11.5/80-15.3 front (8811501) Manuals: - French (372076) - Spanish (342077)			(\$14,632.00)
--	--	---------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	---------------

OTHER EQUIPMENT

SD_T1010 ENGINE OPTIONS

		343472	Viscous Fan Viscous Fan			No Charge
		343473	Reversing Fan Reversing Fan			\$2,608.00

**WORKMASTER 95-120 CALIFORNIA SPECIAL ROP
US PRICE LIST**

TIRES
FRONT

SD_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag						
		8220701	Front 11.2 - 24 R1 Requires 16.9-30 rear tires			(\$75.00)
		8811501	Front 11.5/80-15.3 R1 Requires 500/60-22.5 rear tires (ROPS ONLY)			\$898.00
4WD Front Tires - Ind						
		8230503	Front 12.5 - 18 R4 Requires 19.5L-24 rear tires			\$898.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Rear tires - Ag						
		8930602	Rear 16.9 - 30 R1 Requires 11.2-24 4WD front			\$373.00
		8310501	Rear 500/60-22.5 R1 Requires 11.5/80-15.3 4WD front tires (ROPS ONLY)			\$778.00
Rear tires - Ind						
		8930603	Rear 19.5 - 24 R4 Requires 12.5/80-18 4WD front tires			\$778.00

OPERATOR'S MANUALS

SD_T9805 OPERATOR MANUAL (SE

		342076	French (Canada) Manual French (Canada) Manual			No Charge
		342077	Spanish Manual Spanish Manual			No Charge

**WORKMASTER 95-120 AP LOW PRO FAST PICK
US PRICE LIST****Standard Equipment****KEY SELLING POINTS:**

- Low profile semi straddle ROPS
- Low profile air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Horizontal Rearward Exhaust
24 gal Fuel Tank
2.9 gal DEF Tank
2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted
Power Shuttle
Creeper ready
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH) speed may vary
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 63.8 in. to 71.6 in.

REAR AXLE

Flange Type
Tread Width: 63.9 in. to 79.7 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines

**WORKMASTER 95-120 AP LOW PRO FAST PICK
US PRICE LIST****Standard Equipment****3-POINT LIFT SYSTEM:**

Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
Rear: (1) Right hand fender
mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS
2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Low profile air suspension seat,
operator's presence sensor, and
retractable seat belts
Suspended pedals
Locking brake pedals

TIRES:

11.5/80-15.3 R1 Front
500/60-22.5 R1 Rear
OR
12.5/80-18 R4 Front
19.5L24 R4 Rear
OR
11.2-24 Front
16.9x30 Rear

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

**WORKMASTER 95-120 AP LOW PRO FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 SERIES II	Rops	MFD	8,367 LB		\$74,381.00
WORKMASTER 105 SERIES II	Rops	MFD	7,451 LB		\$77,983.00
WORKMASTER 120 SERIES II	Rops	MFD	7,936 LB		\$82,453.00

**WORKMASTER 95-120 AP LOW PRO FAST PICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGES

XF9917X	<p>Low Profile All Purpose Fast P</p> <p>Low Profile All Purpose Fast Pick ROPS includes:</p> <p>Allows for choice of the following:</p> <p>Hydraulic Pumps</p> <ul style="list-style-type: none"> - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) <p>Rear Remotes</p> <ul style="list-style-type: none"> - 2 Rear Remotes = (762052) - 3 Rear Remotes = (762053) <p>3-PT Hitch Capacity</p> <ul style="list-style-type: none"> - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) <p>PTO</p> <ul style="list-style-type: none"> - 540 RPM = (759271) - 540/1000 RPM = (759273) <p>Mid Mount Valve/Loader</p> <ul style="list-style-type: none"> - No Mid-Mount Valve or Loader - Loader Ready = (762698) - Full Loader 632LA NSL with SSL QA 84' Bucket = (762057) <p>Tires:</p> <ul style="list-style-type: none"> - 16.9-30 R1 rear (8930602) with 11.2-24 R1 front (8220701) <p>OR</p> <ul style="list-style-type: none"> - 500/60-22.5 rear (8310501) with 11.5/80-15.3 front (8811501) <p>OR</p> <ul style="list-style-type: none"> - 19.5-24 R4 rear (8930603) with 12.5-18 front (8230503) <p>Rear weights:</p> <ul style="list-style-type: none"> - No rear wheel weights - 4 rear wheel weights = (762028) <p>Front weights:</p> <ul style="list-style-type: none"> - No front weights - 8 front weights = (342069) - 10 front weights = (342070) 			(\$4,721.00)
---------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	--------------

**WORKMASTER 95-120 AP LOW PRO FAST PICK
US PRICE LIST**

TIRES
FRONT

SD_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag

		8811501	Front 11.5/80-15.3 R1 Requires 500/60-22.5 rear tires (ROPS ONLY)			\$898.00
--	--	---------	---------------------------------------------------------------------------------	--	--	----------

4WD Front Tires - Ind

		8230503	Front 12.5 - 18 R4 Requires 19.5L-24 rear tires			\$898.00
--	--	---------	-----------------------------------------------------------	--	--	----------

REAR

SD_T4950 REAR WHEELS AND TIRES

Rear tires - Ag

		8930602	Rear 16.9 - 30 R1 Requires 11.2-24 4WD front			\$373.00
--	--	---------	--------------------------------------------------------	--	--	----------

		8310501	Rear 500/60-22.5 R1 Requires 11.5/80-15.3 4WD front tires (ROPS ONLY)			\$778.00
--	--	---------	-------------------------------------------------------------------------------------	--	--	----------

Rear tires - Ind

		8930603	Rear 19.5 - 24 R4 Requires 12.5/80-18 4WD front tires			\$778.00
--	--	---------	-----------------------------------------------------------------	--	--	----------

HYDRAULICS
REAR REMOTES

SD_T8270 REAR REMOTES

		762052	2 Rear Remotes 2 rear remotes for Open Platform with foldable ROPS Float on remote 1 Extend and retract detent and kick-out on remote 2			No Charge
--	--	--------	-----------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	-----------

		762053	3 Rear Remotes 3 rear remotes for Open Platform with foldable ROPS Float on remote 1 & 3 Extend and retract detent and kick-out on remote 2			\$993.00
--	--	--------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	----------

PUMP

SD_T8230 HYD PUMP

		347541	21.6 GPM (82 LPM) Imp_Pump_ 21.6 GPM (82 LPM) Implement Pump			\$682.00
--	--	--------	------------------------------------------------------------------------	--	--	----------

**WORKMASTER 95-120 AP LOW PRO FAST PICK
US PRICE LIST**

		342056	16.9 GPM (64 LPM) Imp_Pump_ 16.9 GPM (64 LPM) Implement Pump			No Charge
--	--	--------	------------------------------------------------------------------------	--	--	-----------

LOADER

LOADER

SD_T8110 LOADER BRACKETS

		762698	Loader_Ready_ Complete loader ready includes: - Horizontal and Vertical TPS loader brackets - 2 function mid mount valve and joystick - Hoses from mid mount valve to vertical bracket - Grill guard			(\$1,839.00)
		763052	632TL and 84 Bucket SSL 632TL Non self leveling loader with 84' SSL Bucket			No Charge

PTO

REAR PTO

SD_T8010 PTO

		759271	540 RPM w/Cap 540 RPM w/Cap			No Charge
		759273	540-1000 RPM w/Cap 540-1000 RPM w/Cap			\$658.00

3-POINT HITCH

SD_T8200 HITCH

		342053	3 Point Hitch 3200lb 1451kg 3-PT capacity of 3200lb/1451Kg with telescopic stabilizers and flexible link ends			No Charge
		342054	3 Point Hitch 7716lb 2812kg 3-PT capacity of 6200lb/2812Kg with telescopic stabilizers and flexible link ends			\$1,243.00

WEIGHTS

FRONT WEIGHTS

SD_T2151 WEIGHT PACK

		342070	Carrier and 10x 40kg Front Carrier and 10x 88lb (40kg)			\$1,553.00
		342069	Carrier and 8x 40kg Front Carrier and 8x 88lb (40kg)			\$1,243.00

**WORKMASTER 95-120 AP LOW PRO FAST PICK
US PRICE LIST****REAR WHEEL WEIGHTS**

SD_T4960 WHEEL WEIGHTS

		762028	Rear Ballast 2x 50kg or 32kg 2x 110lb (50kg) or 2x 70lb (32kg) for 500/60-22.5 tires			\$783.00
--	--	--------	------------------------------------------------------------------------------------------------	--	--	----------

OPERATOR'S MANUALS

SD_T9805 OPERATOR MANUAL (SE

		342076	French (Canada) Manual French (Canada) Manual			No Charge
		342077	Spanish Manual Spanish Manual			No Charge

**WORKMASTER 95-120 POULTRY FAST PICKS
US PRICE LIST****Standard Equipment****KEY SELLING POINTS:**

- Low profile semi straddle ROPS
- Low profile air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Engine Reversing Fan
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Horizontal Rearward Exhaust
24 gal Fuel Tank
2.9 gal DEF Tank
2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted
Power Shuttle
Creeper ready
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH) speed may vary
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 63.8 in. to 68.5 in.

REAR AXLE

Flange Type
Tread Width: 64.8 in. to 72.7 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines

**WORKMASTER 95-120 POULTRY FAST PICKS
US PRICE LIST****Standard Equipment****3-POINT LIFT SYSTEM:**

Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
Rear: (1) Right hand fender
mounted worklights
Turn Signals/Flashers/Rear Lights

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

TIRES:

11.5/80-15.3 R1 Front
500/60-22.5 R1 Rear
OR
12.5/80-18 R4 Front
19.5L24 R4 Rear

OPERATOR PROTECTIVE STRUCTURE:**ROPS MODELS**

2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Low profile air suspension seat,
operator's presence sensor, and
retractable seat belts
Suspended pedals
Locking brake pedals

WARRANTY:

New Holland Standard Warranty Applies

LOADER:**632TL NON SELF-LEVELING**

Maximum Lift Height @
pivot pin: 134.5"
Dump Clearance @ 45 deg: 98.4"
Digging Depth: 5.1"
Lift Capacity @ 800mm: 2,028 LBS
Breakout Force @ 800mm: 3,102 LBS
Reach @ Max Lift Height @ 45
deg: 37.8"
Reach @ Ground Level: 87.4"
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 53 degrees
Skid Steer bucket attach
84" bucket

**WORKMASTER 95-120 POULTRY FAST PICKS
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 TSERIES II	Rops	MFD	8,367 LB		\$74,381.00
WORKMASTER 105 SERIES II	Rops	MFD	7,451 LB		\$77,983.00
WORKMASTER 120 SERIES II	Rops	MFD	7,936 LB		\$82,453.00

**WORKMASTER 95-120 POULTRY FAST PICKS
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGES

XF9915X	<p>Poultry NSL Loader Fast Pick</p> <p>Poultry NSL Loader Fast Pick pricing includes:</p> <p>Reversing engine fan</p> <p>632LA NSL loader with SSL quick attach and 84' bucket</p> <p>Allows for choice of the following:</p> <p>Hydraulic Pumps</p> <ul style="list-style-type: none"> - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) <p>Rear Remotes</p> <ul style="list-style-type: none"> - 2 Rear Remotes = (762052) - 3 Rear Remotes = (762053) <p>3-PT Hitch Capacity</p> <ul style="list-style-type: none"> - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) <p>PTO</p> <ul style="list-style-type: none"> - 540 RPM = (759271) - 540/1000 RPM = (759273) <p>Tires:</p> <ul style="list-style-type: none"> - 500/60-22.5 rear (8310501) with 11.5/80-15.3 front (8811501) <p>OR</p> <ul style="list-style-type: none"> - 19.5-24 R4 rear (8930603) with 12.5-18 front (8230503) <p>Rear weights:</p> <ul style="list-style-type: none"> - No rear wheel weights - 4 rear wheel weights = (762028) 			(\$682.00)
---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	------------

**WORKMASTER 95-120 POULTRY FAST PICKS
US PRICE LIST**

		XF9916X	Poultry No Loader Fast Pick Poultry NSL Loader Fast Pick pricing includes: Reversing engine fan Less loader and mid-mount valve Allows for choice of the following: Hydraulic Pumps - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) Rear Remotes - 2 Rear Remotes = (762052) - 3 Rear Remotes = (762053) 3-PT Hitch Capacity - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) PTO - 540 RPM = (759271) - 540/1000 RPM = (759273) Tires: - 500/60-22.5 rear (8310501) with 11.5/80-15.3 front (8811501) OR - 19.5-24 R4 rear (8930603) with 12.5-18 front (8230503) Rear weights: - No rear wheel weights - 4 rear wheel weights = (762028)			(\$10,596.00)
--	--	---------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	---------------

TIRES
FRONT

SD_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag						
		8811501	Front 11.5/80-15.3 R1 Requires 500/60-22.5 rear tires (ROPS ONLY)			\$898.00
4WD Front Tires - Ind						
		8230503	Front 12.5 - 18 R4 Requires 19.5L-24 rear tires			\$898.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Rear tires - Ag						
		8310501	Rear 500/60-22.5 R1 Requires 11.5/80-15.3 4WD front tires (ROPS ONLY)			\$778.00

**WORKMASTER 95-120 POULTRY FAST PICKS
US PRICE LIST**

Rear tires - Ind

		8930603	Rear 19.5 - 24 R4 Requires 12.5/80-18 4WD front tires			\$778.00
--	--	---------	-----------------------------------------------------------------	--	--	----------

HYDRAULICS

REAR REMOTES

SD_T8270 REAR REMOTES

		762052	2 Rear Remotes 2 rear remotes for Open Platform with foldable ROPS Float on remote 1 Extend and retract detent and kick-out on remote 2			No Charge
		762053	3 Rear Remotes 3 rear remotes for Open Platform with foldable ROPS Float on remote 1 & 3 Extend and retract detent and kick-out on remote 2			\$993.00

PUMP

SD_T8230 HYD PUMP

		347541	21.6 GPM (82 LPM) Imp_Pump_ 21.6 GPM (82 LPM) Implement Pump			\$682.00
		342056	16.9 GPM (64 LPM) Imp_Pump_ 16.9 GPM (64 LPM) Implement Pump			No Charge

PTO

REAR PTO

SD_T8010 PTO

		759271	540 RPM w/Cap 540 RPM w/Cap			No Charge
		759273	540-1000 RPM w/Cap 540-1000 RPM w/Cap			\$658.00

3-POINT HITCH

SD_T8200 HITCH

		342053	3 Point Hitch 3200lb 1451kg 3-PT capacity of 3200lb/1451Kg with telescopic stabilizers and flexible link ends			No Charge
		342054	3 Point Hitch 7716lb 2812kg 3-PT capacity of 6200lb/2812Kg with telescopic stabilizers and flexible link ends			\$1,243.00

**WORKMASTER 95-120 POULTRY FAST PICKS
US PRICE LIST****WEIGHTS****REAR WHEEL WEIGHTS****SD_T4960 WHEEL WEIGHTS**

		762028	Rear Ballast 2x 50kg or 32kg 2x 110lb (50kg) or 2x 70lb (32kg) for 500/60-22.5 tires			\$783.00
--	--	--------	------------------------------------------------------------------------------------------------	--	--	----------

OPERATOR'S MANUALS**SD_T9805 OPERATOR MANUAL (SE**

		342076	French (Canada) Manual French (Canada) Manual			No Charge
		342077	Spanish Manual Spanish Manual			No Charge

**WORKMASTER 95-120 ROPS MOWING FAST PICK
US PRICE LIST****Standard Equipment****KEY SELLING POINTS:**

- Semi straddle ROPS
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Horizontal Rearward Exhaust
24 gal Fuel Tank
2.9 gal DEF Tank
2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted
Power Shuttle
Creeper ready
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH) speed may vary
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 66.5 in. to 72.9 in.

REAR AXLE

Flange Type
Tread Width: 63.8 in. to 79.5 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(3) Open Center Remote Valves with
Detent & Kickout on #2
Float on #1 & #3

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines

**WORKMASTER 95-120 ROPS MOWING FAST PICK
US PRICE LIST****Standard Equipment****3-POINT LIFT SYSTEM:**

Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
Rear: (1) Right hand fender
mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:**ROPS MODELS**

2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Low profile air suspension seat,
operator's presence sensor, and
retractable seat belts
Suspended pedals
Locking brake pedals

TIRES:

12.4x24 R1 Front
18.4X30 R1 Rear

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

**WORKMASTER 95-120 ROPS MOWING FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 SERIES II	Rops	MFD	8,367 LB		\$74,381.00
WORKMASTER 105 SERIES II	Rops	MFD	7,451 LB		\$77,983.00
WORKMASTER 120 SERIES II	Rops	MFD	7,936 LB		\$82,453.00

**WORKMASTER 95-120 ROPS MOWING FAST PICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGES

XF9918X	<p>ROPS Mowing Fast Pick</p> <p>ROPS Mowing Fast Pick pricing includes:</p> <p>3 Rear Remotes</p> <p>Less loader and mid-mount valve</p> <p>Allows for choice of the following:</p> <p>Hydraulic Pumps</p> <ul style="list-style-type: none"> - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) <p>3-PT Hitch Capacity</p> <ul style="list-style-type: none"> - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) <p>PTO</p> <ul style="list-style-type: none"> - 540 RPM = (759271) - 540/1000 RPM = (759273) <p>Mid Mount Valve/Loader</p> <ul style="list-style-type: none"> - No Mid-Mount Valve or Loader - Mid-Mount Valve and Joystick only = (762699) - Loader Ready = (762698) <p>Tires:</p> <ul style="list-style-type: none"> - 18.4-30 R1 rear (8930605)with 12.4-24 R1 front (8230506) <p>OR</p> <ul style="list-style-type: none"> -16.9-34 R1 rear (8930601) with 13.6-24 R1 front (8230505) <p>Rear weights:</p> <ul style="list-style-type: none"> - No rear wheel weights - 4 rear wheel weights = (762028) - 8 rear wheel weights = (759650) <p>Front weights:</p> <ul style="list-style-type: none"> - No front weights - 8 front weights = (342069) - 10 front weights = (342070) 			(\$13,515.00)
---------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	---------------

**WORKMASTER 95-120 ROPS MOWING FAST PICK
US PRICE LIST**

TIRES
FRONT

SD_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag

		8230506	Front 12.4 - 24 R1 Requires 18.4-30 rear tires			No Charge
		8230505	Front 13.6 -24 R1 Requires 16.9-34 rear tires			\$282.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Rear tires - Ag

		8930605	Rear 18.4 - 30 R1 Requires 12.4-24 4WD front			No Charge
		8930601	Rear 16.9 - 34 R1 Requires 13.6-24 4WD front			(\$174.00)

LOADER
LOADER

SD_T8110 LOADER BRACKETS

		762699	Less Loader w/MMV Mid Mount Valve and Joystick ONLY.			\$1,839.00
		762698	Loader_Ready_ Complete loader ready includes: - Horizontal and Vertical TPS loader brackets - 2 function mid mount valve and joystick - Hoses from mid mount valve to vertical bracket - Grill guard			\$8,072.00

PTO
REAR PTO

SD_T8010 PTO

		759271	540 RPM w/Cap 540 RPM w/Cap			No Charge
		759272	540-540E RPM w/Cap 540-540E RPM w/Cap			\$565.00
		759273	540-1000 RPM w/Cap 540-1000 RPM w/Cap			\$658.00

**WORKMASTER 95-120 ROPS MOWING FAST PICK
US PRICE LIST**

WEIGHTS

FRONT WEIGHTS

SD_T2151 WEIGHT PACK

		342070	Carrier and 10x 40kg Front Carrier and 10x 88lb (40kg)			\$1,553.00
		342069	Carrier and 8x 40kg Front Carrier and 8x 88lb (40kg)			\$1,243.00

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		762028	Rear Ballast 2x 50kg or 32kg 2x 110lb (50kg) or 2x 70lb (32kg) for 500/60-22.5 tires			\$783.00
		759650	Rear Ballast 4x 50kg or 32kg 4x 110lb (50kg) or 4x 70lb (32kg) for 500/60-22.5 tires			\$1,563.00

OPERATOR'S MANUALS

SD_T9805 OPERATOR MANUAL (SE

		342076	French (Canada) Manual French (Canada) Manual			No Charge
		342077	Spanish Manual Spanish Manual			No Charge

**WORKMASTER 95-120 A LA CARTE ROPS
US PRICE LIST****Standard Equipment****KEY SELLING POINTS:**

- Semi straddle ROPS
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Horizontal Rearward Exhaust
24 gal Fuel Tank
2.9 gal DEF Tank
2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted
Power Shuttle
Creeper ready
12 Forward and 12 Reverse Speeds
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH) speed may vary
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 63.8 in. to 72.9 in.

REAR AXLE

Flange Type
Tread Width: 63.9 in. to 79.7 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines

**WORKMASTER 95-120 A LA CARTE ROPS
US PRICE LIST****Standard Equipment****3-POINT LIFT SYSTEM:**

Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

TIRES:

12.4x24 R1 Front
18.4X30 R1 Rear

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

LIGHTING:

Front: (2) Halogen Headlights
Rear: (1) Right hand fender
mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:**ROPS MODELS**

2-Post Foldable ROPS with ISO-
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Low profile air suspension seat,
operator's presence sensor, and
retractable seat belts
Suspended pedals
Locking brake pedals

WARRANTY:

New Holland Standard Warranty Applies

LOADER:**632TL NON SELF-LEVELING**

Maximum Lift Height @
pivot pin: 134.5"
Dump Clearance @ 45 deg: 98.4"
Digging Depth: 5.1"
Lift Capacity @ 800mm: 2,028 LBS
Breakout Force @ 800mm: 3,102 LBS
Reach @ Max Lift Height @ 45
deg: 37.8"
Reach @ Ground Level: 87.4"
Bucket Rollback Angle: 40 degrees
Bucket Dump Angle: 53 degrees
Skid Steer bucket attach
84" bucket

**WORKMASTER 95-120 A LA CARTE ROPS
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 SERIES II	Rops	MFD	8,367 LB		\$74,381.00
WORKMASTER 105 SERIES II	Rops	MFD	7,451 LB		\$77,983.00
WORKMASTER 120 SERIES II	Rops	MFD	7,936 LB		\$82,453.00

**WORKMASTER 95-120 A LA CARTE ROPS
US PRICE LIST**
Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

TIRES
FRONT

SD_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag				
	8220701	Front 11.2 - 24 R1 Requires 16.9-30 rear tires		(\$75.00)
	8230506	Front 12.4 - 24 R1 Requires 18.4-30 rear tires		No Charge
	8230505	Front 13.6 -24 R1 Requires 16.9-34 rear tires		\$282.00
	8811501	Front 11.5/80-15.3 R1 Requires 500/60-22.5 rear tires (ROPS ONLY)		\$898.00
4WD Front Tires - Ind				
	8230503	Front 12.5 - 18 R4 Requires 19.5L-24 rear tires		\$898.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Rear tires - Ag				
	8930602	Rear 16.9 - 30 R1 Requires 11.2-24 4WD front		\$373.00
	8930605	Rear 18.4 - 30 R1 Requires 12.4-24 4WD front		No Charge
	8930601	Rear 16.9 - 34 R1 Requires 13.6-24 4WD front		(\$174.00)
	8310501	Rear 500/60-22.5 R1 Requires 11.5/80-15.3 4WD front tires (ROPS ONLY)		\$778.00
Rear tires - Ind				
	8930603	Rear 19.5 - 24 R4 Requires 12.5/80-18 4WD front tires		\$778.00

**WORKMASTER 95-120 A LA CARTE ROPS
US PRICE LIST**
HYDRAULICS
REAR REMOTES

SD_T8270 REAR REMOTES

		762052	2 Rear Remotes 2 rear remotes for Open Platform with foldable ROPS Float on remote 1 Extend and retract detent and kick-out on remote 2			No Charge
		762053	3 Rear Remotes 3 rear remotes for Open Platform with foldable ROPS Float on remote 1 & 3 Extend and retract detent and kick-out on remote 2			\$993.00

PUMP

SD_T8230 HYD PUMP

		347541	21.6 GPM (82 LPM) Imp_Pump_ 21.6 GPM (82 LPM) Implement Pump			\$682.00
		342056	16.9 GPM (64 LPM) Imp_Pump_ 16.9 GPM (64 LPM) Implement Pump			No Charge

LOADER
LOADER

SD_T8110 LOADER BRACKETS

		762699	Less Loader w/MMV Mid Mount Valve and Joystick ONLY.			(\$8,072.00)
		762698	Loader_Ready_ Complete loader ready includes: - Horizontal and Vertical TPS loader brackets - 2 function mid mount valve and joystick - Hoses from mid mount valve to vertical bracket - Grill guard			(\$1,839.00)
		763052	632TL and 84 Bucket SSL 632TL Non self leveling loader with 84' SSL Bucket			No Charge

PTO
REAR PTO

SD_T8010 PTO

		759271	540 RPM w/Cap 540 RPM w/Cap			No Charge
--	--	--------	---------------------------------------	--	--	-----------

**WORKMASTER 95-120 A LA CARTE ROPS
US PRICE LIST**

		759272	540-540E RPM w/Cap 540-540E RPM w/Cap			\$565.00
		759273	540-1000 RPM w/Cap 540-1000 RPM w/Cap			\$658.00

3-POINT HITCH

SD_T8200 HITCH

		342053	3 Point Hitch 3200lb 1451kg 3-PT capacity of 3200lb/1451Kg with telescopic stabilizers and flexible link ends			No Charge
		342054	3 Point Hitch 7716lb 2812kg 3-PT capacity of 6200lb/2812Kg with telescopic stabilizers and flexible link ends			\$1,243.00

WEIGHTS

FRONT WEIGHTS

SD_T2151 WEIGHT PACK

		342070	Carrier and 10x 40kg Front Carrier and 10x 88lb (40kg)			\$1,553.00
		342069	Carrier and 8x 40kg Front Carrier and 8x 88lb (40kg)			\$1,243.00

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		762028	Rear Ballast 2x 50kg or 32kg 2x 110lb (50kg) or 2x 70lb (32kg) for 500/60-22.5 tires			\$783.00
		759650	Rear Ballast 4x 50kg or 32kg 4x 110lb (50kg) or 4x 70lb (32kg) for 500/60-22.5 tires			\$1,563.00

OPERATOR'S MANUALS

SD_T9805 OPERATOR MANUAL (SE

		342076	French (Canada) Manual French (Canada) Manual			No Charge
		342077	Spanish Manual Spanish Manual			No Charge

**WORKMASTER 95-120 CAB MOWING FAST PICK
US PRICE LIST****Standard Equipment****KEY SELLING POINTS:**

- Best-in-Class value cab
- Instructor seat
- Air suspensions seat
- 12x12 power shuttle transmission
- Lift-O-Matic
- Factory installed loader

Workmaster 95

97 Gross Engine hp
78 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 105

112 Gross Engine hp
92 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

Workmaster 120

120 Gross Engine hp
100 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
207cu in (3.4 L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)
Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Vertical Exhaust
29 gal Fuel Tank
2.9 gal DEF Tank

TRANSMISSION:

LH side steering column mounted
Power Shuttle
12 Forward and 12 Reverse Speeds
Creeper ready
(4) Synchronized Gears
(3) Non-synchronized Ranges
(2) clutches, 5 wet disc plates
FWD - 19 mph (30 KPH)
Speed varies with tire selection
Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:

Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 66.5 in. to 72.9 in.

REAR AXLE

Flange Type
Tread Width: 63.8 in. to 79.5 in.

HYDRAULIC SYSTEM:

Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(3) Open Center Remote Valves with
Detent & Kickout on #2 &
Float on #1

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines

**WORKMASTER 95-120 CAB MOWING FAST PICK
US PRICE LIST****Standard Equipment****3-POINT LIFT SYSTEM:**

Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 900 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
and signals
30 amp power plug
12V power socket (cigarette lighter)

INSTRUMENTATION:

Digital /Analog Instrumentation with
warning lights for turn signals, high
beam, work lights, side lights,
rear PTO, 4WD, differential lock,
low fuel, alternator, oil pressure,
brake fluid, grid heater & hand brake
Gauges for fuel level, engine
temperature and tachometer
Digital Readout for PTO speed,
ground speed, battery, hours &
DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

TIRES:

12.4x24 R1 Front
18.4X30 R1 Rear

OPERATOR PROTECTIVE STRUCTURE:**CAB MODELS**

ROPS protected, 4 post, flat deck
platform with heat and air
conditioning, tinted windshield,
retractable sun screen, front wiper
and washer, rear wiper and washer,
two doors with locks, two external
mirrors, hinged rear window (opens
completely)

Steering Wheel - adjustable tilt
Seat - Cloth covered air suspension,
operator's presence sensor,
retractable seat belt and arm rests

Instructor Seat

Suspended pedals

Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY:

New Holland Standard Warranty Applies

**WORKMASTER 95-120 CAB MOWING FAST PICK
US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
WORKMASTER 95 SERIES II	Cab	MFD	6,768 LB		\$92,554.00
WORKMASTER 105 SERIES II	Cab	MFD	7,936 LB		\$96,156.00
WORKMASTER 120 SERIES II	Cab	MFD	7,253 LB		\$100,626.00

**WORKMASTER 95-120 CAB MOWING FAST PICK
US PRICE LIST**

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

FAST PICK CONFIGURATION

SD_T9980 PACKAGES

XF9922X	<p>Cab Mowing Fast Pick</p> <p>Cab Mowing Fast Pick pricing includes:</p> <p>3 Rear Remotes</p> <p>Less loader and mid-mount valve</p> <p>Allows for choice of the following:</p> <p>Hydraulic Pumps</p> <ul style="list-style-type: none"> - 16.9 gpm (64 L) = (342056) - 21.6 gpm (82 L) = (347541) <p>3-PT Hitch Capacity</p> <ul style="list-style-type: none"> - 3200 lb (1451 kg) = (342053) - 6200 lb (2812 kg) = (342054) <p>PTO</p> <ul style="list-style-type: none"> - 540 RPM = (759271) - 540/540E RPM = (759272) - 540/1000 RPM = (759273) <p>Mid Mount Valve/Loader</p> <ul style="list-style-type: none"> - No Mid-Mount Valve or Loader - Mid-Mount Valve and Joystick only = (762699) - Loader Ready = (762698) <p>Tires:</p> <ul style="list-style-type: none"> - 18.4-30 R1 rear (8930605)with 12.4-24 R1 front (8230506) <p>OR</p> <ul style="list-style-type: none"> -16.9-34 R1 rear (8930601) with 13.6-24 R1 front (8230505) <p>Rear weights:</p> <ul style="list-style-type: none"> - No rear wheel weights - 4 rear wheel weights = (762028) - 8 rear wheel weights = (759650) <p>Front weights:</p> <ul style="list-style-type: none"> - No front weights - 8 front weights = (342069) - 10 front weights = (342070) 			(\$13,515.00)
---------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--	---------------

**WORKMASTER 95-120 CAB MOWING FAST PICK
US PRICE LIST**

TIRES
FRONT

SD_T4940 FRONT WHEELS AND TIRES

4WD Front Tires - Ag

		8230506	Front 12.4 - 24 R1 Requires 18.4-30 rear tires			No Charge
		8230505	Front 13.6 -24 R1 Requires 16.9-34 rear tires			\$282.00

REAR

SD_T4950 REAR WHEELS AND TIRES

Rear tires - Ag

		8930605	Rear 18.4 - 30 R1 Requires 12.4-24 4WD front			No Charge
		8930601	Rear 16.9 - 34 R1 Requires 13.6-24 4WD front			(\$174.00)

HYDRAULICS
PUMP

SD_T8230 HYD PUMP

		347541	21.6 GPM (82 LPM) Imp_Pump_ 21.6 GPM (82 LPM) Implement Pump			\$682.00
		342056	16.9 GPM (64 LPM) Imp_Pump_ 16.9 GPM (64 LPM) Implement Pump			No Charge

LOADER
LOADER

SD_T8110 LOADER BRACKETS

		343421	Less Loader/Less Loader Ready Less Loader/Less Loader Ready			No Charge
		762699	Less Loader w/MMV Mid Mount Valve and Joystick ONLY.			\$1,839.00
		762698	Loader_Ready_ Complete loader ready includes: - Horizontal and Vertical TPS loader brackets - 2 function mid mount valve and joystick - Hoses from mid mount valve to vertical bracket - Grill guard			\$8,072.00

**WORKMASTER 95-120 CAB MOWING FAST PICK
US PRICE LIST**

PTO

REAR PTO

SD_T8010 PTO

		759271	540 RPM w/Cap 540 RPM w/Cap			No Charge
		759272	540-540E RPM w/Cap 540-540E RPM w/Cap			\$565.00
		759273	540-1000 RPM w/Cap 540-1000 RPM w/Cap			\$658.00

3-POINT HITCH

SD_T8200 HITCH

		342053	3 Point Hitch 3200lb 1451kg 3-PT capacity of 3200lb/1451Kg with telescopic stabilizers and flexible link ends			No Charge
		342054	3 Point Hitch 7716lb 2812kg 3-PT capacity of 6200lb/2812Kg with telescopic stabilizers and flexible link ends			\$1,243.00

WEIGHTS

FRONT WEIGHTS

SD_T2151 WEIGHT PACK

		342070	Carrier and 10x 40kg Front Carrier and 10x 88lb (40kg)			\$1,553.00
		342069	Carrier and 8x 40kg Front Carrier and 8x 88lb (40kg)			\$1,243.00

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

		759650	Rear Ballast 4x 50kg or 32kg 4x 110lb (50kg) or 4x 70lb (32kg) for 500/60-22.5 tires			\$1,563.00
--	--	--------	------------------------------------------------------------------------------------------------	--	--	------------

OPERATOR'S MANUALS

SD_T9805 OPERATOR MANUAL (SE

		342075	English (USA) Manual English (USA) Manual			No Charge
--	--	--------	-----------------------------------------------------	--	--	-----------

**WORKMASTER 95-120 CAB MOWING FAST PICK
US PRICE LIST**

		342076	French (Canada) Manual French (Canada) Manual			No Charge
		342077	Spanish Manual Spanish Manual			No Charge

WORKMASTER 95, 105 & 120 Tire Chart					
Tire Type	Application	Rear Tires		Matching 4WD Front Tires	
		Tire	Order Code	Tire	Order Code
Bias	Agricultural - R1	16.9-30	8930602	11.2-24	8220701
		18.4-30	8930605	12.4-24	8230506
		16.9-34	8930601	13.6-24	8230505
Specialty	Agricultural - R1	500/60-22.5	8310501	11.5/80-15.3	8811501
	Industrial - R4	19.5L24	8930603	12.5/80-18	8290904

PARTS DIVISION SUPPLIED ACCESSORIES FOR WORKMASTER Utility Tractors				
Part Number	Description	WORKMASTER 95-120 ROPS	WORKMASTER 95-120 Cab	NOTES:
718167701	FRONT FENDER 310 mm (for BRAKES)	X	X	
731305012	FRONT FENDER 400 mm (for BRAKES)	X	X	
731096012	Canopy - FOPS	X		
731097013	Beacon Light - For ROPS with Canopy or CAB models	X	X	
731185012	Beacon Light - For ROPS without Canopy			
731232012	Reverse Alarm – Power Shuttle ROPS	X		
731232012	Reverse Alarm – Power Shuttle CAB		X	
731202012	Clevis Pin only without Drawbar	X	X	
719216250	COLD START KIT (-30°C and -22°F)	X	X	
731144013	Creeper controls (Creeper Ready) - Cab		X	
731144012	Creeper controls (Creeper Ready) - ROPS	X		
731145012	2nd rear LED worklights (LED or filament) - ROPS	X		
731102012	3 Remotes with flow control (80 LPM) ROPS	X		
731102013	3 Remotes with flow control (80 LPM) CAB		X	
731206012	2 Remotes with flow control (80 LPM) ROPS	X		
731206013	2 Remotes with flow control (80 LPM) CAB		X	
731207012	2 Remotes with flow control (60 LPM) ROPS	X		
731207013	2 Remotes with flow control (60 LPM) CAB		X	
731203012	3 Remotes with flow control (60 LPM) ROPS	X		
731203013	3 Remotes with flow control (60 LPM) CAB		X	
731298012	RH Foot Step Rops	X		
731303012	CAB OUTER ROOF (CLEAR VISIBILITY PANEL)		X	
731307012	ROPS - TO CONVERT NON LOADER TO LOADER READY WITH PS AND VERTICAL OR DOWNSWEPT SILENCER FOR 60 LPM HYD PUMP	X		
731307032	CAB - TO CONVERT NON LOADER TO LOADER READY WITH PS AND VERTICAL OR DOWNSWEPT SILENCER FOR 60 LPM HYD PUMP		X	
731309012	ROPS - TO CONVERT NON LOADER TO LOADER READY WITH PS AND HORIZONTAL SILENCER FOR 45/60 LPM HYD PUMP	X		
731310012	ROPS - TO CONVERT 2 REMOTE VALVE TO 3 REMOTE VALVE FOR 60 HYD PUMP	X		
731310022	CAB - TO CONVERT 2 REMOTE VALVE TO 3 REMOTE VALVE FOR 60 HYD PUMP		X	
731352012	ROPS - TO CONVERT NON LOADER TO LOADER READY WITH PS for 80 LPM	X		
731352032	CAB - TO CONVERT NON LOADER TO LOADER READY WITH PS for 80 LPM		X	
731357012	ROPS -TO CONVERT 2 REMOTE VALVE TO 3 REMOTE VALVE FOR 80 LPM	X		
731357022	CAB - TO CONVERT 2 REMOTE VALVE TO 3 REMOTE VALVE FOR 80 LPM		X	
Part Number	Description	WORKMASTER 75 ROPS	WORKMASTER 55-75 Cab	NOTES:
718130551	Mounting Bracket for Equipment Monitor		X	
731197551	Loader- Soft Drive (FOR LOADERS WITH 2 FUNCTION)	X	X	
731198551	Loader- Soft Drive (FOR LOADERS WITH- 3RD FUNCTION)	X	X	
731200551	Loader- 3rd Function	X	X	
731231552	Beacon (ROPS)	X		
731231551	Beacon (CAB)		X	
710857552	Canopy (ROPS)	X		
Part Number	Description	WORKMASTER 50-70 ROPS		NOTES:
718258012	Beacon	X		
718257012	Reverse Alarm	X		
731172012	Vertical Exhaust (LESS LOADER)	X		
731173012	Vertical Exhaust (WITH LOADER)	X		
731174012	Downswept Exhaust	X		
718281012	Front Weight Carrier (20 KG)	X		
718282012	Front Weight Carrier (20 KG) and 4 Weights (30 KG)	X		
718283012	Front Weight Carrier (20 KG) and 6 Weights (30 KG)	X		
718284012	Rear Wheel Weights for R1 tires (one per side 32 KG)	X		
718286012	Rear Wheel Weights for R1 tires (two per side 32 KG)	X		
718288012	Rear Wheel Weights for R4 tires (one per side 48 KG)	X		
718290012	Lockable Fuel Cap	X		
718291012	Drawbar Clevis	X		
718285012	Engine Block Heater	X		
731047012	Mid Mount Valve and Joystick	X		
731128012	2nd Rear Remote Valve Kit			